WATER LANDSCAPE SUPPLY 2020 Pond products catalog



Cores .

TOLL FREE: 877-266-8181 · FAX: 515.266.8999 · WATERLANDSCAPESUPPLY.COM

email: sales@waterlandscapesupply.com

TABLE OF CONTENTS BY BRAND

| | ABLE OF CONT | BRAND | PAGE |
|-----------------------------|--|-------------------|-----------------------------------|
| BRAND Alpine | PAGE 34, 35, 130 | Hakko | 97 |
| Airmax / Pond Logic | 96, 98, 110-111 | Handifoam | 113 |
| Aqua Art | 90 | Hecht / Herco | 115 |
| Aqua Control | 108 | Hiblow USA | 96 |
| Aqua Forte | 91 | Hikari | 11 |
| Aqua One | 9 | Hudson | 112 |
| Aquascape | - 63-67, 75, 79-80, 83, 96, 134-135 | | 7 |
| | 26-29 | | 80 |
| Aqua Ultraviolet | | K&H MFG | |
| Atlantic | 52-55, 72-75, 77, 80, 82, 95-96, 112, 126-127, 130 | Kasco | 106-108 |
| Bag-O-Barley | 7 | Kloubec | 10 |
| Botanica | 84-86 | Laguna | 6, 33, 79-80, 84-85, 95 |
| Calais Collection | 123-125, 128-129, 133 | Lifegard Aquatics | 32, 78, 80 |
| Christy's | 116, 122 | Leak Fix | 113 |
| Crystal Clear | 50-51, 85, 109 | Little Giant | 30-31, 72, 74, 112 |
| Cyprio / Hozelock | 138 | Mars Fish Care | 46-47, 109 |
| Danner / Pondmaster | 16-21, 77-78, 95 | Matala | 13-15, 77, 81, 86, 95, 97, 99-105 |
| DekoRRa | 98 | Medo | 97 |
| Dreampond | 90 | MinnFinn | 8 |
| Easy Pro | 8, 56-59, 73-76, 82, 90, 101, 109 | Nualgi | 9 |
| Eco Lab / Microbe-Lift | 7, 40-43, 85, 109 | Nycon | 48-49 |
| Evolution Aqua | 92-94 | Oase | 36-39, 81, 136 |
| F&Q | 12 | Pond Armor | 115 |
| Farm Innovators | 80 | Pondbuilder | 68-69, 72 |
| Filtrific | 70-71, 90 | Pond Force | 4-5, 12, 99, 130-132 |
| Firestone | 114 | Pond Solutions | 8 |
| Fish Mate | 80 | Raven Industries | 115 |
| Fountec / Protec | 9, 126 | Rockin Foam | 113 |
| Green Clean | 6, 109 | Savio | 60-62, 72, 113 |
| Hai Feng | 10 | Scare Crow | 83 |
| | State of the local division of the local div | Sequence | 24-25 |
| The second | Contraction of the local division of the | Shinmaywa | 23 |
| 1 day | | Summit | 7, 83 |
| successive specific sectors | | Tetra Pond | 44-45 |

Tsurumi

Waterway

22 24, 91

TABLE OF CONTENTS BY CATEGORY

| CATEGORY | PAGE | CATEGORY | PAGE |
|-------------------------------------|--|---------------------------------------|---|
| Aeration / Airpumps | 17, 20, 95-99, 102-103, 105 | Glue / Sealants | 113, 116 |
| Airstones / Diffusers | 100-101 | Ion Generators | 67 |
| Air Tubing / Accessories | 100-101, 104 | Koi Measure | 86 |
| Algaecides - Lake | 43, 46, 109, 111 | Lake Treatments / Accessories | 5 |
| Algaecides - Pond | 6-7, 43, 46, 51, 109 | Lighting & Accesories | 108, 128-132, 134-136 |
| Bacteria - Lake | 5, 110 | Media Bags | 87 |
| Bacteria - Pond | 5, 9, 41, 47, 50, 66, 94 | Nets | 48, 78-79 |
| Barley Straw / Extract / Pellets | 7, 43 | Netting, Pond | 82-83 |
| Barrel Liners | 84 | Pest Deterrents / Mosquito Control | 83 |
| Basins | 74-75, 86, 127 | Plant Containers | 84-85 |
| Basket Strainers / Priming Pots | 24 | Plant Food / Feeders | 49, 51, 85 |
| Bio Media | 10, 26, 87, 94 | Planting Media | 41, 85 |
| Black Foam | 113 | Plant Protection | 49 |
| Bottom Drains | 70, 90 | Pond Accessories | 39, 44, 49, 67, 70, 116 |
| Carbon | 43 | Pond Coatings | 115 |
| Colorants - Lake | 110 | Pond Kits | 60, 63 |
| Colorants - Pond | 4, 40 | Pond Liner / Underlayment | 114-115 |
| De-Icers | 80 | Pond Treatments | 4-7, 41-42, 44, 46-47, 50-51, 66, 94, 111 |
| Falls, Filter | 54-55, 59-60, 63, 68-69 | Pond Vac / Cleanout | 39, 81 |
| Falls, Formal | 123-127 | Pre-Filters, Screens | 15, 56, 76-77 |
| Falls, Waterfall Starter | 15, 54, 58, 60, 69-70, 75 | Pump Accessories | 52, 65, 112 |
| Fill Valves | 112 | Pump Protection | 56, 76 |
| Filter Brushes | 87 | Pumps, Submersible | 12-14, 18-23, 30-35, 37, 52, 56-57, 62, 64-65 |
| Filter Media | 10, 15, 88-89 | Pumps, In-line | 24-25 |
| Filter Kits | 16, 32, 38 | Rock Covers | 98 |
| Filters, Gravity | 14-15, 36, 44, 54-55, 59-60, 63, 68-69, 92 | Salt | 8, 46 |
| Filters, Pressure | 17, 27, 34, 36, 64, 94 | Sieves | 91, 93 |
| Fish Bags | 87 | Skimmers | 54-55, 58-59, 61, 63, 68-70, 91 |
| Fish Feeders | 80 | Skimmer Accessories | 88 |
| Fish Food | 10-11, 40, 45 | Skimmers, In-pond | 38 |
| Fish Treatments | 8, 42, 47 | Test Kits & Medic Pens | 46, 80 |
| Fish Tubs / Tanks | 86 | Thermometers | 80 |
| Fittings & Plumbing | 118-122 | Tubing / Clamps | 116-117 |
| Foggers | 129 | UV Accessories | 28, 61, 64 |
| Fountain Heads / Nozzles | 39, 44, 53, 91, 127, 133 | UV Clarifiers | 14, 16, 26, 28-29, 35-36, 61, 64 |
| Fountains, Floating | 38, 106,-108, 128 | UV Lamps | 28, 44, 61, 64, 137 |
| Fountain Kits | 56, 67 | Vaults & Matrix Boxes | 60, 72-73, 75 |
| Fountain Treatments | 9, 44, 126 | Water Garden Gloves | 87 |



POND TREATMENTS

Effective, Industry Tested Treatments For Your Pond!



DECHLORINATOR One of the most concentrated dechlorinators in the industry. Also destroys chloramines, detoxifies heavy metals and buffers pH.





DEFOAMER Concentrated formula quickly eliminates problem causing foam in koi ponds, water gardens, & fountains. Food-grade formula makes it very safe.

BARLEY STRAW EXTRACT Derived from natural barley straw; helps to maintain water clarity.



WATER CONDITIONER **ALL-IN-ONE** Removes ammonia/chlorine/ chloramines, detoxifies heavy metals, adds both electrolytes & slime coat.



EASY TO FOLLOW DOSAGE RATES

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|----------------|---------------------|-------------|-----------------|
| DECHLO | <u>RINATOR</u> | | | |
| PFDC16 | 16 oz. | 16000 | 12 | 14.98 |
| PFDC32 | 32 oz. | 32000 | 12 | 22.98 |
| DEFOAM | ER | | | |
| PFDF16 | 16 oz. | 16000 | 24 | 14.98 |
| PFDF32 | 32 oz. | 32000 | 12 | 22.98 |
| WATER C | ONDITIONE | RALL-IN-O | NE | |
| PFWC16 | 16 oz. | 960 | 12 | 15.98 |
| PFWC32 | 32 oz. | 1920 | 12 | 24.98 |
| BARLEY | STRAW EXT | RACT | | |
| PFBS16 | 16 oz. | 8000 | 24 | 16.98 |
| PFBS32 | 32 oz. | 16000 | 12 | 27.98 |
| WATER C | LARIFIER - F | | NT | |
| PFWF16 | 16 oz. | 16000 | 12 | 14.98 |
| PFWF32 | 32 oz. | 32000 | 12 | 22.98 |



WATER CLARIFIER **FLOCCULANT** Clears cloudy water quickly of organic & inorganic particles, causes particles to settle in pond.

BUY 60+ UNITS OF POND FORCE TREATMENTS & SAVE 10%!

| | RO | CK & WATERF | ALL CLEANER |
|----------------|-----------------|-------------|-----------------|
| Part Number | Description | Case Qty | Retail Price |
| ROCK & WA | TERFALL CLEANER | | |
| PFRC2 | 2 lbs. | 12 | 22.98 |
| PFRC8 | 8 lbs. | 4 | 59.98 |
| | | Easy to use | |

- · Effective oxygen based cleaner
- Quickly cleans rocks, waterfalls and ponds



PONDFORCE POND DYE

· PondForce pond colorant is used in koi ponds and water gardens

- · Black Dye will create a dark reflective appearance to pond water
- Blue Dye will create a pleasing appearance by offering a "natural blue" look to pond water

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|--------------|---------------------|-------------|-----------------|
| PONDFOR | CE POND DYE | | | |
| PFBLU | 16 oz. Blue | 16000 gal | 12 | 12.98 |
| PFBLK | 16 oz. Black | 16000 gal | 12 | 12.98 |



| | EASY TO | USE: 1 Packet or Block per 100 | 00 Gallons | | |
|----------------|--------------------------|--------------------------------|---------------------|-------------|-----------------|
| Part Number | Description | | Treats (Gallons) | Case Qty | Retail Price |
| POND BACTE | ERIA SLUDGE REMOVER W/BA | RLEY | | | |
| PFSB12 | 12 Packets | | 12000 | 24 | 17.98 |
| PFSB24 | 24 Packets | | 24000 | 12 | 26.98 |
| POND BACTE | ERIA COLDWATER BLOCKS | | | | |
| PFCB12 | 12 Blocks | | 12000 | 24 | 17.98 |
| PFCB24 | 24 Blocks | | 24000 | 12 | 26.98 |
| | | LIQUID BACTERIA | | | |

Retail

Price

14.98

23.98

| ALL SEASON POND BACTERIA | Part Number | Description | Treats (Gallons) | Case Qty |
|------------------------------------|----------------|---------------|---------------------|----------|
| Works in water temperature down to | ALL SEASON | POND BACTERIA | | |
| 45°F. Removes Ammonia, Nitrites, | PFAB16 | 16 oz. | 8000 | 12 |
| Nitrates, Phosphates & Sludge | PFAB32 | 32 oz. | 16000 | 12 |

PREMIUM POND AND LAKE BACTERIA

| | Pond & Lake Clarifie | r | Pone | d & Lake Muck Redu | cer |
|---------|---|------------------------|---|--|--------|
| | to Z. WATER SOLUBL PACKET Treatment One Ib. (16 pack per 1/4 acre of p every 1-2 weeks | E [S ets) ond | Shoreline feet of Trea Sludge O | Treatment: One lb. per 500 shoreline every 2-4 weeks timment: Bottom ne lb. per 1/4 acre d every 1-2 weeks | |
| Help | os reduce murky water and bottom sluc | lge. | | Helps eliminate mucky bottoms in | |
| Part | Also helps in nutrient reduction. | Retail | Part | ponds and along shorelines. | Retail |
| Number | Description | Price | Number | Description | Price |
| PFPLC10 | 10 lb. Pail - Packets | 159.98 | PFPLM10 | 10 lb. Pail - Tablets | 159.98 |

429.98 PFPLM25 25 lb. Pail

PFPLC25 25 lb. Pail

429.98

Lanina



Creates Crystal Clear Pond Water

- · Permanently traps phosphate, nitrites, nitrates and ammonia
- Reduces organic debris & foul odors
- Effective up to 3 months

| Part Number | Description | Size | Treats (Gallons) | Retail Price |
|----------------|-------------|------|---------------------|-----------------|
| PT570 | PHOS-X | 2pk | 1320 | 39.98 |
| PT571 | PHOS-X | 4pk | 5283 | 99.98 |

GreenClean

GREENCLEAN GRANULAR ALGAECIDE

Kills String Algae on Contact!



GREENCLEAN LIQUID ALGAECIDE

Controls & Prevents Algae Growth

- Eliminates green water algae
- Sinks to the bottom perfect for deeper waters
- Does not affect pH levels
- Works up to 48 hours after application

| Part Number | Description | Size | Case Qty | Retail Price | GreenCleanF |
|----------------|-------------------|--------|-------------|-----------------|-----------------------|
| GCL32 | GreenClean liquid | 32 oz. | 12 | 22.98 | Contraction of France |
| GCLGAL | GreenClean liquid | Gallon | 4 | 51.98 | |



GREENCLEAN XTREME LIQUID BACTERIA 68 Strains of Beneficial Bacteria



REDUCES: Organic Matter, Ammonia, Nitrate & Phosphate Levels

- Contains micronutrients & stimulants
- Promotes water clarity
- Odorless liquid bacteria
- · Eliminates foul odors in ponds

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|----------------------|---------------------|-------------|-----------------|
| GCX32 | 32 oz. + 1 Bonus oz. | 33000 | 12 | 24.98 |
| GCXG | Gallon | 128000 | 4 | 68.98 |

| | | | | | | | waterianust | | | |
|---|---|---|--|---|---|-------------------------|--|---|--|--|
| | | | P | OND B | ALANCE | | | NTERP | DETD | |
| Rec | duces Strin | gy Organ | ic Deb | ris in I | onds / S | Strea | ms 🕓 | | | 2002 |
| reducing contribu | llance is a widely acc g organic debris. Unl te to excess organic and filters. | palanced pond co | nditions may | | Ideal for | • | Multi-dose pro Not temperatu For best result be followed clo | re sensitive s, instructions | should | |
| This help | llance keeps certain ps provide a healthy harm to plants, fish, | and beautiful pon | d | Prof | Ideal for ndscapers & Pond essionals | S . | After treatmen turn milky whit When pond is | te, this is harm | less | |
| | | Ce Pond E | | | | | | | | |
| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price | Part | | | Treats | Case | Retail |
| 8750 | Pond Balance | 600 (3 times) |) 6 | 29.98 | | Descriptio | on | (Gallons) | Qty | Price |
| 8751 | Pond Balance | 1200 (3 times | s) 6 | 39.98 | BUCKET F | OR LAN | DSCAPERS & | POND PROF | ESSIONA | LS |
| 8752 | Pond Balance | 3600 (3 times | s) 6 | 93.98 | 8753 | Pond Ba | lance Bucket | 62,000 | 2 | 379.98 |
| | | | | | | | NY SA | Province in | ULY STRAW | VER |
| | | | BAG-O-B • Organic • Biodegr • Environ | adable | GREAT SELLING PRODUCT! | | | | ALL STRAT | |
| | | | OrganicBiodegr | adable | SELLING | | Planter | Size | 0 | s Up To |
| | | | OrganicBiodegr | adable | SELLING | | Planter Mini | | Control of the second s | |
| | | | OrganicBiodegr | adable | SELLING | | | Size | Treat: | s Up To |
| HERRICAN CONTRACTOR | | | OrganicBiodegr | adable | SELLING | | Mini Medium Large | Size 3 oz. | Treat 500 150 400 | s Up To O Gal. O Gal. O Gal. |
| | | | OrganicBiodegr | adable | SELLING | | Mini Medium | Size 3 oz. 8 oz. | Treat 500 150 | s Up To) Gal. 0 Gal. |
| | pure, natural, | | OrganicBiodegr | adable | SELLING | | Mini Medium Large Part | Size 3 oz. 8 oz. 14 oz. | Treat: 500 150 400 Case | s Up To O Gal. O Gal. O Gal. Retail |
| conce | entrated barley | | OrganicBiodegr | adable | SELLING | | Mini Medium Large Part Number | Size 3 oz. 8 oz. 14 oz. Planter | Treat 500 150 400 Case Qty | s Up To O Gal. O Gal. O Gal. Retail Price |
| conce | • • • | | OrganicBiodegr | adable | SELLING | | Mini Medium Large Part Number 1138 | Size 3 oz. 8 oz. 14 oz. Planter Mini | Treat: 500 150 400 Case Qty 12 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 |
| conce | entrated barley | | OrganicBiodegr | adable | SELLING | | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| conce | entrated barley hed with peat & | | OrganicBiodegr | adable | SELLING | | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| conce •Enric | entrated barley hed with peat & | humic acid | • Organic • Biodegr • Environ | adable | SELLING PRODUCT! | | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| conce •Enric | entrated barley hed with peat & Treats s. 4 | humic acid | • Organic • Biodegr • Environ | adable | SELLING PRODUCT! | | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| Conce •Enric Size 2.2 lbs | entrated barley hed with peat & Treats s. 4 s. 8 | humic acid s Up To 00 | Organic Biodegr Environ Size 4 oz. 8 oz. Part | radable . friendly | SELLING PRODUCT! | Retail | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| Conce •Enric Size 2.2 lbs 4.4 lbs 10.5 lb Part | entrated barley hed with peat & Treats s. 4 s. 8 s. 25 | b humic acid b Up To 00 00 500 Case Retail | Organic Biodegr Environ Size 4 oz. 8 oz. Part Number | radable . friendly | SELLING PRODUCT! | Retail Price | Mini Medium Large Part Number 1138 1139 1140 | Size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large | Treat: 500 150 400 Case Qty 12 8 4 | s Up To O Gal. O Gal. O Gal. Retail Price 21.98 22.98 |
| Conce • Enric 2.2 lbs 4.4 lbs 10.5 lb Part Number | entrated barley hed with peat & Treats s. 4 s. 8 vs. 25 Description | a Up To 00 00 500 Case Retail Qty Price | Organic Biodegr Environ Size 4 oz. 8 oz. Part Number BS4 | radable friendly Descripti 4 oz. | SELLING PRODUCT! | Retail Price 8.98 | Mini Medium Large Part Number 1138 1139 1140 M | size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large INI BALES | Treats U | s Up To O Gal. O Gal. O Gal. Co Gal. Z1.98 Z2.98 33.98 33.98 |
| Conce •Enric Size 2.2 lbs 4.4 lbs 10.5 lb Part | entrated barley hed with peat & Treats s. 4 s. 8 s. 25 | b humic acid b Up To 00 00 500 Case Retail | Organic Biodegr Environ Size 4 oz. 8 oz. Part Number | radable . friendly | SELLING PRODUCT! | Retail Price | Mini Medium Large Part Number 1138 1139 1140 | size 3 oz. 8 oz. 14 oz. Planter Mini Medium Large INI BALES | Treats 500 150 400 Case Qty 12 8 4 4 7 7 8 4 7 7 7 7 7 7 8 4 | s Up To O Gal. O Gal. O Gal. Co Gal. Z1.98 Z2.98 33.98 33.98 |

36.98

79.98

6

6

MLBS10

MLBS25

10.5 lb. Bag

25 lb. Pail

BS8-3

BS2

8 oz. – 3Pk

2 lb. Bags

39.98

39.98

Number

BS130

Qty

12

Price

11.98

email: sales@waterlandscapesupply.com

MINNFINN - POND SOLUTIONS - SALT

MINNFINN & MINNFIN MAX

Revolutionary Fish Treatment That Can Effectively & Safely Treat a Variety of Fish Diseases



100%

Non-Toxic

MinnFinn excels at treating a number of external organisms (parasites and certain bacteria) found on fish. Based on the disease being treated MinnFinn can be effective in as little as a single dose.

KEY FEATURE & BENEFITS:

- No water changes required
- 100% eliminated after
- neutralization with NeuFinn - Non-cancer causing agents
- such as formalin and malachite green
- Increase dissolved oxygen

| Applications |
|--------------|
| |
| 1 Treatment |
| 1 Treatment |
| 3 Treatments |
| 1 Treatment |
| 2 Treatments |
| 3 Treatments |
| |



| Part Number | Description | NeuFinn Included | Treats (Gallons) | Case Qty | Retail Price |
|----------------|---------------|---------------------|---------------------|-------------|-----------------|
| MINNF | MinnFinn | 387 g | 2240 | 8 | 85.98 |
| MINNFX | MinnFinn Max | 1380 g | 8000 | 4 | 135.98 |
| MINNFMINI | MinnFinn Mini | 50 ml | 220 | 12 | 19.98 |



Truck Freigh





ULTIMATE Removes ammonia/chlorine, destroys chloramines, detoxifies nitrite/heavy metals replaces skin slime coat

EPS10



CYROPRO Treats anchor worm & lice contains vit. B12 - aids wound healing, won't impact bio-filter

POND SOLUTIONS

Health

AID

ICH-X

Treats ich, marine ich, velvet, trichodiniasis, saprolegniasis, fungal infections - won't impact biological filtration

PRAZIPRO Treats conditions caused by: Flukes, Tape Worm, Flatworms, Turbellarians.

Part Treats Case Retail Description Number (Gallons) Qty Price **ULTIMATE • COMPLETE WATER CONDITIONER** (Liquid) 16 oz. 72336 960 12 13.98 72338 4 1 Gallon 7860 73.98 **PRAZIPRO • WORLD'S SAFEST** PARASITE TREATMENT (Liquid) 73256 16 oz. 1920 12 55.98 **ICH-X • MOST EFFECTIVE ICH TREATMENT AVAILABLE (Liquid)** 73336 16 oz. 1920 12 19.98 CYROPRO • ANCHOR WORM **TREATMENT (Liquid)** 73366 16 oz. 5000 12 18.98 73368 1 Gallon 40000 4 125.98

POND SALT

- •99% pure made from evaporated seawater, will not harm plants
- Improves disease recovery
- Reduces fish stress

Dosage Rates

REGULAR TREATMENT

1-2 lbs. per 100 Gal. DISEASE TREATMENT

3 lbs. per 100 Gal.



| Part Number | Description | Retail Price |
|----------------|-------------------------|-----------------|
| EPS10 | Pond Salt 10 lbs. | 23.98 |
| EPS20 | Pond Salt 20 lbs. | 31.98 |
| EPS50B | Pond Salt 50 lbs. (BOX) | 53.98 |

EPS20

AQUA-ONE

Improve Clarity of Your Pond, Health of Your Fish & Reduce Sludge Build-Up!



ACTUA-ONI

Pond Clarifier

Aqua-One is one of the strongest, most complex beneficial bacterial products available. Simply put, Aqua-One works to prevent or eliminate the most common water quality problems associated with ponds. Microbial action works to compete with undesirable growth commonly occuring in ponds.

- · Concentrated, all-natural microbial treatment
- · Helps reduce risk of fish disease
- Works in cold water applications
- Removes excess nutrients
- Consumes decaying organic matter
- · Gets rid of unpleasant odor

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|--------------------------|---------------------|-------------|-----------------|
| A1Q | Pond Clarifier, 40 oz. | 11000 | 6 | 22.98 |
| A1G | Pond Clarifier, 1 gallon | 37000 | 4 | 57.98 |



POND TREATMENT

- Includes 12 Essential Micro Nutrients
- Eliminate Nuisance Algae
- Improve Health & Vibrance of Fish
- Reduce Foul Odors
- Increases Dissolved Oxygen Levels

 Crystal Clear Water without use of an Algaecide

| Part Number | Size | Retail Price |
|----------------|-------------|-----------------|
| NATURA | ALLY BALANC | E YOUR POND |
| NP60 | 60 ml | 26.98 |
| NP125 | 125 ml | 42.98 |
| NP250 | 250 ml | 74.98 |
| NP500 | 500 ml | 123.98 |

Dosage: 1ml per week per 1000 gallons

• Prevents/removes:

- White Calcium

- White Scale, Stains

Prevents metal stains

· Protects water pump

· Small monthly dose

PROTEC

Developed to quickly remove and prevent white

calcium deposits/stains on

statuary surfaces

· Fish safe

PROTEC

FOUNTEC

Pond Clarifier

- Prevents algae growth
- · Keeps water: clean, clear, & algae free
- Small weekly dosage
- Fast acting
- No chlorine added
- Not fish safe

FOUNTEC

Keeps water clear - Helps remove and prevent green, blue-green, yellow, and black type algae in water.

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------|---------------------|-------------|-----------------|
| WFT8 | 8 oz. | 2400 | 20 | 14.98 |
| WFT64 | 64 oz. | 20000 | 8 | 61.98 |

-



| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------|---------------------|-------------|-----------------|
| WPT8 | 8 oz. | 200 | 20 | 12.98 |
| WPT64 | 64 oz. | 1600 | 8 | 53.98 |

KLOUBEC KOI FARM

Platinum Koi Food



- All-Season Kloubec Platinum Koi Cuisine provides a 100% balanced diet for champion koi
- Contains PrimaLac which is a probiotic and aids in digestion
- Contains all necessary minerals and vitamins including vitamin C
- Contains color enhancers

| Part Number | Description | Retail Price |
|----------------|---------------------------|-----------------|
| PLATINU | M KOI FOOD | |
| KFF2 | 2 lbs. Kloubec Fish Food | 18.98 |
| KFF4 | 4 lbs. Kloubec Fish Food | 29.98 |
| KFF8 | 8 lbs. Kloubec Fish Food | 55.98 |
| KFF25 | 25 lbs. Kloubec Fish Food | 153.98 |

FILTER MEDIA



Imported from Japan

- Replicates ecosystem of the Ashi River
- Ceramic cylinders with porous surface

Retail Price

259.98

- Provides ideal conditions for good bacteria to colonize
- Simply place in pond where there is moving water

| Part Number | Description |
|----------------|-------------------------------|
| MOMOTARO BACTE | RIA HOUSE FILTER MEDIA |
| KMFM | 10 lbs. Momotaro Filter Media |

HAI FENG



momotaRo-koj

FAST COLOR

Contains Color Enhancing Elements of Vitamin E, Spirulina and Shrimp Meal

| Part Number | Package Size | Pellet Size | Case Qty | Retail Price |
|----------------|-----------------|----------------|-------------|-----------------|
| WHEAT GEI | RM | | | |
| HJ322M | 420 g Bottle | Medium | 24 | 11.98 |
| HJ325ML | 5 kg Bag | Med/Large | 4 | 60.98 |
| HJ325L | 5 kg Bag | Large | 4 | 59.98 |
| T321MLK | 15 kg Bag | Med/Large | | 159.98 |
| T321LK | 15 kg Bag | Large | | 152.98 |





WHEAT GERM

Balanced fish food contains vitamins B & C, digestive enzymes to help fish stay healthy during cold weather

10

KLOUBEC - MATALA - HAIFENG

| | toll free: | : 877.266 | .8181 | • fa | ix: 515.266.899 | 9 • wel | osite: wa | terlandscapes | supply.c | om | |
|--------------------------------|-------------------------|----------------|-------------|-----------------|--|--|----------------|--|----------------|-------------|--------------------------------|
| | <u>-likari</u> | | | | PREMIU | M DIETS | | | | Hik | <u>iari</u> |
| ECON Basic nut long, her | IOMY rrition for Inc | STAPI | | Exti | HEAT GERM remely effective cooler climates | WG SINP Highly digest cooler tempo | ible – for | GOLD Bring out the color of your | | | OWTH promotes aship form |
| Part Number | Package Size | Pellet Size | Case Qty | Retail Price | | 2 | Part Number | Package Size | Pellet Size | Case Qty | Retail Price |
| ECONO | <u>NY</u> | | | | | A COLOR | WHEAT | GERM SINKING | 1 | | |
| 38378 | 8.8 lb/4 kg | Medium | 4 | 45.98 | THE R. | | 35342 | 17.6 oz/500 g | Medium | n 20 | 16.98 |
| 38478 | 8.8 lb/4 kg | Large | 4 | 45.98 | 54 | | 35382 | 11 lb/5 kg | Medium | n 4 | 129.98 |
| STAPLE | | | | | 02 | 2 | GOLD | | | | |
| 01242 | 17.6 oz/500 g | Mini | 20 | 11.98 | | | 02242 | 17.6 oz/500 g | Mini | 20 | 18.98 |
| 01270 | 4.4 lb/2 kg | Mini | 8 | 43.98 | SPIRU Spirulina & d | | 02282 | 11 lb/5 kg | Mini | 4 | 155.98 |
| 01342 | 17.6 oz/500 g | Medium | 20 | 11.98 | germ com | nbine to | 02342 | 17.6 oz/500 g | Medium | n 20 | 18.98 |
| 01370 | 4.4 lb/2 kg | Medium | 8 | 43.98 | enhance | | 02370 | 4.4 lb/2 kg | Medium | n 8 | 69.98 |
| 01382 | 11 lb/5 kg | Medium | 4 | 94.98 | PELLET | | 02382 | 11 lb/5 kg | Medium | n 4 | 155.98 |
| 01389 | 22 lb/10 kg | Medium | | 169.98 | | | 02389 | 22 lb/10 kg | Medium | ı | 289.98 |
| 01442 | 17.6 oz/500 g | Large | 20 | 11.98 | | XAG | 02442 | 17.6 oz/500 g | Large | 20 | 18.98 |
| 01470 | 4.4 lb/2 kg | Large | 8 | 43.98 | VII | ACC | 02482 | 11 lb/5 kg | Large | 4 | 155.98 |
| 01482 | 11 lb/5 kg | Large | 4 | 94.98 | | MINI | 02489 | 22 lb/10 kg | Large | | 289.98 |
| 01489 | 22 lb/10 kg | Large | | 169.98 | MEDI | UM | HI-GRO | <u>NTH</u> | | | |
| WHEAT | <u>GERM</u> | | | | | | 08470 | 4.4 lb/2 kg | Large | 8 | 59.98 |
| 06242 | 17.6 oz/500 g | Mini | 20 | 15.98 | | | SPIRULI | INA | | | |
| 06270 | 4.4 lb/2 kg | Mini | 6 | 49.98 | Plike de | | 07242 | 17.6 oz/500 g | Mini | 24 | 24.98 |
| 06342 | 17.6 oz/500 g | Medium | 20 | 15.98 | 第2 | | EXCEL | | | | |
| 06370 | 4.4 lb/2 kg | Medium | 6 | 49.98 | | | 13382 | 11 lb/5 kg | Large | 4 | 233.98 |
| 06382 | 11 lb/5 kg | Medium | 4 | 115.98 | | at . | | 4 | | | |
| 06391 | 33 lb/15 kg | Medium | | 289.98 | EXC | EI | | JAPAN'S N | IOST | | |
| 06482 | 11 lb/5 kg | Large | 4 | 115.98 | Mix of v | | | POPULAR B | | | |
| 06488 | 33 lb/15 kg | Large | | 289.98 | germ an cultured s | • | | | | | |



COLOR ENHANCING Exacting amounts of specially selected color enhancing ingredients promote vivid coloration – highly digestible, easily assimilated – no negative impact to the Shiroji

| Part Number | Package Size | Pellet Size | Retail Price |
|----------------|-----------------|----------------|-----------------|
| COLOR | ENHANCING | | |
| 41809 | 4.4 lb/2 kg | Med. | 85.98 |
| 41812 | 33 lb/15 kg | Med. | 479.98 |

SAKI-HIKARI



MOLTI-SEASON Provides the proper level of nutrients and carotenoids to provide steady growth and improved coloration – excellent growth and coloration possible

| Part Number | Package Size | Pellet Size | Retail Price |
|----------------|-----------------|----------------|-----------------|
| MULTI-S | EASON | | |
| 41935 | 4.4 lb/2 kg | Med. | 97.98 |
| 41938 | 33 lb/15 kg | Med. | 529.98 |



GROWTH Heightened growth rates due to the perfect nutritional balance – no fat buildup with long term use – protein rich, carbohydrate complete nutritional package

| Part Number | Package Size | Pellet Size | Retail Price |
|----------------|-----------------|----------------|-----------------|
| GROWT | H | | |
| 41872 | 4.4 lb/2 kg | Med. | 83.98 |
| 41875 | 33 lb/15 kg | Med. | 459.98 |



HIKARI - SAKI HIKARI



WATERFALL PUMPS


Submersible vertical pump

• Rugged motor for long life

Vortex type design

• 18' Power cord

- Thermal overload protection
- 1 1/2" and 2" outlets
- · Continuous duty operation
- 3/4" Solids handling






| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimensions (L x W x H) | Watts | Max Amps | Discharge | Cord Length | Retail Price |
|----------------|------|------|------|------|------|--------------|---------------------------|-------|-------------|-----------|----------------|-----------------|
| PF3000 | 3100 | 2800 | 1450 | 210 | - | 16' | 9.4" x 6.5" x 14" | 140 | 3.0 | 1 1/2" | 18' | 339.98 |
| PF3700 | 3900 | 3360 | 2270 | 1150 | 250 | 22' | 9.4" x 6.5" x 14" | 150 | 3.3 | 1 1/2" | 18' | 369.98 |
| PF4500 | 4700 | 4470 | 4060 | 3120 | 2200 | 27' | 9.4" x 6.5" x 14" | 250 | 4 | 2" | 18' | 399.98 |
| PF5200 | 5400 | 5150 | 4450 | 3740 | 3000 | 32 | 9.4" x 6.5" x 14.8" | 400 | 5.2 | 2" | 18' | 449.98 |
| PF6000 | 6200 | 6020 | 5865 | 5360 | 4640 | 41' | 9.4" x 6.5" x 14.8" | 600 | 7.3 | 2" | 18' | 529.98 |

F&Q[®]- PUMPS







· Heavy duty cast iron construction

- · Perfect for large scale waterfalls
- Largest 115V submersible pump
- · Handles up to 2" solids



*Units are drop shipped from manufacturer.





| GEYSERMA | X-FLOW | PUMPS | | | | | | | | | | |
|----------|--------|-------|------|------|------|-------|---------------------|-----|-----|--------|-----|--------|
| GM-3200 | 3100 | 2800 | 1450 | 210 | - | 16' | 9.4" x 6.5" x 14" | 140 | 3.0 | 1 1/2" | 19' | 399.98 |
| GM-3900 | 3900 | 3360 | 2270 | 1150 | 250 | 22.5' | 9.4" x 6.5" x 14" | 150 | 3.3 | 1 1/2" | 19' | 424.98 |
| GM-4700 | 4700 | 4470 | 4060 | 3120 | 2200 | 27.5' | 9.4" x 6.5" x 14" | 250 | 4 | 2" | 19' | 468.98 |
| GM-5400 | 5400 | 5150 | 4450 | 3740 | 3000 | 32.8 | 9.4" x 6.5" x 14.8" | 400 | 5.2 | 2" | 19' | 522.98 |
| GM-6200 | 6200 | 6020 | 5865 | 5360 | 4640 | 41' | 9.4" x 6.5" x 14.8" | 600 | 7.3 | 2" | 19' | 608.98 |

VERSIFLOW SKIMMER PUMPS

- Non-clogging vortex type design
- Continuous duty operation • Replaceable pre-filter available

FT 35 -30

TOTAL HEAD 25 20 –

15

10


5

0 \exists

111

ò

- · Easy replacement for existing skimmer pump
- · Detachable pre-filter for added versatility





Designed for HORIZONTAL or VERTICAL Use

| | | | | | | | | A | | | | |
|----------------|------|------|------|------|------|--------------|---------------------------|-------|------|-----------|----------------|-----------------|
| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimensions (L x W x H) | Watts | Amps | Discharge | Cord Length | Retail Price |
| V-3200 | 3240 | 2931 | 2092 | 867 | _ | 19' | 13.5" x 7" | 150 | 2.8 | 2" | 20' | 458.98 |
| V-3900 | 3850 | 3648 | 2748 | 1428 | 51 | 23' | 13.5" x 7" | 250 | 3.2 | 2" | 20' | 482.98 |
| V-4700 | 4690 | 4255 | 3538 | 2706 | 1789 | 30' | 15" x 7" | 400 | 5.3 | 2" | 20' | 643.98 |
| V-5600 | 5600 | 5513 | 5409 | 5046 | 4130 | 38' | 16" x 7" | 750 | 7.3 | 2" | 20' | 927.98 |

-56'00

1200 2400 3600 4800 6000 7200 GPH

CAPACITY

MATAL

| MAGNA-FLOW PUMP | | | | | | | | | | |
|-----------------|---|---------------|----------------|-------------------|---------------------------|--|-----------|--|-----------------|--|
| • | naintain and cle iet and energy e dly MF-6 | fficient | | | NEW! MF-750 | | | efilter can protect rmance of Magna 2 year MF-11000 MF-13501 | -Flow Pump | |
| Part Number | Max. GPH | Max. Head | Watts | Outlets | Dimensions (L x W x H) | Cord | Prefilter | Flow Control | Retail Price | |
| MF-600 | 600 | 7.9' | 38 | 3/4" | 6" x 3.5" x 9" | 12' | No | No | 81.98 | |
| MF-750 | 750 | 8.2' | 67 | 3/4" | 7.5" x 4" x 7.2" | 18' | No | No | 110.98 | |
| MF-1100EZ | 1100 | 8.2' | 86 | 3/4" & 1" | 12.6" x 4" x 9" | 18' | Included | Included | 125.98 | |
| MF-1350EZ | 1350 | 11.5' | 117 | 3/4" & 1" | 12.6" x 4" x 9" | 18' | Included | Included | 168.98 | |
| | | | | Fountai | in Nozzle | Kit 🎬 | | | | |
| | Affordable a | and high qual | ity Founta | ain Nozzle Kit co | mes with 3 nozzles: | | | T | . | |
| Nozzle | MF-600 | | -750 | MF-1100EZ | MF-1350EZ | | | | (#- ~) | |
| Water Bell | 1.6' Dia. | | Dia. | 2.6' Dia. | 3.9' Dia. | Waterbell | Doubl | e Daisy | Spike Jet | |
| Double Dais | • | | x 3.9' | 2.3' x 3.9' | 4.3' x 6.6' | NEW! Waterbell Part | Doubi | e Daisy | Retail | |
| Spike Jet | 1' x 3.3' | | x 5.2' | 1.6' x 5.2' | 2.6' x 7.2' | Number | Descrip | otion | Price | |
| | Diver | ter Valve and | Extensio | n Pipe with 3/4" | outlet also included | MFNK | Founta | ain Nozzle Kit | 21.98 | |
| Mata | | | | SPEC1 | | Cs | | | | |
| Part Number | Description | | etail Price | | | er = 30% more UV output Phillips UV | | hour lamp life) | | |
| UV BULBS | | | | • • • | | high output lamps | | | | |
| M40L | 40W | 8 | 3.98 | • LED warning | system indicates | when unit needs so | ervice | 100 | - | |
| M75L | 75W | 123 | 3.98 | Unit B | ulbs | | 1 | | deres a | |

per Unit

1 x 40W

1 x 75W

2 x 75W

4 x 75W

Size

75W

150W

300W

| M75L | 75W | 123.98 |
|----------|---------------------------|--------|
| | IENT PARTS | |
| MUVOR | Replacement O-Ring | 4.98 |
| MUVQS | Replacement Sleeve | 85.98 |
| | IENT BALLAST | |
| BL-L40W | for 40W SS UVC | 137.98 |
| BL-L75W | for 75W SS UVC | 171.98 |
| BL-L150W | for 150W SS UVC | 215.98 |

· Heavy duty 304 stainless steel for long life

- Does not restrict water flow of your pump
- 17' power cord with in-line transformer

3

• 2" inlet / outlet (MPT)


| Part Number | Description | Max. Pond Volume | Max. Flow (GPH) | Lamp | Cord Length | Retail Price |
|----------------|-------------|---------------------|--------------------|---------|----------------|-----------------|
| SS40UV | 40W SS UVC | 5500 | 1800 | 40W | 17' | 707.98 |
| SS75UV | 75W SS UVC | 10000 | 3600 | 75W | 17' | 873.98 |
| SS150UV | 150W SS UVC | 19000 | 6500 | 2 x 75W | 17' | 1,435.98 |
| SS300UV | 300W SS UVC | 30000 | 12000 | 4 x 75W | 17' | 2,419.98 |

BIOSTEP & BIOSTEP WATERFALL

BIOSTEP

- State of the art progressive filtration
- Sloped bottom for easy draining
- Filter design enhance bacteria growth
- **BIOSTEP WATERFALL**
- Standard Biostep features with a waterfall
- Waterfall attaches to front of box
- Pond liner attached to waterfall box

| 1 | Inlet Chamber/Optional UVC | Part | | Max. Pond | Max. Flow | Dimensions | Retail |
|---|----------------------------|------------------|----------------------------|-----------|-----------|--------------------------------------|--------|
| 2 | Medium Density Filter | Number | Description | Volume | (GPH) | (L x W x H) | Price |
| 3 | High Density Filter | MBS10 | Gravity Filter | 2400 | 1200 | 23.2" x 12.4" x 20.2" | 269.98 |
| 4 | Super High Density Filter | BIOSTEP G | RAVITY FILTER w/WATER | FALL | | | |
| 5 | Outlet Chamber | MBS10WF | Gravity Filter w/Waterfall | 2400 | 1200 | 23.2" x 12.4" x 20.2" w/7" Waterfall | 313.98 |



| Part | | | Dimensions | Max. Flow | Retail | Part | | | Dimensions | Max. Flow | Retail |
|---------|------------|----------|------------------|-----------|--------|---------|---------------|----------|------------------|-----------|--------|
| Number | Bulkhead | Spillway | (L x W x H) | (GPH) | Price | Number | Tubing Size | Spillway | (L x W x H) | (GPH) | Price |
| WATERFA | ALL FOR BI | OSTEP 10 | | | | SIDE EN | TRY WATERF | ALL BOX | | | |
| MWF11 | 2" | 11" | 11" x 7" x 7.25" | 1200 | 45.98 | MWFB | 1"-1.25"-1.5" | 11" | 11" x 7" x 7.25" | 1400 | 49.98 |

IATAL/

email: sales@waterlandscapesupply.com

| | | | RIFIE | RS & RE | PLAC | EMENT | PART | 5 | | |
|---|---|--|--|---|-----------------------------|---|--|------------------------|-------------------------------------|-----------------------------------|
| - | 10W | | | 20W | 1 YEAR | PONDMA | STER | Ę | | |
| | atures Glowing onitor Halo Ring | | | | | | | | | |
| | | | | 40W | Part Number | Description | Max. Pond Volume | Max Flow (GPH) | Inlet/Outlet Size | Retail Price |
| | | ive whether used in or | | er | 02910 | 10W UVC | 1500 Gal. | 700 | 3/4" Barb | 247.98 |
| | | nd 18' grounded power ign for increased conta | | | 02920 | 20W UVC | 4000 Gal. | | 1" Barb | 287.98 |
| • 9000 ho | | ight for increased conta | | | 02940 | 40W UVC | 6000 Gal. | 2900 | 1 1/2" Barb | 343.98 |
| Part Number | Description | Retail Price | Part Number | Description | | Retail Price | Part Number | Description | ı | Retail Price |
| LAMPS | | | QUART | Z SLEEVES | | | BALLAS | <u>rs</u> | | |
| 12971 | 10W Lamp | 78.98 | 12981 | 10W Quartz | | 27.98 | 12991 | 10W Balla | | 99.98 |
| 12972 | 20W Lamp | 91.98 | 12982 | 20W Quartz 40W Quartz | | 42.98 | 12992 | 20W Balla 40W Balla | | 138.98 |
| 12974 | 40W Lamp | 127.98 | 12984 | 40W Quartz | Sleeve | 53.98 | 12996 | | isi | 157.98 |
| | F | 02205 | | | | | | - | | |
| Ме | | 02205 offer Both Biological Filtration | 02 | • Easy clean • Low profile | e | 0220 | 00 | | | |
| Part Number | | ffer Both Biological Filtration | 02 | • Easy clean | e | | Filter Box | | ase | Retail |
| Part | | ffer Both | 02 | • Easy clean • Low profile | e | | | | ase Aty4 | Retail Price 44.98 |
| Part Number | | ffer Both Biological Filtration Description | | • Easy clean • Low profile | e | | Filter Box Dimensions | | Qty | Price |
| Part Number 02205 | | ffer Both Biological Filtration Description PONDMASTER 500 | 0 | • Easy clean • Low profile | e | | Filter Box Dimensions 9" x 9" | | Qty 4 | Price 44.98 |
| Part Number 02205 02211 | | ffer Both Biological Filtration Description PONDMASTER 500 PONDMASTER 1000 PONDMASTER 2000 | 0 | • Easy clean • Low profile | e ed in tander | m | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" | | Qty 4 4 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 | chanical and E | ffer Both Biological Filtration Description PONDMASTER 500 PONDMASTER 1000 PONDMASTER 2000 | 0 0 I-PONI | • Easy clean • Low profile • May be use | e ed in tander | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | Qty 4 4 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 | Echanical and E Filters Echanical an | ffer Both Biological Filtration Description PONDMASTER 500 PONDMASTER 100 PONDMASTER 200 IN S Offer Both d Biological Filtra Pump Size | 0 0 I-PONI tion Retail | • Easy clean • Low profile • May be use | e ed in tander | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Nude: | | 20ty 4 4 2 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 | Echanical and E Filters Echanical an | ffer Both Biological Filtration Description PONDMASTER 500 PONDMASTER 100 PONDMASTER 200 IN S Offer Both d Biological Filtra Pump Size (GPH) | o o I-PONI | • Easy clean • Low profile • May be use | e ed in tander | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 | Filters Filters echanical an Description | ffer Both Biological Filtration Description PONDMASTER 500 PONDMASTER 1000 PONDMASTER 2000 IN S Offer Both d Biological Filtra Pump Size (GPH) TEM KITS | 0 0 I-PONI tion Retail | • Easy clean • Low profile • May be use | e ed in tanded | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | 2ty 4 2 PMK1350 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 02200 02200 02200 02200 02200 02200 02200 02200 02201 02205 02211 02205 02211 02205 02211 02205 02211 02205 02211 02205 02211 02205 02211 02205 | Filters Filters echanical an Description D FILTER SYS | ffer Both Biological Filtration PONDMASTER 500 PONDMASTER 100 PONDMASTER 200 IN S Offer Both d Biological Filtra Pump Size (GPH) TEM KITS 190 | 0 0 I-PONI tion Retail Price | • Easy clean • Low profile • May be use | e ed in tanded | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 02200 National Part Number <u>IN-PON</u> 02019 | Filters Filters echanical an Description D FILTER SYS PMK190 | ffer Both Biological Filtration | 0 0 I-PONI tion Retail Price 106.98 170.98 191.98 | • Easy clean • Low profile • May be use | e ed in tanded | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 02200 National Part Number IN-PON 02019 02212 02213 02215 | Filters chanical and E Echanical an Description D FILTER SYS PMK190 PMK1250 PMK1350 PMK1350 | ffer Both Biological Filtration | 0 0 1-PONI tion Retail Price 106.98 170.98 191.98 213.98 | • Easy clean • Low profile • May be use | e ed in tanded | m FEM KI [*] Kits Inc Pump, | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 Ne Part Number <u>IN-PON</u> 02019 02212 02213 | Filters echanical and E Description D FILTER SYST PMK190 PMK1250 PMK1350 | ffer Both Biological Filtration | 0 0 I-PONI tion Retail Price 106.98 170.98 191.98 213.98 223.98 | • Easy clean • Low profile • May be use | e ed in tanded R SYST | m TEM KIT Kits Inc Pump, Head a | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain and Filter | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 |
| Part Number 02205 02211 02200 02200 National Part Number IN-PON 02019 02212 02213 02215 | Filters chanical and E Echanical an Description D FILTER SYS PMK190 PMK1250 PMK1350 PMK1350 | ffer Both Biological Filtration | 0 0 1-PONI tion Retail Price 106.98 170.98 191.98 213.98 223.98 | • Easy clean • Low profile • May be use | e ed in tanded R SYST | m TEM KIT Kits Inc Pump, Head a | Filter Box Dimensions 9" x 9" 12" x 12" 12" x 24" IS Iude: Fountain and Filter | | 2ty 4 2 PMK1350 PMK1500 | Price 44.98 71.98 143.98 |

| Part Number | Description | Case Qty | Retail Price | Part Number | Description | Case Qty | Retail Price |
|----------------|--------------------------------------|-------------|-----------------|----------------|-------------------------------------|-------------|-----------------|
| 12195 | For 190 Kit (02019), Coarse & Carbon | 6 | 12.98 | 12201 | For PM1000 & PM2000, PolyPad (3 Pk) | 6 | 15.98 |
| 12202 | For PM1000 & PM2000, Coarse & Carbon | 6 | 14.98 | 12205 | For PM1000 & PM2000, FoamPad | 6 | 16.98 |
| 12203 | For PM1000 & PM2000, Carbon | 6 | 7.98 | 12207 | For PM500, FoamPad | 6 | 14.98 |
| 12204 | For PM1000 & PM2000, Coarse | 6 | 10.98 | | | | |

CLEARGUARD FILTERS

Each Unit has 7 Functions: Filter, Backwash, Rinse, Winterize, Empty, Circulate and Close



- With or without UV (Filter pads help remove fine debris)
- Can be used with CLEARGUARD Backwash Air Kit
- Both Slip & Barbed Fittings

DANNER

•9 & 18 watt upgrade kits





| | 05640 | 0563 | 30 | | 056 | 620 | | 056 | 10 | |
|----------------|---------------------|---------------------|------------------|-------|---------------------|----------------------------------|-----------------------|----------------|-------|-----------------|
| Part Number | Max. Pond Volume | Max. Flow | PSI | | Fittings | | Dimensions (W x H) | Cord Length | Watts | Retail Price |
| PRESSU | JRE FILTERS W/O UV | <u>/C</u> | | | | | | | | |
| 05610 | 2700 | 3000 GPH | 15 | | 1 1/2" Slip & Barb | | 19" x 18" | - | - | 327.98 |
| 05620 | 5500 | 6000 GPH | 15 | 1 | 1/2" & 2" Slip & Ba | rb | 19" x 28" | - | - | 455.98 |
| 05630 | 8000 | 80000 GPH | 15 | 1 | 1/2" & 2" Slip & Ba | rb | 19" x 34" | - | - | 619.98 |
| 05640 | 16000 | 90000 GPH | 20 | | 3" Slip & Barb | | 19" x 38" | - | - | 1,079.98 |
| PRESSU | JRE FILTERS W/ UVC | | | | | | | | | |
| 05615 | 2700 | 3000 GPH | 15 | | 1 1/2" Slip & Barb | | 19" x 18" | 18' | 9 | 409.98 |
| 05625 | 5500 | 6000 GPH | 15 | 1 | 1/2" & 2" Slip & Ba | rb | 19" x 28" | 18' | 18 | 505.98 |
| 05635 | 8000 | 8000 GPH | 15 | 1 | 1/2" & 2" Slip & Ba | rb | 19" x 34" | 18' | 18 | 697.98 |
| 05645 | 16000 | 9000 GPH | 20 | | 3" Slip & Barb | | 19" x 38" | 18' | 36 | 1,309.98 |
| | | | | AC | CESSORIES | | | | | |
| 15615 | 9 Watt U | IV Lamp | | 33.98 | 15660 | Bad | ckwash Kit (270 | 0, 5500) | | 275.98 |
| 15625 | (old version) 18 Wa | att UV Lamp - 2 pin | | 53.98 | 15670 | 15670 Backwash Kit (8000, 16000) | | | | |
| 15628 | (new version) 18 W | att UV Lamp - 4 pin | | 52.98 | 15610 | ClearGu | ard 9 Watt UV C | Conversion I | ≺it | 139.98 |
| 15612 | Quartz Tube | e for 9 Watt | | 41.98 | 15820 | ClearGua | rd 18 Watt UV (| Conversion | Kit | 193.98 |
| 15622 | Quartz Tube | e for 18 Watt | or 18 Watt 63.98 | | | | Filter Pads (16 | 000) | | 44.98 |
| 15640 | Filter Pads (270 | 00, 5500, 8000) | | 25.98 | | | | | | |
| | | | | | | | | | | |

AIRPUMPS

PONDMASTER



| Part | | CUBIC FEET PER MINUTE @ Tubing Max. | | | | | | | | | | |
|--------|-------------|-------------------------------------|-----|-----|-----|-----|-----|------|-------|-------|-----|--------|
| Number | Description | 0' | 2' | 4' | 6' | 8' | 10' | Size | Depth | Watts | Qty | Price |
| 04520 | AP-20 | 1.0 | 0.7 | 0.4 | 0.1 | _ | _ | 5/8" | 7' | 20 | 2 | 159.98 |
| 04540 | AP-40 | 1.7 | 1.3 | 1.0 | 0.7 | 0.3 | - | 5/8" | 10' | 40 | 2 | 209.98 |
| 04560 | AP-60 | 3.2 | 2.4 | 1.9 | 1.2 | 0.5 | - | 3/4" | 9.6' | 50 | 2 | 259.98 |
| 04580 | AP-100 | 5.3 | 4.1 | 3.5 | 2.5 | 1.6 | 0.7 | 3/4" | 11.5' | 100 | 2 | 325.98 |

| PONDMASTER | Part Number | Description |
|------------|----------------|------------------------|
| Diaphragm | 14525 | Diaphragm Kit, for AP- |
| Kits | 14545 | Diaphragm Kit, for AP- |

| | Retail Price | Part Number | Description | Retail Price |
|--------------|-----------------|----------------|---------------------------|-----------------|
| t, for AP-20 | 13.98 | 14555 | Diaphragm Kit, for AP-60 | 15.98 |
| t, for AP-40 | 14.98 | 14565 | Diaphragm Kit, for AP-100 | 18.98 |
| | | | | |

email: sales@waterlandscapesupply.com

DANN≋R

DANNER

STATUARY / FOUNTAIN PUMPS





- For submersible use
- Variable flow control
- Grounded power cord




| | Part Number | GPH | Max. Head | Tubing Size | Watts | Cord Length | Case Qty | Retail Price |
|---|----------------|-----|--------------|----------------|-------|----------------|-------------|-----------------|
| | 01703 | 70 | 2' | 1/4" - 1/2" | 3.6 | 6' | 6 | 20.98 |
| 1 | 01707 | 93 | 2.5' | 1/4" - 1/2" | 8.4 | 6' | 6 | 22.98 |
| | 01713 | 120 | 3' | 1/4" - 1/2" | 9.8 | 6' | 6 | 23.98 |
| 1 | 01717 | 200 | 6.5' | 1/4" - 1/2" | 23.4 | 6' | 6 | 31.98 |
| 1 | 01723 | 290 | 6.5' | 1/2" - 3/4" | 28.8 | 6' | 4 | 43.98 |
| | 01727 | 400 | 8.5' | 1/2" - 3/4" | 54 | 6' | 4 | 60.98 |
| | 01733 | 530 | 9' | 1/2" - 3/4" | 81 | 6' | 4 | 63.98 |
| | 01737 | 725 | 12' | 1/2" - 3/4" | 60 | 6' | 4 | 85.98 |

PONDMASTER ECO

DANN≋R



| Part Number | GPH | Max. Head | Discharge | Watts | Cord Length | Case Qty | Retail Price |
|----------------|------|--------------|-----------|-------|----------------|-------------|-----------------|
| POND & | WATE | RFALL | PUMPS W | BARBE | | NGS | |
| 80430 | 175 | 4' | 5/8" | 10.5 | 15' | 4 | 44.98 |
| 80435 | 300 | 6.5' | 3/4" | 19 | 15' | 4 | 64.98 |
| 80440 | 400 | 6.5' | 3/4" | 20 | 15' | 4 | 70.98 |
| 80445 | 600 | 7.5' | 3/4" | 40 | 15' | 4 | 110.98 |
| 80450 | 1000 | 9' | 1" | 70 | 15' | 2 | 138.98 |
| 80455 | 1350 | 13.5' | 1" | 125 | 15' | 2 | 187.98 |
| 80460 | 1650 | 12.5' | 1" | 145 | 15' | 2 | 209.98 |
| 80465 | 2175 | 16.5' | 1 1/4" | 226 | 15' | 2 | 275.98 |



Perfect replacement for tabletop fountains & small statuaries

· Energy-efficient mag-drive Variable flow control







Case

Qty

6

6

6

6

6

Retail

Price

16.98

18.98

20.98

27.98

31.98

1. Bell


2. Fleur de Lis

3. Double Fleur de Lis



Part Fountain Max. Cord Retail GPH Number Head Nozzles Incl. Watts Length Price PUMP AND FOUNTAIN NOZZLE KITS 82410 160 4' 10.5 15' 50.98 1, 2 82415 225 6' 1, 2 19 62.98 15' 82425 400 6.5' 1, 2 20 15' 75.98 82430 1, 2, 3 460 6.75 45 15' 101.98 82435 540 7.5' 1, 2, 3 40 15' 122.98 9' 82445 1000 1, 2, 3, 4 70 15' 136.98 82455 1630 12.5' 1, 2, 3, 4 145 15' 196.98





- · Variable flow control
- 15' power cord



| | ~ | MAG | -D <u>R</u> I | VE P | UMP | S & P | ART | 5 | | D | | |
|------------------|--|--|----------------|-------------|-----------------------|----------------------|----------------|----------------------|-------------------------|--------------|-------------|--------------------|
| 1 | | | | | energy e ed for co | fficient ntinuous | use | | earable s / filled – | | | |
| Į | | 02510 | Part Number | - | Max. Head | Thread Size | Tubing Size | Watts | Cord Length | Warranty | Case Qty | Retail Price |
| 0 | 2520 / 02521 | | 02501 | 35 | 1.5' | N/A | 1/2" | 5 | 6' | 1 Yr | 4 | 17.98 |
| | | | 02510 | 65 | 2' | N/A | 1/2" | 5 | 6' | 1 Yr | 4 | 20.98 |
| | | 3 | 02520 | 80 | 4' | N/A | 1/2" | 6 | 6' | 1 Yr | 4 | 38.98 |
| | | | 02521 | 140 | 6' | N/A | 1/2" | 9 | 6' | 1 Yr | 4 | 43.98 |
| HU | | a ca | 02519 | 190 | 7' | N/A | 1/2" | 13 | 10' | 5 Yr | 4 | 55.98 |
| | | 02720 / 02722 02728 | 02522 | 250 | 7' | 1/2" | 3/4" | 24 | 18' | 5 Yr | 6 | 97.98 |
| | | | 02523 | 350 | 11' | 1/2" | 3/4" | 35 | 18' | 5 Yr | 6 | 105.98 |
| 025 ⁻ | 19 | -2/ | 02525 | 500 | 11' | 1/2" | 3/4" | 45 | 18' | 5 Yr | 6 | 117.98 |
| | | | 02527 | 700 | 12' | 1/2" | 3/4" | 70 | 18' | 5 Yr | 6 | 129.98 |
| 1. mar | 2 | | 02720 | 950 | 14' | 3/4" | 1" | 93 | 18' | 5 Yr | 2 | 169.98 |
| 5 | 1 | 6211/1 | 02722 | 1200 | 14' | 3/4" | 1" | 110 | 18' | 5 Yr | 2 | 195.98 |
| | | | 02728 | 1800 | 16' | 3/4" | 1" | 145 | 18' | 5 Yr | 2 | 267.98 |
| | The second | | 02750 | 2400 | 17' | 1" | 1 1/4" | 237 | 18' | 5 Yr | 2 | 327.98 |
| | 2 / 02728) / 02755 | 02522 / 02523 02525 / 02527 | 02755 | 3600 | 22' | 1" | 1 1/4" | 256 | 18' | 5 Yr | 2 | 343.98 |
| Part Number | Description | | | Case Qty | Retail Price | Part Number | Descri | ntion | | | | Retail Price |
| | PRE-FILTERS | | | | FILE | IMPELL | | ption | | | | FIICe |
| 12605 | | umps 1, 1.5, 1.9 | | 6 | 6.98 | 12650 | | Pump (0 | 2510) | | | 15.98 |
| 12600 | · | or Small Statuary Pumps | | 6 | 15.98 | 11655 | | 02520) | 2310) | | | 11.98 |
| 12505 | | r, for Pumps 2, 3, 5, 7 | 6 | 11.98 | 12655 | • | | ۰ . | | | 15.98 | |
| | | • • • • • | | | | | | 5 (02521) (02540 | | | | |
| 12285 | - | r, for Pumps 2, 3, 5, 7 | | 6 | 17.98 | 12955 | |) (02519 | | | | 17.98 |
| 12784 12730 | U | ; for Pumps 250-700 GF r, for Pumps 9.5, 12, 18 | 'n | 12 | 8.98 | 12555 | | 02512, (| , | | 0505) | 18.98 |
| 12730 | | | | 6 | 19.98 | 12575 | | • | • | 23, 02515, 0 | 2929) | 20.98 |
| | OVERS/VOLUTE | r, for Pumps 9.5 - 3600 | | 6 | 9.98 | 12585 12746 | | 5 "B" (02 | 517, 025 | 527) | | 23.98 |
| 12635 | For 80 and 140 | | | | 6.98 | 12740 | | "В" (02 | | | | 41.98 35.98 |
| 12635 | For 190 GPH Pt | • | | | 11.98 | 12756 | | в (02 | • | | | 66.98 |
| | | - | | | 6.98 | | | | | | | 110.98 |
| 12535 | For 250 and 350 | - | | | | 12780 | | (02750) | | | | |
| 12545 | For 500 and 700 | | | | 6.98 | 12790 | INID 30 | (02755) | | | | 113.98 |
| 12733 | For 950 GPH Pt | • | | | 9.98 | | | | | | | |
| 12741 12783 | | 800 GPH Pumps 600 GPH Pumps | | | 9.98 13.98 | | | 100 | Lucas | | | |
| 12/03 | FOI 2400 and 30 | oou Gen Fullips | | | 13.90 | | | | a.C | | | 1 |
| | 0 | - | | | | | | | | | | |
| | 12505 | 12605 | | 1278 | 5 & 127 | 84 | | 12 | 600 | | 12285 | & 12730 |
| | 12000 | | | | | | 6601 | | | | | ASTER |
| Sagram | and the second | FOUNT | | IEAU | | AUUE | 3301 | (IES | | | | |
| POND | MASTER AQUAL | BELLE | _ | | Part Number | Descripti | on | | | | Case Qty | Retail Price |
| | | PONDMASTER | - | | 02077 | FH77 Mu | | | | | 6 | 22.98 |
| Te- | | | | 02088 | FH88 La | | | | | 6 | 25.98 | |
| | Total Control of Contr | | | 02089 | Small Be | • | | 1.9) | | 6 | 16.98 | |
| | | | Divert Va | alves | 12077 | Extensio | | | , | | 6 | 9.98 |
| | | | | | 12099 | Extensio | | • | , | | 6 | 14.98 |
| | | | | | 02099 | | | . , | Pumps | 2, 3, 5, 7) | 6 | 16.98 |
| E | ountain Heads | | | | 02090 | | | | | 9.5, 12, 18) | 6 | 17.98 |
| FC | | | | | 02092 | | | | | 24, PM24) | 6 | 18.98 |
| | | | | | | | | | | | | |

DANNER

PROLINE HY-DRIVE PUMPS

1685

Rotor

• In-line or submersible

• Fish safe-no oil

• 1 1/2" MNPT





DANN≋R[™]

| | | • Eff | icient h | ybrid n | nagneti | c/direct | drive | notor | | | | | | | |
|--|----------------|-------|----------|---------|---------|----------|-------|--------------|-----------------------|-------|----------------|-------------|-----------------|--|--|
| | Part Number | GPH | 5' | 10' | 15' | 20' | 25' | Max. Head | Dimensions (D x H) | Watts | Cord Length | Case Qty | Retail Price | | |
| | 02663 | 1600 | 1400 | 1000 | 375 | _ | - | 17' | 6" x 13" | 120 | 20' | 2 | 299.98 | | |
| Sec. All | 02665 | 2100 | 1750 | 1300 | 850 | 300 | - | 22.5 | 7" x 15" | 220 | 20' | 2 | 327.98 | | |
| | 02667 | 2600 | 2450 | 1975 | 1625 | 1250 | 300 | 26.5' | 7" x 15" | 270 | 20' | 2 | 419.98 | | |
| | 02680 | 3200 | 1944 | 846 | - | - | - | 12' | 7" x 15" | 180 | 20' | 2 | 385.98 | | |
| | 02675 | 4000 | 2226 | 1260 | - | - | - | 14' | 7" x 15" | 220 | 20' | 2 | 429.98 | | |
| HILLY SHEET | 02670 | 4800 | 2460 | 1608 | 800 | - | - | 18.5' | 7" x 15" | 280 | 20' | 2 | 485.98 | | |
| · ···································· | 02683 | 6000 | 4700 | 3400 | 2450 | 1150 | - | 22.5' | 9" x 15" | 675 | 20' | 2 | 568.98 | | |

SUPREME HY-DRIVE PUMPS

| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimensions (L x W x H) | Watts | Outlet Size | Cord Length | Case Qty | Retail Price |
|----------------|------|------|------|------|------|--------------|---------------------------|-------|----------------|----------------|-------------|-----------------|
| 02583 | 1600 | 1400 | 1000 | 375 | - | 17' | 10" x 5" x 6.5" | 120 | 1" | 18' | 2 | 292.98 |
| 02582 | 2100 | 1750 | 1300 | 850 | 300 | 22.5' | 10" x 5" x 6.5" | 190 | 1" | 18' | 2 | 282.98 |
| 02581 | 2600 | 2450 | 1975 | 1625 | 1250 | 26.5' | 13" x 6" x 6.5" | 270 | 1" | 18' | 2 | 396.98 |
| 02580 | 3200 | 2050 | 650 | - | - | 12' | 13" x 6" x 6.5" | 200 | 1 1/2" | 18' | 2 | 343.98 |
| 02575 | 4000 | 2700 | 1475 | - | - | 13' | 13" x 6" x 6.5" | 230 | 1 1/2" | 18' | 2 | 382.98 |
| 02570 | 4800 | 3900 | 2350 | 800 | - | 18.5' | 13" x 6" x 6.5" | 250 | 1 1/2" | 18' | 2 | 441.98 |
| 02572 | 6000 | 4700 | 3400 | 2450 | 1150 | 22.5' | 14" x 6" x 6.5" | 675 | 2" | 18' | 2 | 509.98 |

| Part Number | Description | Retail Price | Part Number | Description 12765 | Retail Price |
|----------------|--|-----------------|----------------|----------------------------------|-----------------|
| PRE-FIL | TER FOR SUPREME HY-DRIVE | | ROTORS | FOR PRO LINE & SUPREME HY-DRIVE | |
| 12761 | Pre-Filter for Supreme HyDrive 1600/2100 | 12.98 | 12774 | Rotor for ProLine & Supreme 2600 | 93.98 |
| 12771 | Pre-Filter for Supreme HyDrive 2600-4800 | 13.98 | 12782 | Rotor for ProLine & Supreme 3200 | 97.98 |
| 12766 | Pre-Filter for Supreme HyDrive 6000 | 14.98 | 12781 | Rotor for ProLine & Supreme 4000 | 97.98 |
| ROTORS | S FOR PRO LINE & SUPREME HY-DRIVE | | 12770 | Rotor for ProLine & Supreme 4800 | 107.98 |
| 12760 | Rotor for ProLine & Supreme 1600 | 91.98 | 12765 | Rotor for ProLine & Supreme 6000 | 138.98 |
| 12773 | Rotor for ProLine & Supreme 2100 | 92.98 | | | |

| | | WATE | RFA | LL F | PUMI | PS | | | | | | |
|-------------|--------------------------|--|--------------|------|--|--------------|-----------------------|-------|---|-------------|-----------------|--|
| | • F • E | ish safe – no oil used fficient magnetic drive r xtra large clog resistant | | | 1 1/2" FNPT Completely submersible Reliable ceramic bearings | | | | Medium to large ponds Replaceable impellers | | | |
| | Part Number | Description | GPH | 5' | 10' | Max. Head | Dimensions (D x H) | Watts | Cord Length | Case Qty | Retail Price | |
| | 02650 | Mag-Drive WF Pump | 2000 | 1086 | 654 | 13' | 8" x 11" | 150 | 20' | 2 | 203.98 | |
| | 02660 | Mag-Drive WF Pump | 3000 | 1644 | 1110 | 14.5' | 8" x 11" | 235 | 20' | 2 | 271.98 | |
| 02650/02660 | IMPELL 12660 12665 | ERS WFP2000 (02650) WPF3000 (02660) | 49.9 57.9 | - | | | DAN | | | _ | | |

PUMP GUARD

| Part Number | Description | Case Qty | Retail Price | • |
|----------------|-------------|-------------|-----------------|---|
| PUMP G | UARD | | | |
| 03905 | 4 oz. | 12 | 12.98 | |
| 03907 | 32 oz. | 6 | 43.98 | • |
| 03909 | 1 Gallon | 4 | 113.98 | • |

| Liquid treatment |
|--------------------------------------|
| Instantly loosens: |
| mineral scale, |

- lime and rust
- Biodegradable
- Fast and easy to use

HYDRO AIR • 1100 GPH Patent pending • Dual impeller design • 20' shut off Part Retail Number Description Price 02795 Hydro-Air Submersible Pump 299.98 12792 Impeller for 02795 69.98



Prol

PONDMASTER

SKIMMER PUMPS



- Move large volume of water
- Silent & efficient
- Vortex impeller
- · Designed for use in skimmers



| Part Number | Description | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimens (D x | | Watts | Cord Length | Case Qty | Retail Price |
|----------------|--------------------------|-----------------|-------------|-------|----------------|-------------|--------------|-----------------|--------------|--------|----------------|-------------|-----------------|
| 20350 | Skimmer Pump High Head | 1400 | 1150 | 950 | 675 | 330 | 22' | 6" x ′ | 14" | 150 | 20' | 2 | 299.98 |
| 20355 | Skimmer Pump | 2550 | 1490 | 455 | - | - | 11.5' | 6" x ′ | 14" | 147 | 20' | 2 | 309.98 |
| 20360 | Skimmer Pump High Head | 5100 | 4650 | 3900 | 3050 | 2425 | 30' | 6" x ′ | 17" | 439 | 20' | 2 | 399.98 |
| 20365 | Skimmer Pump | 6600 | 5500 | 4325 | 3323 | 2425 | 30.5' | 6" x ′ | 17" | 593 | 20' | 2 | 429.98 |
| Part Number | Description | Retail Price | Part Nun | | escriptio | n | | Retail Price | Part Numb | oer De | scription | | Retail Price |
| REPLAC | REPLACEMENT PRE-FILTER | | | | <u>IENT RO</u> | <u>OTOR</u> | | | <u>REP</u> | LACEM | ENT RO | <u>FOR</u> | |
| 12960 | Rigid Pre-Filter for all | 14.98 | 211 | 05 fc | or 20350 | (1400) | 7 | 3.98 | 2111 | 0 foi | r 20360 (| 5100) | 73.98 |
| | Skimmer Pumps | | 210 | 10 fc | or 20355 | (2550) | 7 | 3.98 | 2102 | 5 foi | r 20365 (| 6600) | 85.98 |

HIGH-FLOW SUBMERSIBLE WATER PUMPS



Non-clog vortex impeller and volute designed for water containing decomposed plant matter and debris.

- Ponds, Fountains, Agricultural, Fish-Farming,
- Landscapes, Irrigation and Water Gardening
- Water Transfer and Recirculation
- Streams, Cascades and Waterfalls
- Aquaculture: Water Circulation
- Water Drainage

PERFORMANCE RANGES



| | | | FL | OW RATE | (GPH) @ | P FEET OF | HEAD H | ſ | | MAX |
|-----------------|------|------|-------|---------|---------|-----------|--------|-------|-------|-------|
| HEAD HT. | 0 FT | 5 FT | 10 FT | 15 FT | 20 FT | 25 FT | 30 FT | 35 FT | 40 FT | HEAD |
| MODEL 1/6 HP | 1860 | 1600 | 1308 | 846 | 400 | | | | | 23 FT |
| MODEL 1/5 HP | 3000 | 2604 | 2250 | 1800 | 1122 | 530 | | | | 28 FT |
| MODEL 1/4 HP | 3270 | 2769 | 1925 | 1143 | 240 | | | | | 21 FT |
| MODEL 1/3 HP | 4800 | 4140 | 3270 | 2400 | 1638 | 546 | | | | 27 FI |
| MODEL 1/2 HP | 5904 | 5460 | 4800 | 3900 | 3120 | 2040 | 1020 | | | 35 FT |
| MODEL 1 HP | 7200 | 7200 | 6600 | 6000 | 4800 | 3720 | 2820 | 2160 | 840 | 44 F1 |

Part Max. Cord Retail Description GPH 5' 10' 20' 30' Number 15 25' Head Watts Amps Length ΗP Price **High-Flow Water Pump** 1800 1600 1308 846 23' 333 2.8 339.98 90101 400 20' 1/6 _ _ 90102 **High-Flow Water Pump** 3000 2604 2250 1800 1122 530 -28' 486 4.2 20' 1/5 384.98 90103 **High-Flow Water Pump** 3270 2769 1925 1143 2400 21' 435 3.7 20' 1/4 479.98 _ _ 90104 **High-Flow Water Pump** 4800 3270 2400 1638 546 27' 680 5.8 20' 599.98 4140 -1/3 90105 **High-Flow Water Pump** 5904 4800 3900 3120 2040 1020 35' 800 6.8 20' 1/2 649.98 5460 7.2 90106 **High-Flow Water Pump** 7200 7200 6600 6000 4800 3720 2820 44' 850 20' 1 699.98

email: sales@waterlandscapesupply.com




TSURUMI FLOW METER

- •Use with ball valve (not included)
- Adjust ball valve to correct flow rate
- Allows pump to operate with Best Efficiency Range
- Helps extend life of pump
- Fits 2" pvc tubing

| Part Number | Description | Retail Price |
|----------------|-------------|-----------------|
| FMCV-2 | Flow Meter | 259.98 |







NORUS: SUBMERSIBLE PUMPS



HORIZONTAL MOUNTING KIT

- Allows ShinMaywa pumps to fit more easily into certain brand of skimmers
- Works with SM2.25, 2.45, & 2.75 ShinMaywa pumps
- Easy to field install



| Part Number | Description | Retail Price |
|----------------|-------------------------|-----------------|
| M401348A | Horizontal Mounting Kit | 79.98 |

CVC & CNL CAST IRON PUMPS

ShinMaywa[®] Cast Iron Pumps

from 15,900 GPH to 54,000 GPH also available!



· Built in motor protection protects against overheating, out of phase and single phasing

Large solids handling capabilities, prevents troublesome clogging

email: sales@waterlandscapesupply.com

| Weg | GRUBY. | | I | N-LINE | PUM | PS | | S | 3 | | |
|----------------------------------|---|--|--------------|-----------------------------|----------------|----------------|-----------------------|-----------------|------------------|----------------|-----------------|
| | t e construction 1 year JARRANTY | | | | | | | | | | |
| Part Number | Description | Ī | Max. Head | Dimensi (L x W x | ions | Watts | - Amps | HP | Inlet/ Outlet | Cord Length | Retail Price |
| TM12 | Tiny Might | 1200 | 23' | 10.1" x 3.4 | " x 5.9" | 92 | 0.8 | 1/16 | 1" | 3' | 359.98 |
| TM24 | Iron Might | 3000 | 16' | 12" x 6.5" | x 8.25" | 150 | 1.3 | 1/8 | 1 1/2" | 3' | 379.98 |
| Part Number | HS/LS GPH | Dimensions (L x W x H) | | Compatible Basket Strain | er | HS/LS Watts | HS/LS Amps | HP | Inlet/ Outlet | Cord Length | Retail Price |
| TWO-SF | PEED PUMPS | | | | | | | | | | |
| HF275 | 7200/2200 | 14.75" x 7.25" x 7. | 5" | BS200LA | 1 | 012/299 | 8.8/2.6 | 3/4 | 2" | 6' | 549.98 |
| HF210 | 7500/2400 | 14.75" x 7.25" x 7. | 5" | BS200LA | 1 | 012/299 | 8.8/2.6 | 1 | 2" | 6' | 554.98 |
| HF215 | 8750/2800 | 14.75" x 7.25" x 7. | 5" | BS200LA | 1 | 265/333 | 11/2.9 | 1 1/2 | 2" | 6' | 609.98 |
| HF220 | 9250/3000 | 15.5" x 7.5" x 7.5 | " | BS200LA | 1 | 886/506 | 16.4/4.4 | 2 | 2" | 6' | 672.98 |
| (Less a | | 5112/BS200 Vith adapters) | 2417048 | 38 | BSBK | | | 0 HU 0 BUT11 | BSS | 5 | |
| Part Number | Description | | | Retail Price | Part Number | | | | | | Retail Price |
| | WAY BASKET STR | AINERS - LESS ADA | APTER | | REPLA | CEMENT P | ARTS | | | | |
| BS112L | A 1 1/2" Basket | Strainer - 90 IN ³ | | 93.98 | BSBK | Bask | et | | | | 25.98 |
| BS200L | A 2" Basket Stra | ainer - 90 IN ³ | | 93.98 | BSLID | Lid | | | | | 55.98 |
| WATER | WAY BASKET STR | AINERS FOR SEQU | ENCE | | BSOR | O-Rir | g | | | | 5.98 |
| BS112 | | SEQUENCE - 90 IN ³ | | 119.98 | BSSN1 | | ' Split Nu | t | | | 7.98 |
| BS200 | | UENCE - 90 IN ³ | | 119.98 | BSSN2 | • | lit Nut | | | | 7.98 |
| | | BASKET STRAINER | 2 | | IA112 | | Adapter 1 | | | | 14.98 |
| 2417048 | | . , | | 499.98 | IA 200 | | Adapter 2 | | | | 14.98 |
| 2417049 | | ner (grey) | | 499.98 | FITTIN | | Dutter | | | | 1.00 |
| | TS AND O-RINGS | 12" (for bookst strater | | 1.00 | BUT112 | | 'Buttress | 5 | | | 4.98 |
| 711.4000 | ····, | /2" (for basket straine | • | 1.98 | BUT20 HU112 | | ttress ' Half Unio | on 8 O P | ina | | 5.98 9.98 |
| 711.4010 | , | | 1.98 | HU200 | | If Union & | | ing | | 9.98 | |
| 711.403 ⁴ 711.6020 | | Ridge, 2" (for basket s J2005 Half Union) | strainers) | 1.98 2.98 | HU200 | | | - | for SEQU | ENCE | 13.98 |
| | | | | | | | | | | | |

VALUFLO™ SERIES FROM MDM, INC.

Energy efficient


Compatible Basket Strainer: BS112

• Weather proof design motor (TEFC)





| Part | | | | | | | Max. | Dimensions | (| | | | Inlet/ | Cord | Retail |
|-----------|------|------|------|------|------|------|------|--------------|-------|------|-------|-----|--------|--------|--------|
| Number | GPH | 4' | 8' | 12' | 16' | 20' | Head | (L x W x H) | Watts | Amps | Volts | HP | Outlet | Length | Price |
| 3300VAF21 | 3200 | 3180 | 2820 | 2360 | 1850 | 1150 | 21' | 15"x9"x8.75" | 215 | 1.6 | 115 | 1/8 | 1 1/2" | 8' | 694.98 |
| 4500VAF21 | 4400 | 4140 | 3600 | 3000 | 2240 | 1000 | 21' | 15"x9"x8.75" | 253 | 1.8 | 115 | 1/6 | 1 1/2" | 8' | 726.98 |
| 5100VAF22 | 5000 | 4740 | 4200 | 3560 | 2750 | 1550 | 22' | 15"x9"x8.75" | 293 | 2.4 | 115 | 1/4 | 1 1/2" | 8' | 767.98 |
| 6100VAF23 | 6000 | 5700 | 5100 | 4400 | 3500 | 2350 | 23' | 15"x9"x8.75" | 344 | 3.2 | 115 | 1/3 | 1 1/2" | 8' | 789.98 |




SEQUENCE[®] MODEL 1000 SERIES


• The Classic!

The model 1000 series has set the standard by which all others are measured

- This series is a perfect blend of medium pressure and ample flow for the majority of ponds
- Motor is totally enclosed, fan-cooled for durability. 115V or 230V
- Supplied with an 8-foot, 115V cordset
- 3 year limited warranty

| | | | | | Max. | Dimensions | 1 | 0 | 9 | | Inlet | Outlet | Cord | Retail |
|------|----------------------|--|---|---|--|--|--|--|---|--|---|--|---|---|
| GPH | 4' | 8' | 12' | 16' | Head | (L x W x H) | Watts | Amps | Volts | HP | Size | Size | Length | Price |
| MODE | <u>L 1000</u> | SERIE | S | | | | | | | | | | | |
| 3300 | 3660 | 2700 | 2280 | 1680 | 21' | 15.2" x 8.5" x 8.56" | 206 | 2.36 | 115/230 | 1/8 | 1 1/2" | 1 1/2" | 8' | 874.98 |
| 4500 | 4140 | 3660 | 3180 | 2400 | 21' | 15.2" x 8.5" x 8.56" | 250 | 2.69 | 115/230 | 1/6 | 1 1/2" | 1 1/2" | 8' | 912.98 |
| 5100 | 4740 | 4260 | 3780 | 3000 | 22' | 15.2" x 8.5" x 8.56" | 293 | 3.03 | 115/230 | 1/4 | 1 1/2" | 1 1/2" | 8' | 948.98 |
| 6100 | 5580 | 5100 | 4500 | 3600 | 23' | 15.2" x 8.5" x 8.56" | 366 | 3.03 | 115/230 | 1/3 | 1 1/2" | 1 1/2" | 8' | 985.98 |
| | 3300 4500 5100 | MODEL 1000 3300 3660 4500 4140 5100 4740 | MODEL 1000 SERIE 3300 3660 2700 4500 4140 3660 5100 4740 4260 | MODEL 1000 SERIES 3300 3660 2700 2280 4500 4140 3660 3180 5100 4740 4260 3780 | MODEL 1000 SERIES 3300 3660 2700 2280 1680 4500 4140 3660 3180 2400 5100 4740 4260 3780 3000 | GPH 4' 8' 12' 16' Head MODEL 1000 SERIES 500 3600 2700 2280 1680 21' 4500 4140 3660 3180 2400 21' 5100 4740 4260 3780 3000 22' | GPH 4' 8' 12' 16' Head (L x W x H) MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" | GPH 4' 8' 12' 16' Head (L x W x H) Watts MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 206 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 250 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" 293 | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps MODEL 1000 SERIES | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps Volts MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 206 2.36 115/230 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 250 2.69 115/230 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" 293 3.03 115/230 | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps Volts HP MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 206 2.36 115/230 1/8 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 250 2.69 115/230 1/6 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" 293 3.03 115/230 1/4 | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps Volts HP Size MODEL 1000 SERIES 5 5 5 5 5 6 15/2 7 | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps Volts HP Size Size MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 206 2.36 115/230 1/8 1 1/2" 1 1/2" 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 250 2.69 115/230 1/6 1 1/2" 1 1/2" 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" 293 3.03 115/230 1/4 1 1/2" 1 1/2" | GPH 4' 8' 12' 16' Head (L x W x H) Watts Amps Volts HP Size Size Length MODEL 1000 SERIES 3300 3660 2700 2280 1680 21' 15.2" x 8.5" x 8.56" 206 2.36 115/230 1/8 1 1/2" 1 1/2" 8' 4500 4140 3660 3180 2400 21' 15.2" x 8.5" x 8.56" 250 2.69 115/230 1/6 1 1/2" 1 1/2" 8' 5100 4740 4260 3780 3000 22' 15.2" x 8.5" x 8.56" 293 3.03 115/230 1/4 1 1/2" 1 1/2" 8' |





D

Α


Α

Α


Α


Α

Α



- · Decorative spitter and ultraviolet sterilizer in one body
- · Can be used with any existing filter or submersible pump
- · Easy installation and maintenance





|)es | cription | | Volume | (GPH) | Size | Price |
|-----|----------------|-------------|----------------|-------------|-------------|-----------------|
| ١q | ua Frog Spi | tter 8W UV | 1500 | 1000 | 3/4" Barb | 305.98 |
| ٩ | ua Frog Spi | tter 15W UV | 2000 | 1800 | 3/4" Barb | 333.98 |
| ٩ | ua Frog Spi | tter 25W UV | 4000 | 2000 | 3/4" Barb | 447.98 |
| ٩ | ua Fish Spit | ter 8W UV | 1500 | 1000 | 3/4" Barb | 305.98 |
| ٩ | ua Fish Spit | ter 15W UV | 2000 | 1800 | 3/4" Barb | 333.98 |
| ٩ | ua Fish Spit | ter 25W UV | 4000 | 2000 | 3/4" Barb | 447.98 |
| | Part Number | Description | | | Case Qty | Retail Price |
| | UV REPLA | | MPS FOR | AQUA FRO | G & FISH | |
| | A20008 | Lamp, 8W U | V | | 6 | 71.98 |
| | A20015 | Lamp, 15W | UV | | 6 | 73.98 |
| | A20025 | Lamp, 25W | UV | | 6 | 75.98 |
| | QUARTZ S | SLEEVE FOR | AQUA FR | OG & FISH | | |
| | A10021 | Quartz Slee | ve all Aqu | ia Frog & F | ish | 73.98 |
| | TRANS. A | SSEMBLIES F | OR AQU | A FROG & F | ISH | |
| | A30019 | 8W Transfor | rmer Asse | embly | | 101.98 |
| | A30020 | 15W Transfo | ormer Ass | sembly | | 105.98 |
| | A30021 | 25W Transfo | ormer Ass | sembly | | 111.98 |
| | | | | | | |

Max.

Max. Flow

Inlet

Retail





- · Lightweight tubular bio-media
- · Very high surface area
- Superior bacteria adhesion

| Part Number | Description | Retail Price |
|----------------|--|-----------------|
| A70012 | Ultra Bio Media, one cubic foot (8.5 lbs.) | 89.98 |



THE ULTIMA II[®] DIFFERENCE: Unique tubular design protects beneficial bacteria while dislodging unwanted debris.

2000

4000

- Media never needs to be replaced
- Units can be buried in earth up to the valve
- No channeling
- Minutes to backwash

1000

6000

- Pre-seeded with bacteria to quickly start colonization
- Combines both biological and mechanical filtration
- Ultima II Filters are designed for:
 - High flow rates Extreme fish loads Elevated feed rates

30000 & 60000 Side Mounted Valve

| Part Number | Description | Max. Pond Volume | Max. Flow (GPH) | (Backwash) GPH @10' | MINIMUM Flow (GPH) | Dimensions (D x H) | Inlet/Outlet Size | Retail Price |
|----------------|---------------------------|---------------------|--------------------|------------------------|-----------------------|-----------------------|----------------------|-----------------|
| BIO-MECH | HANICAL FILTERS | | | | | | | |
| A50073 | Ultima II 1000 | 1000 | 1200 | 1000 | 500 | 14" x 23.25" | 1 1/2" Top | 829.98 |
| A50079 | Ultima II 1000 | 1000 | 1200 | 1000 | 500 | 14" x 25" | 2" Тор | 1,063.98 |
| A50019 | Ultima II 2000 | 2000 | 2500 | 2000 | 1000 | 16.5" x 33" | 1 1/2" Top | 1,095.98 |
| A50017 | Ultima II 2000 | 2000 | 2500 | 2000 | 1000 | 16.5" x 34.75" | 2" Тор | 1,329.98 |
| A50003 | Ultima II 4000 | 4000 | 4500 | 4000 | 2000 | 20.5" x 38" | 1 1/2" Top | 1,653.98 |
| A50004 | Ultima II 4000 | 4000 | 4500 | 4000 | 2000 | 20.5" x 39.75" | 2" Тор | 1,887.98 |
| A50007 | Ultima II 6000 | 6000 | 7500 | 6000 | 3000 | 22.5" x 42.75" | 2" Тор | 2,211.98 |
| A50011 | Ultima II 10000 | 10000 | 7500 | 7500 | 5000 | 24.5" x 43.75" | 2" Тор | 2,769.98 |
| A50119 | Ultima II 20000 | 20000 | 7500 | 7500 | 7000 | 30.5" x 48" | 2" Тор | 3,327.98 |
| A50301 | Ultima II 30000 | 30000 | 20400 | 15000 | 10000 | 30.5" x 39" | 3" Side | 6,005.98 |
| A50600* | Ultima II 60000 | 60000 | 20400 | 20000 | 15000 | 36.5" x 45.25" | 3" Side | 8,311.98 |
| * | due a chima e d'fue as as | | | | | | | |

*Units are drop shipped from manufacturer.

Replacement Parts for ULTIMA II Filters

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|----------------------------|-----------------|----------------|--|-----------------|
| A50184 | 1 1/2" Union for Ultima II | 19.98 | A50061 | Key Handle Assembly 1 1/2" | 177.98 |
| A50185 | 2" Union for Ultima II | 23.98 | A50169 | Spider Gasket Assembly with Shaft Seals 1 1/2" | 103.98 |
| A50040 | Site Glass | 15.98 | A50062 | Key Handle Assembly for 2" | 245.98 |
| A50187 | 1 1/2" Union Oring | 7.98 | A50024 | Spider Gasket for 2" | 59.98 |
| A50186 | 2" Union Oring | 7.98 | A50057 | Pressure Gauge | 47.98 |

email: sales@waterlandscapesupply.com



UV BULBS & QUARTZ SLEEVES

| Part Number | Description | Case Qty | Retail Price | Part Number | Description | Case Qty | Retail Price |
|----------------|------------------------------|-------------|-----------------|----------------|-------------------------------|-------------|-----------------|
| UV BULE | <u>3S</u> | | | QUARTZ | <u>SLEEVES</u> | | |
| A20006 | Lamp, 8W Advantage 2000 | 6 | 59.98 | A10003 | Quartz Sleeve, 8W Adv. 2000 | 6 | 57.98 |
| A20010 | Lamp, 15W Advantage 2000+ | 6 | 62.98 | A10004 | Quartz Sleeve, 15W Adv. 2000+ | 6 | 57.98 |
| A20008 | Lamp, 8W UV | 6 | 71.98 | A10008 | Quartz Sleeve, 8W | 6 | 68.98 |
| A20015 | Lamp, 15W UV | 6 | 73.98 | A10015 | Quartz Sleeve, 15W | 6 | 68.98 |
| A20025 | Lamp, 25W UV | 6 | 75.98 | A10025 | Quartz Sleeve, 25W | 6 | 73.98 |
| A20040 | Lamp, 40W UV (80W=2, 120W=3) | 6 | 85.98 | A10040 | Quartz Sleeve, 40W | 6 | 83.98 |
| A20057 | Lamp, 57W UV | 6 | 92.98 | A10057 | Quartz Sleeve, 57W | 6 | 83.98 |

REPLACEMENT TRANSFORMERS

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|-------------------------------|-----------------|----------------|----------------------------|-----------------|
| A30013 | Transformer for 8W Advantage | 93.98 | A30024 | Transformer for 25W, Black | 111.98 |
| A30017 | Transformer for 15W Advantage | 98.98 | A30044 | Transformer for 40W, Black | 153.98 |
| A30007 | Transformer for 8W, Black | 101.98 | A30055 | Transformer for 57W, Black | 158.98 |
| A30014 | Transformer for 15W, Black | 105.98 | A30080 | Transformer for 80W, NEMA | 229.98 |

REPLACEMENT PARTS FOR UV CLARIFIERS












A40264

A40116

A40007

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|------------------------|-----------------|----------------|-------------------------|-----------------|
| MISCELL | ANEOUS | | MISCELL | ANEOUS | |
| A40004 | Rubber Seal | 5.98 | A40014 | O-Ring for EZ Twist Top | 6.98 |
| A40011 | Quartz Cap | 11.98 | A40113 | Transformer Cap, black | 12.98 |
| A40002 | Lamp End Connector | 7.98 | A40264 | 2" 1/2 Union, Black | 9.98 |
| A40007 | EZ-Twist Winterize Cap | 23.98 | A40116 | 2" Union, Black | 14.98 |
| A40021 | Wiper Nut with Seal | 37.98 | A40068 | Easy Twist Top | 23.98 |
| A40017 | Wiper Blade | 17.98 | A40121 | O-Ring for Union | 5.98 |

AQUA UV



(White units available upon request)

TWIST SERIES UV CLARIFIERS

25/57W Twist

Rotating

Rotating union give flexibility in installation
May be used in tandem
Available in 25, 40, and 57W units – with or without wipers

| | Union | CLAR | IFIER | <u>STERI</u> | LIZER | | | |
|----------------|---------------------------------|----------------|--------------|----------------|--------------|----------------------|-------------|-----------------|
| Part Number | Description | Max. Volume | Flow Rate | Max. Volume | Flow Rate | Inlet/Outlet Size | Case Qty | Retail Price |
| TWIST UV | SERIES | | | | | | | |
| A00339 | Twist 25W UV, unions | 4000 | 2000 | 1200 | 1200 | 2" Slip | 4 | 454.98 |
| A00340 | Twist 25W UV with Wiper, unions | 4000 | 2000 | 1200 | 1200 | 2" Slip | 4 | 475.98 |
| A00347 | Twist 40W UV, unions | 6000 | 3000 | 2000 | 2900 | 2" Slip | 4 | 637.98 |
| A00348 | Twist 40W UV with Wiper, unions | 6000 | 3000 | 2000 | 2900 | 2" Slip | 4 | 671.98 |
| A00343 | Twist 57W UV, unions | 6500 | 3250 | 3000 | 3200 | 2" Slip | 4 | 695.98 |
| A00344 | Twist 57W UV with Wiper, unions | 6500 | 3250 | 3000 | 3200 | 2" Slip | 4 | 717.98 |

LITTLE GIANT

email: sales@waterlandscapesupply.com

| Part Number GF | РН 3' | | 5' | 9' | 13' | 15' | Max. Head | Dimensions (D x H) | Watts | Cord Length | Case Qty | Retai Price | | 2.1 | |
|---|--|-----------------|---|-----|------------|---------------|---------------------|--|--|--|-------------|--------------------------|-------------------------------|-----------------------------|-----------------------|
| 6' POWER CO | RD | | | | | | | | | | | | | 21 | |
| S225-6 27 | 75 17 | 5 8 | 85 | - | - | _ | 6' | 3.75" x 4.5" | 60 | 6' | 4 | 257.98 | | | |
| S320-6 37 | 75 33 | 5 3 | 305 | 215 | - | - | 12' | 3.75" x 4.5" | 89 | 6' | 4 | 276.98 | | 147 | |
| S580-6 75 | 5 75 |) 6 | 675 | 475 | 125 | _ | 14' | 4.5" x 6.25" | 203 | 6' | 4 | 404.98 | | 9/- | - |
| S900-6 88 | 85 79 |) 7 | 725 | 560 | 350 | 175 | 16' | 4.5" x 6.25" | 234 | 6' | 4 | 411.98 | 3 | | |
| S1200-6 11 | 00 100 | 0 9 | 925 | 760 | 560 | 425 | 18' | 4.5" x 6.25" | 312 | 6' | 4 | 439.98 | 3 | 2ye | |
| 20' POWER CO | <u>DRD</u> | | | | | | | | | | | | | | |
| S225-20 27 | 75 17 | 5 8 | 85 | - | - | - | 6' | 3.75" x 4.5" | 60 | 20' | 4 | 295.98 | | R. | |
| S320-20 37 | 75 33 | 5 3 | 305 | 215 | - | - | 12' | 3.75" x 4.5" | 89 | 20' | 4 | 325.98 | | 129 | |
| S580-20 75 | 55 75 |) 6 | 675 | 475 | 125 | - | 14' | 4.5" x 6.25" | 203 | 20' | 4 | 437.98 | | | |
| S900-20 88 | | | 725 | 560 | 350 | 175 | 16' | 4.5" x 6.25" | 234 | 20' | 4 | 466.98 | | 1 - | |
| S1200-20 11 | 00 100 | 0 9 | 925 | 760 | 560 | 425 | 18' | 4.5" x 6.25" | 312 | 20' | 4 | 496.98 | 3 | | |
| Continuous c Replaceable Variable flow Energy efficie 6' cord | rotor as control | ittl | eGl | | | | | • Repla • Varial | nuous o ceable ble flow ly efficio | duty rotor as: control | | j | | | IAN |
| Continuous o Replaceable Variable flow Energy efficie 6' cord | luty I rotor as control ent | aitti k semk | le GI bly | | T | Case | | • Repla • Varial • Energ • 15' cc • 15' cc | nuous c ceable ble flow y efficio ord | duty rotor as: control ent | sembly | Max. | | ittle G | IAN' |
| Continuous o Replaceable Variable flow Energy efficie 6' cord 3 YEAR WARRANTY Part Number | luty l rotor as control ent GF | H | eGI bly Max Head | | T (| Qty | Р | • Repla • Varial • Energ • 15' co • 15' co • 15' co • 15' co • 15' co • 15' co | nuous c ceable ole flow y efficio ord | duty rotor as: control ent GPI | sembly | Max. Head | Watts | ittle G | Reta |
| Continuous o Replaceable Variable flow Energy efficie 6' cord | luty I rotor as control ent | H | le GI bly | | T | | Р | • Repla • Varial • Energ • 15' co • 15' co | nuous c ceable ole flow y efficio ord | duty rotor as: control ent | sembly | Max. | | ittle G | Reta |
| Continuous o Replaceable Variable flow Energy efficie 6' cord 3 YEAR WARRANTY Part Number 566713 | luty l rotor as control ent GF | H H | eGI bly Max Head | | T (| Qty | 9 39 | Repla Varial Energi 15' columnation 15' columnation 34 Part Number 566718 (PES-3) 566720 | nuous o ceable ole flow yy efficio ord | duty rotor as: control ent GPI | sembly | Max. Head | Watts | ittle G | Reta |
| Continuous o Replaceable Variable flow Energy efficie 6' cord 3 YEAR WARRANTY Part Number 566713 (PES-40-PW) 566714 | luty l rotor as control ent GF 4 | Little semk | eGI bly Max Head | | T (| Qty 6 | P 39 52 | | nuous o ceable ole flow yy efficie ord | duty rotor as control ent GPI 380 700 810 | sembly | Max. T' | Watts 33 | ittle G | Reta Price |
| Continuous of Replaceable Variable flow Energy efficie 6' cord Cord Cord Cord Cord Cord Cord Cord | luty I rotor as control ent GF 4 7 | H | eGI bly Max Head 2.1 ¹ 3.5 ⁴ | | Natts 8 | Qty 6 6 | P 39 52 69 | | nuous o ceable ole flow y efficio ord | duty rotor as: control ent GPI 380 700 810 100 | sembly | Max. Head 7' 8' | Watts 33 57 | ittle G Case Qty 4 | Reta Prio 118.9 |

Part Numb 56660

(PE-2H-PW)

| Part Number | GPH | 3' | 5' | 10' | Max. Head |
|----------------------|-----|-----|-----|-----|--------------|
| 566604 (PE-1H-PW) | 170 | 140 | 100 | - | 7' |
| 566609 | 300 | 255 | 205 | 70 | 12.2' |

Watts (L x W x H) Discharge 3.6" x 2.8" x 3.5" 36 1/4" MNPT 1/4" MNPT 12.2' 4.2" x 2.8" x 4.8" 47 300 255 205 70

DIRECT DRIVE POND PUMPS

• Epoxy filled pumps/compact in design 3YEAR · Superior water flow with corrosion resistant plastic housing Part Max. Dimensions Cord Case Retail Number GPH 3' 5' 10' Head $(L \times W \times H)$ Watts Discharge Length Qty Price 566608 170 140 100 7' 3.6" x 2.8" 4.9" 36 1/4" MNPT 15' 4 124.98 _ (PE-1F-PW) 566611 300 270 240 130 12.2' 4.2" x 3.7" x 5.6" 47 1/4" MNPT 15' 4 174.98 (PE-2F-PW) 566612 475 440 395 205 13.4' 4" x 4" x 5.6" 80 1/2" MNPT 15' 4 227.98 (PE-2.5F-PW)



Price

115.98

167.98

Length

6'

6'

Qty

4

4



5500

5000

7300

566727 (F40)

566728 (F50)

566729 (F70)

4235

4330

5930

2895

3600

4665

1955

2800

3195

415

1940

2040

_

885

725

13.25" x 6.10" x 8.00"

13.25" x 6.10" x 8.00"

13.25" x 6.10" x 8.00"

21.3'

28.5

28'

2"

2"

2'

20'

20'

40'

360

413

660

533.98

582.98

781.98

ITTLE GIANT

email: sales@waterlandscapesupply.com



| Part Number | Model | GPH | Watts | Max. Head | Cord | Case Qty | Retail Price |
|--------------------|--|---|--|---|---|--|---|
| LIFEGARD QUIET ONE | PRO SERIES P | UMPS | | | | | |
| R440803 | 800 | 240 | 10 | 4.8 | 20' | 8 | 45.98 |
| R440804 | 1200 | 317 | 17.5 | 7.0 | 20' | 8 | 58.98 |
| R440805 | 2200 | 594 | 38 | 10.7 | 20' | 8 | 120.98 |
| R440806 | 3000 | 758 | 49 | 10.3 | 20' | 8 | 126.98 |
| R440807 | 4000 | 1022 | 58 | 10.2 | 20' | 8 | 132.98 |
| R440808 | 5000 | 1458 | 123 | 11.8 | 20' | 8 | 205.98 |
| R440809 | 6000 | 1876 | 155 | 12.0 | 20' | 8 | 215.98 |
| | Number LIFEGARD QUIET ONE R440803 R440804 R440805 R440806 R440807 R440808 | Number Model LIFEGARD QUIET ONE PRO SERIES P R440803 800 R440804 1200 R440805 2200 R440806 3000 R440807 4000 R440808 5000 | Number Model GPH LIFEGARD QUIET ONE PRO SERIES PUMPS R440803 800 240 R440804 1200 317 317 R440805 2200 594 300 R440806 3000 758 300 1022 R440808 5000 1458 3000 3000 315 | Number Model GPH Watts LIFEGARD QUIET ONE PRO SERIES PUMPS 10 R440803 800 240 10 R440804 1200 317 17.5 R440805 2200 594 38 R440806 3000 758 49 R440807 4000 1022 58 R440808 5000 1458 123 | Number Model GPH Watts Head LIFEGARD QUIET ONE PRO SERIES PUMPS R440803 800 240 10 4.8 R440804 1200 317 17.5 7.0 R440805 2200 594 38 10.7 R440806 3000 758 49 10.3 R440807 4000 1022 58 10.2 R440808 5000 1458 123 11.8 | Number Model GPH Watts Head Cord LIFEGARD QUIET ONE PRO SERIES PUMPS R440803 800 240 10 4.8 20' R440804 1200 317 17.5 7.0 20' R440805 2200 594 38 10.7 20' R440806 3000 758 49 10.3 20' R440807 4000 1022 58 10.2 20' R440808 5000 1458 123 11.8 20' | Number Model GPH Watts Head Cord Case Qty LIFEGARD QUIET ONE PRO SERIES PUMPS R440803 800 240 10 4.8 20' 8 R440804 1200 317 17.5 7.0 20' 8 R440805 2200 594 38 10.7 20' 8 R440806 3000 758 49 10.3 20' 8 R440807 4000 1022 58 10.2 20' 8 R440808 5000 1458 123 11.8 20' 8 |

REPLACEMENT PARTS

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|---|-----------------|----------------|--------------------------------|-----------------|
| R440111 | Impeller for Model 800 | 4.98 | R440131 | Oring for Model 800 | 2.98 |
| R440112 | Impeller for Model 1200 | 5.98 | R440132 | Oring for Model 1200 | 2.98 |
| R440175 | Impeller for Model 1400 | 6.98 | R440825 | Oring for Model 2200/3000/4000 | 3.98 |
| R440820 | Impeller/Shaft for Model 2200/3000/4000 | 24.98 | R440826 | Oring for Model 5000/6000 | 3.98 |
| R440822 | Impeller/Shaft for Model 5000/6000 | 31.98 | | | |

PUMP AND FILTER KITS

- Submersible pump and filter kit
- Both mechanical and biological filtration
- Easy to clean sponge filter
- Available in single, double and triple modules (Does not include UV clarifier)

| Part Number | Description | GPH | Pond Size (Gallons) | Cord | Retail Price |
|----------------|----------------------|------|------------------------|------|-----------------|
| LIFEGARD | PUMP AND FILTER KITS | | | | |
| R440021 | Uno Pond Filter Kit | 594 | 1000 | 20' | 179.98 |
| R440022 | Duo Pond Filter Kit | 758 | 1500 | 20' | 198.98 |
| R440023 | Trio Pond Filter Kit | 1022 | 2000 | 20' | 221.98 |



ALL-IN-ONE POND FILTER

| • (• / | Both mechanical and b Cleans and beautifies a Available in three sizes ncludes 13 WATT UV w | healthy | pond | ord | | Retail | |
|------------|--|---------|-----------|---------|------|--------|--|
| Number | Description | GPH | (Gallons) | UV | Cord | Price | |
| LIFEGAR | DALL-IN-ONE POND | FILTER | | | | | |
| R442001 | All-In-One Single | 594 | 1000 | 13 Watt | 20' | 316.98 | |
| R442002 | All-In-One Double | 758 | 1500 | 13 Watt | 20' | 338.98 | |
| R442003 | All-In-One Triple | 1022 | 2000 | 13 Watt | 20' | 358.98 | |



| | | | РО | WERJET: | PUN | | rs |
|----------------|--|------------|----------|-----------------|-------|--------|-------------------------|
| • (2) | Riser stem & (2) fountainheads standard (2) Adjustable valves to control flow Easy to use Click Fit connectors | | | | | | |
| • Pu • 13 | voting riser stem all mp cage protects F 50-2900 GPH have \$ | PowerJet p | ump fr | om clogging | elow) | Cord | YEAR RANTY Retail |
| Part Number | Description | GPH | Head | (L x W x H) | Watts | Length | Price |
| PT8200 | PowerJet 600 | 600 | 5'10" | 7" x 8" x 6" | 32 | 16' | 160.98 |
| PT8204 | PowerJet 960 | 1000 | 6'6" | 9" x 10.5" x 6" | 57 | 16' | 232.98 |
| PT8208* | PowerJet 1350 | 1500 | 11'5" | 9" x 10.5" x 6" | 75 | 16' | 313.98 |
| PT8212* | PowerJet 2000 | 2000 | 11'5" | 9" x 10.5" x 6" | 78 | 16' | 367.98 |
| PT8216* | PowerJet 2400 | 2400 | 12'1" | 9" x 10.5" x 6" | 82 | 16' | 416.98 |
| PT8220* | PowerJet 2900 | 2900 | 14'8" | 9" x 10.5" x 6" | 112 | 25' | 431.98 |
| | et 1350-2900 Pumps: t system that tracks pov s pumps operate muc | ver consum | ption, h | | | | |

MAX-FLO: SOLIDS HANDLING PUMPS

- · Ideal for use with filtration systems
- Handles particles up to 3/8"
- Easy to use Click Fit connectors
- Unique two-level suction capability
- High stability as result of extremely flat shape
- 1350-2900 GPH have Smart Pump Technology (see below)

| Part Number | Description | GPH | Max. Head | Dimensions (L x W x H) | Watts | Cord Length | Retail Price |
|----------------|--------------|------|--------------|---------------------------|-------|----------------|-----------------|
| PT8232 | Max-Flo 600 | 600 | 5'10" | 7" x 8" x 6" | 32 | 16' | 153.98 |
| PT8236 | Max-Flo 960 | 1000 | 6'6" | 7" x 8" x 6" | 57 | 16' | 222.98 |
| PT8240* | Max-Flo 1350 | 1500 | 11'5" | 7" x 8" x 6" | 75 | 16' | 293.98 |
| PT8244* | Max-Flo 2000 | 2000 | 11'5" | 9" x 10.5" x 6" | 78 | 16' | 360.98 |
| PT8248* | Max-Flo 2400 | 2400 | 12'1" | 9" x 10.5" x 6" | 82 | 16' | 393.98 |
| PT8252* | Max-Flo 2900 | 2900 | 14'8" | 9" x 10.5" x 6" | 112 | 25' | 429.98 |
| PT8256 | Max-Flo 4200 | 4200 | 14'8" | 9" x 10.5" x 6" | 160 | 25' | 516.98 |

*Max-Flo 1350-2900 Pumps: these pumps have new Smart Pump Technology (SPT). Internal system that tracks power consumption, hydraulics, and impeller direction. This helps pumps operate much more efficiency.

POWERCLEAR MULTI

Three-in-One Pump, Filter and UV



- Two fountain head options
- Biological filtration through revolutionary bio-brick
- · Weight balanced design for maximum stability
- Compact UV guarantees the elimination of green water · Powerful enough to run a waterfall
- Part Retail Description Pond Size υv **Bio-Brick** Number Price PowerClear Multi 1000 500 Gal. 13 Watt 324.98 PT1817 1 2 **PT1818** PowerClear Multi 2000 1000 Gal. 13 Watt 411.98



Laguna

MAX-FLO










ALPINE



| Number | Description | Volume | (Gallon) | Size | (L x W x H) | Watts | Length | Price | | |
|-----------------------------|---------------|--------|----------|----------------|-----------------|-------|--------|--------|--|--|
| PRESSURIZED FILTERS W/O UVC | | | | | | | | | | |
| PLF1000 | w/o UVC | 1060 | 1000 | 1/2" to 1" | 11" x 11" x 15" | NA | 22' | 162.98 | | |
| PLF2000 | w/o UVC | 2600 | 2000 | 3/4" to 1 1/2" | 14" x 14" x 20" | NA | 22' | 314.98 | | |
| PRESSURI | ZED FILTERS W | /UVCS | | | | | | | | |
| PLF1000U | w/UVC | 1060 | 1000 | 1/2" to 1" | 11" x 11" x 15" | 7 | 22' | 226.98 | | |
| PLF2000U | w/UVC | 2600 | 2000 | 3/4" to 1 1/2" | 14" x 14" x 20" | 9 | 22' | 398.98 | | |
| PLF3000U | w/UVC | 3400 | 3000 | 3/4" to 1 1/2" | 15" x 16" x 24" | 11 | 22' | 415.98 | | |
| PLG3500U | w/UVC | 4000 | 3500 | 3/4" to 1 1/2" | 16" x 16" x 27" | 24 | 22' | 523.98 | | |
| | | | | | | | | | | |



- Permanent magnetic motor allows pumps to save energy while promoting reliable performance and durability
- 2 180° rotating adapter allows much range motion for easy placement
- Pre-filter" cage for the strength and durability. Preventing the pump from being clogged or damaged
- Pull off cage for simple disassembly

3YEAR

- Energy efficient Over 70% reduction in energy consumption compared to the standard pump
- Includes 1", 1 1/4" and 1 1/2" tubing adapters
- 3 year warranty

| Part | SHIT & MATHEMATINA | Max Flow | Max. | Outlet | | | Retail |
|----------|--------------------|-----------|-------|------------|------|------------|--------|
| Number | Watts | GPH | Head | Connection | Cord | Controller | Price |
| PXX1500 | 35 | 1500 | 11.5' | 1.5" | 33' | No | 345.98 |
| PXX3000 | 80 | 3000 | 17.5' | 1.5" | 33' | No | 466.98 |
| PXX4000 | 145 | 4000 | 19.5' | 2" | 33' | No | 535.98 |
| PXX5300 | 200 | 5300 | 22.5' | 2" | 33' | No | 587.98 |
| PXX5300C | 200 | 2000-5300 | 22.5' | 2" | 33' | Yes | 674.98 |



- Customize and adjust water flow with ease
- Adjustable GPH enables easy selection of the right flow for any application
- With ON/OFF button

CYCLONE PUMPS INO. Can use horizontal or vertical Extremely energy efficient Vortex impeller Asynchronous motor Large pre-filter • 33' power cord **3**YEAR Can be submerged or inline Part Max. Retail Number GPH 10' 15' Head Watts 5' 20' 25 Discharge Cord Price PAL2100 2100 1532 790 15' 192 3/4" - 1 1/2" 33' 257.98 -_ _ **PAL3100** 3100 2251 1390 479 20' 276 3/4" - 1 1/2" --33' 282.98 PAL4000 4000 3052 2140 1229 317 21' 306 3/4" - 1 1/2" 33' 406.98 4230 PAL5200 5200 3175 3/4" - 1 1/2" 2121 1067 -25' 426 33' 437.98 PAL6550 6550 5369 4132 2896 1659 422 26' 456 3/4" - 1 1/2" 33' 488.98 4954 494 3/4" - 1 1/2" **PAL8000** 8000 6439 3467 1982 26' 540 33' 578.98 PAL10300 10300 40' 960 8229 6168 4597 2756 1641 3 33' 782.98

HURRICANE PUMPS

3 YEAR

- Oil free, magnetic-driven, epoxy protected, ceramic shaft
- Cost-saving energy efficient operation
- Ceramic impeller for long life
- 33' power cord
- · Heavy duty waterfall application
- Three year warranty
- Underwater use only

Ideal for heavy duty waterfall and filter systems

| Part | | | | | Max. | | | | Retail |
|---------|------|------|------|-----|-------|-------|---------------|------|--------|
| Number | GPH | 5' | 10' | 15' | Head | Watts | Discharge | Cord | Price |
| PAB1500 | 1585 | 740 | 206 | - | 11.5' | 95 | 3/4" - 1 1/4" | 33' | 218.98 |
| PAB2100 | 2115 | 1215 | 634 | - | 13' | 125 | 3/4" - 1 1/4" | 33' | 219.98 |
| PAB3100 | 3117 | 1928 | 1268 | 490 | 16.4' | 175 | 3/4" - 1 1/4" | 33' | 237.98 |
| PAB4100 | 4100 | 2749 | 1923 | 951 | 18' | 354 | 3/4" - 1 1/2" | 33' | 317.98 |
| | | | | | | | | | |

STAINLESS STEEL UV

Stainless steel

35% more efficient



| Part Number | Description | Max. Pond Valume | Retail Price |
|----------------|----------------------------|---------------------|-----------------|
| PLUV10800 | 40 Watt Stainless Steel UV | 10,800 | 357.98 |
| FLFU40 | 40 Watt Lamp | | 67.98 |
| PLFU40-COVER | Quartz Tube | | 61.98 |

Rotates 360° for easy set up

• Universal Connectors 1" to 2"

HURRICANE PU

LPINE

email: sales@waterlandscapesupply.com

| | | | | | | email: sales@ | wateriario | scapesu | ppiy.coi |
|--|---|--|---|---|-----------------------|---------------------------|--|--------------------|---|
| Oase | | | | VITE | RONIC | | No. of the owner of | ~ | |
| Cleans t | he green out o | of water | | | 56455 / | 40350 | 100 | 100 | |
| | • | | long service life, | and a constant e | effective irradiation | on capacity | 10- | | |
| | • • | | rifier is working | | | 2 | | | and the second se |
| | | | ght: visual functio | | VC bulb with an i | ndicator light | YEAR | | MI. |
| Peasily in Part | itegrates into a | an existing or Max | new pond systen Max Pond | n | | | 454 | 27 | Reta |
| Number | Description | Pond Size | Size With Fish | Max Flow | UV | Fittings | | Cord | Pric |
| 45427 | Vitronic 9 | 2500 Gal. | 1250 Gal. | 500 GPH | 9 Watt | 3/4", 1", 1-1/4", 1- | ·1/2" | 10' | 163.9 |
| 56455 | Vitronic 18 | 5000 Gal. | 2500 Gal. | 2500 GPH | 18 Watt | 1", 1-1/4", 1-1/2 | 2" | 16' | 235.98 |
| 40350 | Vitronic 36 | 10000 Gal. | 5000 Gal. | 5000 GPH | 36 Watt | 1", 1-1/4", 1-1/2 | 2" | 16' | 334.9 |
| | | | | BIOPR | ESS UVC | | | a star | |
| Combine | ation of mecha | nical and hio | logical cleaning, | | | | - | 100- | |
| | supplying hig | | | | oteennology | | | - | -1 |
| | | | ing the integrated | ł | | | | 1920 | 1 |
| | o there is no r | | | | | | - | | |
| Ouick re | lease provides | s easy filter o | pening and closir | war | | Contraction of the second | 1 | | |
| | ance purposes | | penning und closh | | | See. | | | |
| | | | ouried and concea | aled | | | | | |
| | • | | for fast and troub | | on 📕 | | | | |
| Part | | | Max | Max Pond | 454 | | 0348 | 45452 | Reta |
| Number | Description BioPress U | VC4000 | Pond Size 1000 Gal. | Size With Fish | Max Flow | Dimensions | | Cord 15' | Price |
| 45451 | | | | 500 Gal. | 1050 GPH | 9" x 9.25" | 7 Watt | | 214.9 |
| 40348 | BioPress U | | 1600 Gal. | 800 Gal. | 2000 GPH | 13.8" x 17.7" | 9 Watt | 15' | 303.9 |
| 45452 | BioPress U | VC2400 | 2400 Gal. | 1200 Gal. | 2120 GPH | 15" x 21.6" | 9 Watt | 15' | 359.9 |
| | | | | FILTO | CLEAR | | | | |
| Combina | ation of mecha | nical biologio | cal cleaning and e | effective UVC tec | hnology | | | | |
| | | | kes filter and UV | C | | | - | | |
| | ance possible | | | | 2 YEAR | | | | - All |
| | and backflus | h function ca | n be easily operate | ted 📰 | WARRANTY | | | - and | |
| | | | | | | | 1 | | |
| | removing the o | cover | | | | Carlo | | | 1 |
| Easy mo | removing the opinitoring of the | cover e UV Clarifier, | filter performanc | e | | and | | | 1 |
| Easy mo Canister Compac | removing the o onitoring of the portion of the t filter size wit | cover e UV Clarifier, e unit can be t h high filtratio | | e ealed | | ten | | | |
| Easy mo Canister Compac for smal | removing the o onitoring of the portion of the t filter size wit I places aroun | cover e UV Clarifier, e unit can be k h high filtration d the pond | filter performanc ourried and conce on capacity – perf | e ealed | | t and a | | | |
| Easy mo Canister Compac for smal High qua | removing the opitoring of the ponitoring of the portion of the t filter size wit I places aroun ality, impact re | cover UV Clarifier, unit can be t h high filtration d the pond sistant mater | filter performanc ourried and conce on capacity – perf | e ealed rect | 846 | 56425 | | 56/25 | |
| Easy mo Canister Compac for smal High qua Fittings Part | removing the conitoring of the portion of the portion of the tilter size wit I places aroun ality, impact re - 1 1/2", 2", & S | cover UV Clarifier, unit can be t h high filtration d the pond sistant mater | filter performanc ourried and conce on capacity – perf ial Max | e ealed Fect Max Pond | | | | 56435 | |
| Easy mo Canister Compac for smal High qua Fittings Part Number | removing the conitoring of the portion of the t filter size wit I places aroun ality, impact re - 1 1/2", 2", & S Description | cover UV Clarifier, unit can be t h high filtration d the pond sistant mater SCH 40 | filter performanc ourried and conce on capacity – perf ial Max Pond Size | e ealed fect Max Pond Size With Fish | Max Flow | Dimensions | UV | Cord | Retai |
| Easy mo Canister Compac for smal High qua Fittings Part Number 40346 | removing the conitoring of the portion of the t filter size wit l places aroun ality, impact re - 1 1/2", 2", & S Description FiltoClear 3 | cover e UV Clarifier, e unit can be k h high filtratio d the pond sistant mater SCH 40 | filter performanc ourried and conce on capacity – perf ial <u>Max</u> Pond Size 3000 Gal. | e ealed fect Max Pond Size With Fish 1500 Gal. | Max Flow 2000 GPH | Dimensions 15" x 20" | 18 Watt | Cord 15' | Price 499.98 |
| Easy mo Canister Compac for smal High qua Fittings Part Number | removing the conitoring of the portion of the t filter size wit I places aroun ality, impact re - 1 1/2", 2", & S Description | cover e UV Clarifier, e unit can be k h high filtratio d the pond sistant mater SCH 40 | filter performanc ourried and conce on capacity – perf ial Max Pond Size | e ealed fect Max Pond Size With Fish | Max Flow | Dimensions | | Cord | Pri |

BIOSMART

4000 GPH

4000 Gal.

 Innovative filter design provides maximum oxygenation

FiltoClear 8000

8000 Gal.

- High-surface area filter foams provide exceptional biological filtration capability
- Cleaning handles for convenient maintenance

56435

- Built-in cleaning indicator and water temperature display
- Sludge drain for easy removal of coarse debris

| -/.) | |
|-------|---------------------------|
| Dent | Mon 12 |
| 56929 | 3year WARRANT 56930 |

15" x 30"

55 Watt

15'

849.98

| Part | | Max | Max Pond | | | | | Retail |
|--------|----------------|------------|----------------|----------|-----------------|----|------|--------|
| Number | Description | Pond Size | Size With Fish | Max Flow | Dimensions | UV | Cord | Price |
| 56929 | BioSmart 5000 | 5000 Gal. | 2500 Gal. | 2700 GPH | 22" x 22" x 16" | - | 16' | 235.98 |
| 56930 | BioSmart 10000 | 10000 Gal. | 5000 Gal. | 3600 GPH | 30" x 22" x 16" | - | 16' | 429.98 |

| Oase | 2 | | | | FOUN | ITAIN | I PUM | PS | | | |
|----------------|-----|-----|------|--------------|---------------------------|-------|----------------|---|---|-----------------------------|-----------------|
| 45417 | | 4 | 5413 | | 45414 | 45410 | | • Compac • Smaller • Features pump fo • Quiet op • Ideal for | power cord plug s suction cups or r stabilization | g size for e on the bott | easier setup |
| Part Number | GPH | 5' | 10' | Max. Head | Dimensions (L x W x H) | Watts | Cord Length | Discharge Fittings | Warranty | Case Qty | Retail Price |
| 45417 | 92 | - | - | 2.8' | 3" x 1.5" x 2.25" | 4 | 6' | 3/8" - 1/2" | 2+1 | 6 | 23.98 |
| 45413 | 150 | - | - | 3.6' | 3.5" x 1.75" x 2.37" | 7 | 6' | 3/8" - 1/2" | 2+1 | 6 | 29.98 |
| 45414 | 320 | 75 | - | 6.2' | 4" x 2" x 3" | 23 | 16' | 1/2" - 3/4" | 2+1 | 4 | 40.98 |
| 45416 | 525 | 220 | - | 7.9' | 4.5" x 2.37" x 3.25" | 42 | 16' | 1/2" - 5/8" - 3/4" | 2+1 | 4 | 59.98 |


- · Energy efficient motor, saves power and money in operation
- · Smaller power cord plug size for easier setup
- · Grounding plate provides unparalleled protection against electrical hazards in your pond
- Inline capable (only 45425 45426)

| WATERFALL PUM | PS | | Jase |
|---------------|--|-------|--------|
| | a de la comercia de l | 45423 | 2 YEAR |
| 45421 | 45422 | | 45424 |

| Part Number | GPH | 5' | 10' | 15' | 20' | 25' | Max. Head | Dimensions (L x W x H) | Watts | Cord Length | Discharge Fittings | Warranty | Case Qty | Retail Price |
|----------------|------|------|------|------|-----|-----|--------------|---------------------------|-------|----------------|-----------------------|----------|-------------|-----------------|
| 45421 | 1650 | 1025 | 550 | 25 | - | - | 16.5' | 8.4" x 5" x 6.7" | 70 | 16' | 1" - 1 1/2" | 2+1 | 2 | 202.98 |
| 45422 | 2300 | 1950 | 1440 | 500 | - | - | 20' | 8.4" x 5" x 6.7" | 130 | 16' | 1" - 1 1/2" | 2+1 | 2 | 264.98 |
| 45423 | 3700 | 3000 | 2450 | 1450 | 150 | - | 21' | 9.3" x 5.3" x 7" | 170 | 16' | 1" - 1 1/2" | 2+1 | 2 | 327.98 |
| 45424 | 5150 | 4400 | 3500 | 2400 | 900 | - | 23' | 9.3" x 5.3" x 7" | 230 | 16' | 1 1/2" - 2" | 2+1 | 2 | 374.98 |

AQUAMAX ECO CLASSIC

- · Organic design, it can be integrated in ponds and waterfalls, almost invisibly
- · Grounding plate provides unparalleled protection against electrical hazards in your pond
- Extremely economical: energy efficient motor, the AquaMax Eco Classic saves power - and money - in operation.



| | | | - | | | | | | and the second se | other Designation of the local division of t | and the second descent in |
|----------------|------|------|------|--------------|---------------------------|-------|----------------|-----------------------|---|--|---------------------------|
| Part Number | GPH | 5' | 10' | Max. Head | Dimensions (L x W x H) | Watts | Cord Length | Discharge Fittings | Warranty | Case Qty | Retail Price |
| 40347 | 1200 | 475 | - | 8' | 11" x 9" x 5.5" | 45 | 20' | 1" - 1 1/4" - 1 1/2" | 2+1 | 2 | 208.98 |
| 57620 | 1900 | 1000 | - | 9.5' | 11" x 9" x 5.5" | 70 | 20' | 1" - 1 1/4" - 1 1/2" | 2+1 | 2 | 237.98 |
| 57621 | 2700 | 1550 | 900 | 11' | 11" x 9" x 5.5" | 110 | 20' | 1" - 1 1/4" - 1 1/2" | 2+1 | 2 | 281.98 |
| 57623 | 3600 | 2500 | 1050 | 13' | 11" x 9" x 5.5" | 150 | 20' | 1" - 1 1/4" - 1 1/2" | 2+1 | 2 | 327.98 |

AQUAMAX ECO PREMIUM





- · Solids Handling removes solids up to 7/16" from the pond
- · Integrated second suction allows for connection to optional accessories such as a secondary satellite suction point or a surface skimmer
- The secondary suction control can be adjusted to vary the flow between the second suction and the pump enclosure
- Patented frost protection down to -4 °F / -20 °C

| | | | ••• | | | | | | | |
|----------------|--------|----------|--------------|--------------|---------------------------|-------|----------------|------------------------------|----------|-----------------|
| Part Number | GPH | 5' | 10' | Max. Head | Dimensions (L x W x H) | Watts | Cord Length | Discharge Fittings | Warranty | Retail Price |
| 57499 | 2000 | 1125 | - | 10' | 13.5" x 11" x 6.5" | 65 | 20' | 1" - 1 1/4" - 1 1/2" - SCH40 | 3+2 | 439.98 |
| 57500 | 3000 | 1800 | 350 | 11' | 13.5" x 11" x 6.5" | 110 | 20' | 1" - 1 1/4" - 1 1/2" - SCH40 | 3+2 | 509.98 |
| 57501 | 4000 | 2775 | 1250 | 13' | 13.5" x 11" x 6.5" | 150 | 20' | 1" - 1 1/4" - 1 1/2" - SCH40 | 3+2 | 579.98 |
| 51074 | Aqua I | Max Sate | ellite Filte | r | | | | | | 54.98 |



ADIO:

email: sales@waterlandscapesupply.com

| Completely Includes 580 | | COMPLETE FILTER KIT | | | | | | | LTRAL | UVC_ | | |
|----------------------------|---|------------------------|-----------------------------|---------------------------------|---------------------------------|---|-------------------|--|-----------------|--------------|---------------------------------------|-----------------|
| Completely Includes 580 | asy to install, compact unit with 3 different types of filter media | | | | | | | | | | | |
| Includes 580 | | | ••• | | | | • | filter unit with UV a with 4 different type | | lia 🔰 | 7 | |
| Pivoting tele | 0 GPH pump a | | | | | | | nozzle, the Filtral | | | | |
| | escoping nozz | zle can be eas | ily adjusted fo | r a perfe | ct water di | | | or stream | Jun run u Sinu | | 1 | |
| | | | Same A | tion 1 | all sugar | • | Complete | ely underwater – the | appearance | | | |
| 1 | 2VEAD | - k - | | | | C C | of the po | nd remains undistu | rbed | | | 100 |
| | 2YEAR WARRANTY | | and the se | - | Sec. 1 | • \ | /isual fur | nction check of the | UV Clarifier | ana a | | |
| | | | I III I | WH H | alar A | W 164 | | | | | 1 | 40349 |
| | (marks | and the second | | 1. | 11-AT | | WA | ZYEAR 4 | 2749 | | | 40040 |
| | 100 | annin 8 | | | AL AL | ATT | | | | | 20 | |
| \bigcirc | | | 24 | | | and the second se | Part | | | | | Retail |
| Part Number [| Decemination | D. | | эн Со | | Retail 📕 🗕 | Number | Description Filtral UVC 700 | Pond Siz 700 | e GPH 250 | UV Cord 7 16' | Price 195.98 |
| | Description Filter Kit 13 | | | | | | 10349 12749 | Filtral UVC 120 | | 250 580 | 9 16' | 279.98 |
| | | | | 50 1 | | 2.00 | 12140 | | | | | ase |
| | | AQU | ASKIM | | | | - | | SWIMS | | | (11:42:44110) |
| | 194 | | Easy to ins | tall and | luse | 1 YEAR | | et partici | FLO | ATING | 5 SKIN | IMER |
| 1 | 5 | | on existing | | | WARRANTY | Ι. | | 19 | F | | |
| -1- | | | Debris bas | | | | | | | | ly strong sond surfa | |
| - | | | out from a | | | • | | A Sur | 10 | up to 27 | | |
| - | | | Telescopic | | | | | - And | 1 | • Floats al | ong the s | urface |
| 1 | | | installation pond depth | | lide rang | je or | | AR | | | ond remo | ving |
| | - | | Automatica | | usts to a | drop in | 100 | | 71 | large del | | |
| | | | water level | | | a. op | 200 | | | | ed aerator tes your p | ond |
| | Cal | Terral Contraction | | | | | | h. | 1 | enjgena | | · · · · · |
| | and the second second | - C. | | | | | | | | | | |
| Part Number | Min Flow | Max Flow | Dimension | s Out | let Size | Retail Price | Part Num | ber Pump | Dimensior | s Watts | Cord | Retail Price |
| | 1600 GPH | 4200 GPH | 14" x 32" | | 25"-1.5" | 139.98 | 5004 | <u>·</u> | 13" x 12" x | | 15' | 139.98 |
| | | | | | | | | | - | | | |
| | | | FLOA | TINC | G FOL | JNTA | IN W | /ITH LIGH | ITS | | | |
| | | | a ANR | ы. С. , | * # | | 1.4 | Station 2. | | | | |
| | | | | | | | - N | Contraction of the second | | | 6.5 | |
| | | ٤. | 1. S. 100 | 8.0 | 的小 | | - | 2. 3. | | | 44 • 4 | |
| ę | | | | | ARC. | | and a | 47 , ²⁴ 3 A | | | • | |
| ĝ | | | | | | | and a | ÷ , ** | | | · · · · · · · · · · · · · · · · · · · | |
| ţ | V | | | | | | 97) 4 | ÷ | | | | |
| ţ | V | | | | | | | | | | | |
| ę | V | | | | 20 | | | | | | | |
| ţ | 45383 | | 100 A | | | | 37)) 1 | F . V | | | | |
| ģ | 45383 | 2year | | | | | | | | | | |
| ę | 45383 | 2year warranty | | | | | | | | | | |
| • | 45383 | 2year warranty | Single T | ier Not | 710 | | Trump | et Nozzla | | Tier Net | zla | |
| | 45383 | V V V ARRANTY | Single T | ier Noz | zle | | Trump | et Nozzle | 3 | -Tier Noz | zle | |
| | 45383 | Vareanty | Ready to | connect | complete | e set, cons | sists of: | et Nozzle pump, float body | | | | les |
| | 45383 | 2year Warranty | Ready to O Compact, | connect reliable | complete , and ener | e set, cons | sists of: | | | | | les |
| | 45383 | 2 YEAR WARRANTY | Ready to | connect reliable pecial e | complete , and ener vents | e set, cons | sists of: | | | | | les |

| Part Number | Description | Dimensions | Watts | Flow Rate | Nozzles | Cord | Retail Price |
|----------------|--------------------------------------|--------------|-------|-----------|---------|------|-----------------|
| 45383 | 1/4 HP Floating Fountain with Lights | 13.25" x 21" | 130 | 2000 GPH | 3 | 50' | 538.98 |
| 45393 | 1/2 HP Floating Fountain with Lights | 22.5" x 21" | 230 | 5000 GPH | 3 | 75' | 1,199.98 |

38

| | FOUNTAIN | NOZZLES | | | FR | ΟΤΗΥ | NOZZL | .E | |
|---|---|--|----------------------------------|--|---------------------------------|---------------------------------------|--|--|--------------------------------------|
| | | | | Frothy no effect and | ozzle freature d audible imp | es soft bact | Fully adju minimal s | ustable nozzle, splash | |
| | | | ern Nozzle Set | Air mixed the froth | l with the wat appearance | ter creates | High qua | lity stainless s | teel |
| | 12 | wit | h extension | Versatile | | | Display Height | Min. Flow Rate (GPH) | TDH |
| | | | - T | | | M I | 0' 10" | 744 | 3' 4" |
| | | | | | | | 1' 8" | 870 | 4' 8" |
| HS | | 601 | | | | - 8 | 2' 6" | 1122 | 7' 4" |
| No the | Carlo Strat | | | 1 | 1 | - 8 | 3' 3" | 1272 | 9' 4" |
| Der. I. | | | 220 - | 53224 | | 53227 | 4' 1" | 1410 | 11' 4" |
| and a | | | | Part | Inlet | Retai | | 1530 | 13' 4" |
| Part | Description | 0 | Retail | Number 53224 | Size 1" MPT | Price 139.99 | _ | 1644 1752 | 15' 4" 17' 4" |
| Number | Description 4-Pattern Nozzle Se | Connection et 1" | Price 28.98 | 53224 | Ext. | 39.99 | | 1752 | 21' 8" |
| 51202 | 4-Pallern Nozzie Se | | 20.90 | 55227 | EXI. | 39.90 | 0 2 | 1950 | 210 |
| | | 42750 | | | | 3 | | 2764 ngth can be iusted to 6.6 | |
| Part Number 51260 | Inlet Size 1"-1.25"-1.5" | 42750 Tradux Bulk Head Fitting Outlet Size 1"-1.25"-1.5" | Retail Price 39.98 | | | sir pla Part | ad n-1 pond sc nultaneously ints when ci | ngth can be justed to 6.6 issors that y hold the cu utting Max | ft. t Retail |
| Y-Distrib Part Number 51260 51261 | Inlet Size 1"-1.25"-1.5" 0.75"-1"-1.25"-1.5"-2" | Outlet Size 1"-1.25"-1.5" 1"-1.25"-1.5" | Price 39.98 54.98 | | ALC STATE | sir pla Part Number | ad n-1 pond sc nultaneously ints when cu Description | ngth can be justed to 6.6 issors that y hold the cu utting Max Length | ft. t Retail Price |
| Part Number 51260 51261 0 46980 0 0 | Inlet Size 1"-1.25"-1.5" 0.75"-1"-1.25"-1.5"-2" 0.75"-1"-1.25"-1.5" | Outlet Size 1"-1.25"-1.5" 1"-1.25"-1.5" 1".1.25"-1.5" | Price 39.98 54.98 18.98 | | | sir pla Part Number 46970 | ad n-1 pond sc nultaneously ints when cu Description Pond Sciss | ngth can be justed to 6.6 issors that y hold the cu utting <u>Max</u> Length ors 5.2' | ft. t Retail Price 59.98 |
| Y-Distrib Part Number 51260 51261 | Inlet Size 1"-1.25"-1.5" 0.75"-1"-1.25"-1.5"-2" 0.75"-1"-1.25"-1.5" 0.75"-1"-1.25"-1.5" | Outlet Size 1"-1.25"-1.5" 1"-1.25"-1.5" 1"-1.25"-1.5" 1" 0.75"-1"-1.25"-1.5" | Price 39.98 54.98 | C 3 & 4 | & 5 | sir pla Part Number | ad n-1 pond sc nultaneously ints when cu Description | ngth can be justed to 6.6 issors that y hold the cu utting Max Length | ft. t Retail Price |

- Different nozzle head options for every pond and pool application
- · Hand regulator for adjusting the suction power in shallow water
- Built-in wheels and adjustable handle for fast and convenient transport
- Includes debris collection bag for discharge

| Part Number | Description | Dimensions | Watts | Suction Hose | Discharge Hose | Suction Depth | Retail Price |
|----------------|-------------|------------|-------|-----------------|-------------------|------------------|-----------------|
| 37230 | PondoVac 3 | 16" x 27" | 1600 | 16' | 8' | 7' Max | 499.98 |
| 50409 | PondoVac 4 | 16" x 27" | 1800 | 16' | 8' | 7.9' Max | 569.98 |
| 48080 | PondoVac 5 | 17" x 28" | 1800 | 16' | 32.8' | 7.5' Max | 949.98 |

Powerful

Motor

48080

OASE

MICROBE-LIFT PL

email: sales@waterlandscapesupply.com

MENTAIY

| Animal pro | MER STAPLE btein, color enhancers, needed during summer | | digestible | VEATHER cool-water diet with higher level of fat | | VARIETY MIX Each: Summer Staple, Fru Growth / Energy & Immunos | |
|---|---|--|-----------------|--|----------------|---|---|
| All Microbe are a source of occuring micro | KING FOOD w or stressed fish as it m to feed off bottom -Lift Legacy foods live (viable) naturally- organism that provide p absorb nutrients. | KOI BIG BITES Stabilized Vit C and color enhancers for bigger fish | tabilized V | t C promotes velopment | | GH GROWTH & ENE Use in fall to allow for fish bulk up fast for winter FRUITS & GRE Blend apples, apricots, kin papayas, peaches, pears cabbage, red peppers, pear zucchini, spinar | to IENS vis, mangos, s, broccoli, is, tomatoes, |
| Part Number | Description | Case Qty | Retail Price | Part Number | Description | Case Qty | |
| SUMMER ST | APLE (FLOATING PEL | <u>.LETS)</u> | | KOI BIG BITES | (FLOATING PE | LLETS) | |
| MLLSSSM | 10 oz. | 12 | 13.98 | MLLBBMD | 2 lbs. 12 oz. | 12 | 25.98 |
| MLLSSMD | 2 lbs. | 6 | 27.98 | MLLBBLG | 6 lbs. | 6 | 43.98 |
| MLLSSLG | 4 lbs. 12 oz. | 6 | 43.98 | MLLBBXL | 16 lbs. 12 oz. | 6 | 97.98 |
| MLLSSXL | 14 lb. Bucket | 2 | 89.98 | MLLBBBAG | 40 lbs. | | 179.98 |
| MLLSSBAG | 40 lb. | | 184.98 | HIGH GROWT | H & ENERGY (FL | OATING PELLETS) | |
| COLD WEAT | <u>HER–WHEAT GERM (</u> | FLOATING PELLETS) | | MLLHGESM | 12 oz. | 12 | 13.98 |
| MLLWGSM | Wheat Germ, 12 oz. | 12 | 11.98 | MLLHGEMD | 2 lbs. 4 oz. | 6 | 25.98 |
| | | 4 07 6 | 27 98 | MULHGELG | 5 lbs 4 oz | 6 | 44 98 |

| SUMMER STA | APLE (FLOATING PELLETS) | | |
|-------------|----------------------------------|--------------|--------|
| MLLSSSM | 10 oz. | 12 | 13.98 |
| MLLSSMD | 2 lbs. | 6 | 27.98 |
| MLLSSLG | 4 lbs. 12 oz. | 6 | 43.98 |
| MLLSSXL | 14 lb. Bucket | 2 | 89.98 |
| MLLSSBAG | 40 lb. | | 184.98 |
| COLD WEATH | IER-WHEAT GERM (FLOATING PEI | <u>LETS)</u> | |
| MLLWGSM | Wheat Germ, 12 oz. | 12 | 11.98 |
| MLLWGMD | Wheat Germ, 2 lbs. 4 oz. | 6 | 27.98 |
| MLLWGLG | Wheat Germ, 5 lbs. 4 oz. | 6 | 49.98 |
| MLLWGXL | Wheat Germ, 14 lbs. 8 oz. Bucket | 2 | 92.98 |
| MLLWGBAG | Wheat Germ, 40 lbs. | | 179.98 |
| VARIETY MIX | (FLOATING PELLETS & STICKS) | | |
| MLLVMSM | 11 oz. | 12 | 16.98 |
| MLLVMMD | 2 lbs. 4 oz. | 6 | 27.98 |
| MLLVMLG | 5 lbs. | 6 | 53.98 |
| MLLVMXL | 14 lbs. 8 oz. Bucket | 2 | 94.98 |
| MLLVMBAG | 40 lbs. | | 199.98 |
| SINKING FOC | DD (SINKING PELLETS) | | |
| MLLSPSM | Sum. Staple Blend, 14 oz. | 12 | 13.98 |
| MLLSPMD | Sum. Staple Blend, 3 lbs. | 6 | 37.98 |
| MLLSPLG | Sum. Staple Blend, 5 lbs. 12 oz. | 6 | 72.98 |

| Number | Description | Qty | Price |
|---------------|--------------------------|------------|--------|
| KOI BIG BITES | (FLOATING PELLETS) | | |
| MLLBBMD | 2 lbs. 12 oz. | 12 | 25.98 |
| MLLBBLG | 6 lbs. | 6 | 43.98 |
| MLLBBXL | 16 lbs. 12 oz. | 6 | 97.98 |
| MLLBBBAG | 40 lbs. | | 179.98 |
| HIGH GROWTH | & ENERGY (FLOATING PELLE | <u>TS)</u> | |
| MLLHGESM | 12 oz. | 12 | 13.98 |
| MLLHGEMD | 2 lbs. 4 oz. | 6 | 25.98 |
| MLLHGELG | 5 lbs. 4 oz. | 6 | 44.98 |
| MLLHGEXL | 14 lbs. 8 oz. Bucket | 2 | 102.98 |
| MLLHGEBAG | 40 lbs. | | 189.98 |
| FRUITS & GRE | ENS (FLOATING STICKS) | | |
| MLLFGSM | 10 oz. | 12 | 13.98 |
| MLLFGMD | 2 lbs. | 6 | 28.98 |
| MLLFGLG | 4 lbs. 8 oz. | 6 | 51.98 |
| MINI PELLETS | (FLOATING PELLETS) | | |
| MLLMPXS | 6 oz. | 12 | 9.98 |
| MLLMPSM | 12 oz. | 12 | 12.98 |
| MLLMPMD | 2 lbs. 4 oz. | 6 | 25.98 |
| MLLMPLG | 6 lbs. | 6 | 47.98 |
| | | | |

POND COLORANTS

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price | | | |
|--|-------------|---------------------|-------------|-----------------|--|--|--|
| BIO-BLUE ENZYME & POND COLORANT | | | | | | | |
| MLBB8 | 8 oz. | 4000 | 12 | 9.98 | | | |
| MLBB16 | 16 oz. | 8000 | 12 | 17.98 | | | |
| MLBBG | Gallon | 64000 | 4 | 59.98 | | | |
| BIO-BLAC | K ENZYME | | | RANT | | | |
| MLBLK8 | 8 oz. | 4000 | 12 | 19.98 | | | |
| MLBLK16 | 16 oz. | 8000 | 12 | 34.98 | | | |



BIO-BLUE & BIO-BLACK Both Bio-Blue and Bio-Black color water while enzymes help create a healthy pond. ONCE DILUTED these pond colorants will not stain fish, pond rocks or most concrete fountains.

PHOSPHATE REMOVER

Will not harm fish or plants Safely removes phosphate from pond water A polymeric blend that ties up large quantities of phosphate without negatively influencing the pond in any way

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------|---------------------|-------------|-----------------|
| PHOSRE16 | 16 oz. | 1600 | 12 | 10.98 |
| PHOSRE32 | 32 oz. | 3200 | 12 | 17.98 |

40

MICROBE-LIFT PL

#1 Selling **Bacterial Pond** Additive on the Market

MICROBE-LIFT PL

| | | | | | Market! | Spec wate | er featu rowth - | mulated for res – Create - Reduces ar | es healthy e mmonia nitr | ish ponds, lagoo nvironment, prop ogen levels, dise plogical filters & | moting fa solves or | ister |
|---|--|--|---|---|---------------------------------------|---|---|---|-----------------------------|---|--|----------------------------|
| | CROBELIET | - int | MICROB | and the second se | Part Number | Descri | ption | | | | Case Qty | Retail Price |
| | AT LAND THE REAL PROPERTY AND INCOMENT | AICROBE LIFT | 2 7 | - | MICROBE | -LIFT PL (L | IQUID) | | | | | |
| d ke | | | | | MLPLP | Pint, s | mall w | ater features | s | | 24 | 19.98 |
| | | 7. | | | MLPLQ | Quart | , fish p | onds | | | 12 | 29.98 |
| | - ALCON | ATT NOT | | | MLPLG | Gallor | n, fish p | onds/lagoo | ns | | 4 | 71.98 |
| PROF | ESSIONA | | END | l | | SLUDO | GE A | WAY | - | НС | | |
| | Blend of m specially fo bacteria ma exclusively pond profe | ormulated s anufacture by landsc | strains of d for use | Part | | slud rem | id and r Ige / mu oval - w er in wa Case Qty | ck | | for larg | etary forn ge lakes / :e odor, b sludge | ponds |
| Part Number | Description | Case Qty | Retail Price | | GE AWAY | · · | Qly | Frice | Part Number | Description | Case Qty | Retail Price |
| MLPBLXQ | | 12 | 25.98 | MLSA | | | 12 | 29.98 | HC (LIQU | · · · | | |
| MLPBLXG | 4 Gallon | 4 | 64.98 | MLSA | G Gal | lon | 4 | 73.98 | MLHCG | Gallon | 4 | 89.98 |
| | SEASON | JAL N | ICRO | BIA | | | NTS | | | PL-0 | EL | |
| | Con bact biologi unde | tains colo teria that | d water provide ty in water en under | l | Helps jump spring - Re of organ | o start pond duces build ic sediment 2 oz packet | in up | in the second | | Made with s as Microbe designed to most media in filter start | ame bact Lift® PL a quickly a . 80% Rec | nd attach to duction |
| Part Number | Description | | | | | | ase Qty | Retail Price | Part Number | Description | Case Qty | Retail Price |
| MLAPQ | Autumn/Wint | er Prep (| Kit), Qua | rt | | | 12 | 32.98 | GEL8 | 8 oz. Bottle | 12 | 12.98 |
| MLAPG | Autumn/Wint | er Prep (| Kit), Gallo | on | | | 4 | 99.98 | GEL16 | 16 oz. Bottle | 12 | 21.98 |
| MLSSC | Spring/Sumn | ner Clean | ner (2 oz.F | Pkt) | | | 12 | 31.98 | GEL32 | 32 oz. Bottle | 6 | 29.98 |
| | BLO | ом 8 | GRO | W | | | | - | 📄 PLA | NTING N | IEDIA | • |
| Contains n Essential p Nitrate and This produ | centrated formula nicro and macro n primary and secon I phosphate free ict is not a fertilize ated for aquatic plants orighter and faster bloc onger roots Description | utrients dary nutrie er of all types to | | | | etail rrice Pau | | | Pa | Won't Break Jown, Float, or Cloud Ind Water! | Case | Retail |

Number

MLCAPM10

MLCAPM20

| | | | | and the second se |
|----------------|-------------|---------------------|-------------|---|
| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
| BNG16 | 16 oz. | 4800 | 12 | 12.98 |
| BNG32 | 32 oz. | 9600 | 12 | 20.98 |
| BNGGAL | Gallon | 38000 | 12 | 62.98 |

| all as | down sludge | |
|--------|-------------|--------|
| · | | |
| | | |
| | Casa | Potail |

| Part Number | Description | Case Qty | Retail Price |
|----------------|-------------|-------------|-----------------|
| HC (LIQUI | <u>)</u> | | |
| MLHCG | Gallon | 4 | 89.98 |
| | _ | | |



MENE M

Price

17.98

34.98



POND TREATMENT

AQUA XTREME

· Full function, buffered water conditioner

Ages pond water instantly

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------|---------------------|-------------|-----------------|
| XTREME16 | 16 oz. | 960 | 12 | 12.98 |
| XTREME32 | 32 oz. | 1920 | 12 | 22.98 |
| XTREMEGAL | Gallon | 7680 | 4 | 69.98 |

DRY AMMONIA REMOVER

Removes chlorine

MICROBE-LIFT

- Destroys Chloramines
- · Eliminates ammonia
- · Can be combined with antibiotics / anesthetics
- Completely safe for biofilters

1 oz. Treats 235 Gallons

Description

ClorAm-X, 1 lb.

ClorAm-X, 5 lbs.

STRESS RELIEF Removes chlorine /

chloramines - aids in

fish transport, promote

healing, skin

slime replacement

Part

Number

DAR01

DAR05



3760

18800

12

4



| DEFOAMER | | | | | |
|------------------------|--|---------------------|-------------|--|--|
| Leaves po clean and | Leaves pond water clean and clear • Eliminates foam a in seconds | | | | |
| Part Number | Description | Treats (Gallons) | Case Qty | | |
| DFOAM16 | 16 oz. | 8000 | 12 | | |

16000

Retail

Price

11.98

22.98

12

SALT CRYSTALS

| | • Reduces threat of parasitic disease in pond water | | Helps maintain healthy pond environment | | | |
|------------|---|-------------|---|-------------|-----------------|--|
| | Part Number | Description | Treats (Gallons) | Case Qty | Retail Price | |
| | PSALTSM | 2.5 lbs. | 100 | 12 | 8.98 | |
| SAUDITAL P | PSALTMD | 5 lbs. | 200 | 6 | 12.98 | |
| Spanne S | PSALTLG | 9 lbs. | 360 | 6 | 15.98 | |



FISH TREATMENTS

22.98

92.98

BSDT Made with MALACHITE **GREEN CHLORIDE** cost effective treatment for multiple diseases

LICE & ANCHORWORM Removes pollutants

for disease-causing organisms, will reduce the number of waterborne pathogens.



| Part Number | Size | Case Qty | Retail Price |
|----------------|------------|-------------|-----------------|
| STRESS F | RELIEF | | |
| SRP16 | 16 oz. | 12 | 11.98 |
| SRP32 | 32 oz. | 12 | 19.98 |
| BROAD SPE | ECTRUM DIS | EASE TRE | TMENT |
| BSDT16 | 16 oz. | 12 | 22.98 |
| BSDT32 | 32 oz. | 12 | 36.98 |
| LICE & AN | ICHORWO | <u>RM</u> | |
| LAWP16 | 16 oz. | 12 | 21.98 |
| LAWP32 | 32 oz. | 12 | 35.98 |



FISH TREATMENTS PARAZORYNE

Supports fish immune system by driving off the excess parasites. Then they starve without the host. FECTIVE AGAINST THE **OWING PARASITIC**

| | | • White • Fluke • Oodi |
|--------|-------|------------------------------|
| Part | | |
| Number | Size | (0 |
| PCON08 | 8 oz. | |

ASES:

| | PARAZONI TO A | White spot Costia Flukes (gill & skin) Oddinium Chilodonella | | |
|----------------|---------------|--|-------------|-----------------|
| Part Number | Size | Treats (Gallons) | Case Qty | Retail Price |
| PCON08 | 8 oz. | 590 | 12 | 14.98 |
| PCON16 | 16 oz. | 1183 | 12 | 22.98 |
| PCON32 | 32 oz. | 2365 | 12 | 41.98 |
| PCONG1 | 1 Gal. | 9462 | 4 | 139.98 |

FISH TREATMENTS

SABBACTISUN

Will help to drive pathogenic bacteria off fish and without a host, ultimately results in death of bacteria.

EFFECTIVE AGAINST:

 Bacterial dropsy Milky skin

Mouth rot

- Bulging eyes
 - Ulcers

Fungus

| • | Raised | scales | |
|---|--------|--------|--|
| | | | |

• Fin/Tail Rot

| Part Number | Size | Treats (Gallons) | Case Qty | Retail Price |
|----------------|--------|---------------------|-------------|-----------------|
| SCON08 | 8 oz. | 590 | 12 | 14.98 |
| SCON16 | 16 oz. | 1183 | 12 | 22.98 |
| SCON32 | 32 oz. | 2365 | 12 | 41.98 |
| SCONG1 | 1 Gal. | 9462 | 4 | 139.98 |

| | | 011.200.0101 | | 10.200.00 | | | | | |
|--|--|--|--------------------------|-----------------|--|--|--|--|-----------------------|
| | | | | ALGAV | VAY 5.4 | | | | |
| | | 2.4 | | | | gae growth in por | - | afe 📗 | |
| | | | | E.P.A. | | ites many types o | f algae in pond | F | |
| and the second second | | | | Registered | ourc ro | r fish & plants | | | |
| | | | | | • | formulation | | | |
| | | | | | • E.P.A. F Part | REGISTERED | Treats | Case | Retail |
| | - | | | | Number | Description | (Gallons) | Qty | Price |
| <u> </u> | MCREE UIT | | | | ALGA08 | 8 oz. | 2840 | 12 | 9.98 |
| | | | ACRESS E | | ALGA16 | 16 oz. | 5680 | 12 | 13.98 |
| | | ALGAWAY 5 | CAWAY S | UT Page 1 | ALGA32 | 32 oz. | 11350 | 12 | 21.98 |
| | | | | | ALGAGAL | Gallon | 45424 | 4 | 77.98 |
| | 5 | | Company of Company | at a summer and | ALGA2.5 | 2.5 Gallon | 113560 | 2 | 135.98 |
| | B | | ODUCT | ſS | R | BAR | LEY PRO | DUCT | S |
| -41 | | BAR | LEY STR | | | | BARLEY S | | |
| WHY HIT | | PEL | LETS + | | Mr. An | | Liquid conce | | |
| S AND PROVIDENCE | | | % natural | | | | Immediately s process on c | | mposition |
| INSTEM & BETTER | | And Address of Concession, Name of Street, or other Designation, o | organic | | A RECEIPTED | | Naturally bala | | water, |
| AND STREET CASE | | | inces pond roves wate | | Contraction of the local division of the loc | | improve clari | ty | |
| Martin Marketon | | inp. | | olanty | Part | | Treats | Case | Retail |
| Part | | Treats | Case | Retail | Number | Description | (Gallons) | Qty | Price |
| Number | Description | (Gallons) | Qty | Price | MLCBSE250 | | 6250 | 12 | 12.98 |
| MLBS2 | 2.2 lb. Bag | 400 Gal. up to 4 | | 18.98 | MLCBSE500 | | 12500 | 6 | 15.98 |
| MLBS4 | 4.4 lb. Bag | 800 Gal. up to 5 | | 24.98 | MLCBSE1L | 32 oz. | 25000 | 6 | 29.98 |
| MLBS10 | 10.5 lb. Bag | 2500 Gal. up to 4 | | 36.98 | MLCBSE2L | 64 oz. | 50000 | 4 | 50.98 |
| MLBS25 | 25 lb. Pail | Instructions on La | | 79.98 | MLCBSEG | Gallon | 100000 | 4 | 61.98 |
| CALC | IUM MOI | NTMORILLO | ONITE | CLAY | | ACTIVAT | ED CARB | ON | |
| | | PREMIUM CL | AY FORMU | ILA FOR: | - | | ves odors ves colors | IT WERE W | Eles monan |
| 120 | Leonal. | • Pond | Clority | Koi Health | 1. States | 1000 | ves medications | Married Concession, 199 | NUMBER OF TAXABLE AND |
| PARTIE IT | Canal I | • Koi G | • | Koi Color | 1000 | | ves organic pollu | | |
| ADW D.I | And the second s | | | | | • Remo | ves liquefied imp | ourities | |
| Part Number | Description | | Case Qty | Retail Price | Part Number D | Description | Treats (Gallons) | Case Qty | Retail Price |
| MLKKB2 | · · · · · · · · · · · · · · · · · · · | orillonite Clay, 2 lb | | 13.98 | | 5 lbs. | 1000 | 4 | 71.98 |
| MLKKB4 | | orillonite Clay, 4 lb | | 21.98 | |) lbs. | 1800 | 2 | 115.98 |
| MLKKB6 | | orillonite Clay, 6 lb | | 29.98 | | 22 lbs. | 4400 | _ | 235.98 |
| MLKK25 | | orillonite Clay, 25 | | 114.98 | | 55 lbs. | 11,000 | | 472.98 |
| | | HATE REMO | | | WEITE IN | А | LGAWAY | 60 🕈 | |
| | | | | HERE II | Chemical alg | ae eliminator for dec | corative, irrigation, | | |
| And the second | | | <i>.</i> . | | | onds, water hazards | | | |
| STON. | and the | • Will not ha | | | | ost planktonic & fila efficiently so there is | | ALGA | WAY 60 |
| Real Contraction | SEX. | Safely rem from pond | oves pnos water | pnate | | ines & pumps | | many card out the | THON |
| 22.00 | A CONTRACTOR | | | | Safe for irrigation | ation, turf, & shrubs | | | (AUC) |
| MICROBELT | | A polymoria bla | nd that tice | n largo | • E.P.A. REGIS | | E.P.A | | and a second |
| No. of Concession, State of Co | MICROR I | A polymeric ble quantities of phosp | | | | AlgAway cannot be | Registered | | Constant of |
| | | influencing th | | | | ed to New York. | | Contraction of the local division of the loc | - |
| | | - | | | | OTHER R | ESTRICTION | IS: | |
| Part | Description | Treats | Case | Retail | | DO NOT use in p | onds that contain | in fish | |
| Number | Description 16 oz. | (Gallons) 1600 | Qty 12 | Price 10.98 | Part Number | Dee | cription | | Retail Price |
| | 10 02. | 1000 | 14 | 10.30 | | Des | GINUUUI | | FILCE |
| PHOSRE16 PHOSRE32 | 32 oz. | 3200 | 12 | 17.98 | MLAAG60 | | Away, 1 Gal. | | 199.98 |

MICROBE-LIFT

email: sales@waterlandscapesupply.com

| | | | WAT | ER TRE | EATME | INTS | | Tetr | a Pond |
|--|--|---|--|--|--|---|--|---|--|
| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price | | | | | |
| ALGAE | CONTROL | | | | Ata lost | | Table | | E.P.A. Registered |
| 77186 | 250 mL | 3000 | 12 | 13.98 | 2 | | | 145 | |
| 77187 | 500 mL | 6000 | 6 | 22.98 | | | | | |
| 77189 | 1 L | 12000 | 6 | 33.98 | Part | | Treats | Case | Retail |
| 77188 | 3 L | 36000 | 2 | 77.98 | Number | Description | (Gallons) | Qty | Price |
| AQUASA | AFE | | | | WATER | <u>CLARIFIER</u> | | | |
| 16263 | 250 mL | 1250 | 12 | 9.98 | 16397 | 500 mL | 2500 | 6 | 21.98 |
| 16267 | 500 mL | 2500 | 6 | 16.98 | BARLEY | AND PEAT EXTRAC | <u>ד</u> | | |
| 16275 | 3 L | 15000 | 2 | 85.98 | 16294 | 500 mL | 2500 | 6 | 16.98 |
| | | POND | BLOCKS | | | FOUNTA | IN BLOC | KS | |
| Part | Keep on th | Offers easy, effe | growth of algae. R BLOCKS er by breaking down of t for pond setup & spri | rganic wastes | Foundarie | Block ha | se fountain to ve been deve ol algae and | loped to | e |
| Number | Description | | Qty | Price | 1 te | Cont | rol algae with | nond block | el |
| 16735 | Pond Block (A | nti-Algae), 4 bloc | ks 12 | 12.98 | | COIL | iui aiyae willi | | .5: |
| 16310 | • | nti-Algae), 50 blo | | 152.98 | Part | - | | Case | Retail |
| 16736 | Ū. | educer, 4 blocks | 16 | 12.98 | Number | Description | | Qty | Price |
| Each blo | ck treats 250 gall | | | | 16737 | Fountain Block (An | iti-Algae), 6 bio | cks 16 | 9.98 |
| | | | GREENF | REE U | V CLA | RIFIERS | | | |
| Part | D | Max. Max. Pond Flow | Inlet/Outlet | Retail | Part Number | Description | | | Retail Price |
| Number | Description REE UVC – NEV | Volume (GPH) | Size | Price | GREENF | REE UV BULBS (CL | IRRENT MODE | <u>LS)</u> | |
| | | | | | | | | | |
| | | | | 108.08 | 19526 | 5W for UVC-5 | (19523) | | 28.98 |
| 19523 | UVC-5, 5W | 660 330 | 3/4 - 1 - 1.25" | | | 5W for UVC-5 9W for UVC-9 | 、 , | | 28.98 31.98 |
| 19523 19520 | UVC-5, 5W UVC-9, 9W | 6603301800900 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 | 19526 | | (19520) | | |
| 19523 19520 19521 | UVC-5, 5W UVC-9, 9W UVC-18, 18W | 660330180090044002200 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 | 19526 19527 19528 19529 | 9W for UVC-9 18W for UVC-1 36W for UVC-3 | (19520) 8 (19521) 66 (19522) | | 31.98 44.98 56.98 |
| 19523 19520 19521 | UVC-5, 5W UVC-9, 9W | 6603301800900 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 | 19526 19527 19528 19529 <u>GREENF</u> | 9W for UVC-9 18W for UVC-1 36W for UVC-3 REE QUARTZ SLEE | (19520) 8 (19521) 66 (19522) | T MODELS) | 31.98 44.98 56.98 |
| 19523 19520 19521 | UVC-5, 5W UVC-9, 9W UVC-18, 18W | 660330180090044002200 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 | 19526 19527 19528 19529 <u>GREENF</u> 19530 | 9W for UVC-9 18W for UVC-1 36W for UVC-3 REE QUARTZ SLEE for UVC-5 | (19520) 18 (19521) 36 (19522) <u>EVES (CURREN</u> | T MODELS) | 31.98 44.98 56.98 43.98 |
| 19523 19520 19521 | UVC-5, 5W UVC-9, 9W UVC-18, 18W | 660330180090044002200 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 | 19526 19527 19528 19529 <u>GREENE</u> 19530 19531 | 9W for UVC-9 18W for UVC-1 36W for UVC-3 REE QUARTZ SLEE for UVC-5 for UVC-9 & U | (19520) 18 (19521) 36 (19522) <u>EVES (CURREN</u> | T MODELS) | 31.98 44.98 56.98 43.98 51.98 |
| 19523 19520 19521 | UVC-5, 5W UVC-9, 9W UVC-18, 18W | 660330180090044002200 | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 | 19526 19527 19528 19529 <u>GREENF</u> 19530 | 9W for UVC-9 18W for UVC-1 36W for UVC-3 REE QUARTZ SLEE for UVC-5 | (19520) 18 (19521) 36 (19522) <u>EVES (CURREN</u> | <u>T MODELS)</u> | 31.98 44.98 56.98 43.98 |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Mage | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 3 year warranty warranty | 19526 19527 19528 19529 <u>GREENE</u> 19530 19531 19533 • Phillips UV • Effective | 9W for UVC-9 18W for UVC-3 36W for UVC-3 FOR UVC-5 for UVC-9 & U for UVC-36 | (19520) 18 (19521) 36 (19522) 37 VES (CURREN VC-18 STAINL Reflective sur | T MODELS) | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Mage | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 3 year warranty ets puplings | 19526 19527 19528 19529 <u>GREENE</u> 19530 19531 19533 • Phillips UV • Effective continuou | 9W for UVC-9 18W for UVC-1 36W for UVC-3 FREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 | (19520) 8 (19521) 66 (19522) VC-18 VC-18 STAINL Reflective supprevent | LESS STEEL IN rface increases U s internal degrada | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Ma • Question • Question | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" | 249.98 333.98 413.98 3year warranty ets buplings HOICE attor Part | 19526 19527 19528 19529 <u>GREENE</u> 19530 19531 19533 • Phillips UV • Effective continuou | 9W for UVC-9 18W for UVC-3 36W for UVC-3 FILTERS Max. Pond | (19520) 8 (19521) 66 (19522) VC-18 VC-18 Reflective surprevent Max. Flow D | ESS STEEL II face increases U s internal degrada plastic housings imensions | 31.98 44.98 56.98 43.98 51.98 67.98 Vexposure - ation of Retail |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Mo • Qu | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 0 unting bracke uick-release co | 249.98 333.98 413.98 3 YEAR WARRANTY EAST OUPLINGS CHOICE Atter Part Num | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou | 9W for UVC-9 18W for UVC-1 36W for UVC-3 FILTERS Max. Pond Volume | (19520) 8 (19521) 6 (19522) VC-18 VC-18 Reflective surprevent Max. Flow D (GPH) | ESS STEEL II rface increases U s internal degrada plastic housings imensions (D x H) | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of Retail Price |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Mo • Qu | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 0 unting bracke uick-release co CLEARC e suspended ma | 249.98 333.98 413.98 3 year WARRANTY Ets buplings HOICE atter Part Num | 19526 19527 19528 19529 <u>GREENE</u> 19530 19531 19533 • Phillips UV • Effective continuou | 9W for UVC-9 18W for UVC-3 36W for UVC-3 FILTERS Max. Pond | (19520) 8 (19521) 6 (19522) VC-18 VC-18 Max. Flow D (GPH) 15 | ESS STEEL II face increases U s internal degrada plastic housings imensions | 31.98 44.98 56.98 43.98 51.98 67.98 Vexposure - ation of Retail |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Seeve • Mo • Qu | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracke uick-release co CLEARC e suspended ma flow technology a development | 249.98 333.98 413.98 413.98 3year warranty ets buplings HOICE atter Part Num 1678 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-1 36W for UVC-3 FREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement | (19520) 8 (19521) 6 (19522) VC-18 VC-18 Max. Flow D (GPH) 15 | LESS STEEL IF frace increases U s internal degrada plastic housings imensions (D x H) 5.25"x12.5" | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of Retail Price 131.98 24.98 |
| 19523 19520 19521 19522 • High | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Stable height for diffe | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracke uick-release co CLEARC e suspended ma flow technology a development E SET | 249.98 333.98 413.98 413.98 3 year warranty ets buplings HOICE atter Num 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-3 36W for UVC-3 SREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement | (19520) 8 (19521) 6 (19522) VES (CURREN VC-18 VC-18 Max. Flow D (GPH) D 500 15 t Pads FICIAL WA | LESS STEEL IN rface increases U s internal degrada plastic housings imensions (D x H) 5.25"x12.5" ATER LI | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of Price 131.98 24.98 LIES |
| 19523 19520 19521 19522 • High | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W Solution -clarity quartz standard tubing Standard tubing -flarity quartz standard tubing -flarity quartz standard tubing | 660 330 1800 900 4400 2200 8800 4400 Stable height for different & diverter | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracke uick-release co CLEARC e suspended ma flow technology a development E SET | 249.98 333.98 413.98 413.98 3 year warranty ets buplings HOICE atter y 1678 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-3 36W for UVC-3 SREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement | (19520) 18 (19521) 16 (19522) 17 VES (CURREN 17 VC-18 VC-18 Reflective surprevent 17 Pads 17 Pads 17 Pads 17 Pads 17 Pads | LESS STEEL IN rface increases U s internal degrad: plastic housings imensions (D x H) 5.25"x12.5" ATER LI Filly flowe | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of Price 131.98 24.98 LIES |
| 19523 19520 19521 19522 • High | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W | 660 330 1800 900 4400 2200 8800 4400 Stable height for difficontrol & diverter copic stem batible with Marcel | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracked uick-release co CLEARC e suspended ma flow technology a development E SET erent depths 3 NOZZLE SET INCLUDES: | 249.98 333.98 413.98 413.98 3 year warranty ets buplings HOICE atter Num 1678 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-3 36W for UVC-3 SREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement | (19520) 8 (19521) 6 (19522) VC-18 VC-18 Max. Flow D (GPH) 500 15 t Pads FICIAL WA • Realistic • Durable | ESS STEEL II face increases U s internal degrada plastic housings imensions (D × H) 5.25"x12.5" ATER LI ATER LI a lily flowe plastic | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of Price 131.98 24.98 LIES |
| 19523 19520 19521 19522 • High | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W Scherker -clarity quartz standard tubing -clarity quartz standard tubing | 660 330 1800 900 4400 2200 8800 4400 Stable height for diffecontrol & diverter copic stem patible with 3/4"- 1" outlets Mage: 100 minutes | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracke uick-release co CLEARC e suspended ma flow technology a development E SET erent depths 3 NOZZLE SET INCLUDES: Spray, Bell, & Fro | 249.98 333.98 413.98 413.98 3 year year Supplings HOICE Atter Part Num 1678 1678 1678 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-3 36W for UVC-3 REE QUARTZ SLEE for UVC-9 & U for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement ARTIF | (19520) 18 (19521) 16 (19522) 17 VES (CURREN 17 VC-18 VC-18 Reflective surprevent 17 Pads 17 Pads 17 Pads 17 Pads 17 Pads | ESS STEEL II face increases U s internal degrada plastic housings imensions (D × H) 5.25"×12.5" ATER LI STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STER STEEL II STER STEEL II STER STER STEEL STER STEEL II STER STER STEEL II STER STEEL II STER STEEL II STER STER STEEL II STER STER STEEL II STER STER STER STEEL II STER STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STEEL II STER STER STEEL II STER STER STER STER STER STER STER STER | 31.98 44.98 56.98 51.98 67.98 NSERT V exposure - ation of Price 131.98 24.98 LIES |
| 19523 19520 19521 19522 | UVC-5, 5W UVC-9, 9W UVC-18, 18W UVC-36, 36W Control of the second | 660 330 1800 900 4400 2200 8800 4400 Stable height for diffecontrol & diverter copic stem patible with 3/4"- 1" outlets Mage: 100 minutes | 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" 3/4 - 1 - 1.25" Ounting bracke uick-release co CLEARC e suspended ma flow technology a development E SET erent depths 3 NOZZLE SET INCLUDES: Spray, Bell, & Fro Case F | 249.98 333.98 413.98 413.98 3 year warranty ets buplings HOICE atter Num 1678 1678 | 19526 19527 19528 19529 <u>GREENF</u> 19530 19531 19533 • Phillips UV • Effective continuou BIO-F | 9W for UVC-9 18W for UVC-3 36W for UVC-3 SREE QUARTZ SLEE for UVC-5 for UVC-9 & U for UVC-36 V bulb e for 11 months us operation FILTERS Max. Pond Volume 1200 rchoice Replacement | (19520) 8 (19521) 6 (19522) VC-18 VC-18 Max. Flow D (GPH) 500 15 t Pads FICIAL WA • Realistic • Durable | ESS STEEL II face increases U s internal degrada plastic housings imensions (D × H) 5.25"x12.5" ATER LI ATER LI a lily flowe plastic | 31.98 44.98 56.98 43.98 51.98 67.98 NSERT V exposure - ation of V exposure - ation of 131.98 24.98 |

44

FISH CARE

The World's Most Popular Fish Food Tetra's soft stick fish foods soften on contact with water to be easily eaten

ETRA



FLOATING STICKS Our most popular pond food! An ideal maintenance diet that provides nutrition for energy, longevity, and overall health. Feed in spring, summer and fall, when water temperatures are 50°F and above.

| Part Number | Description | Case Qty | Retail Price |
|----------------|--------------|-------------|-----------------|
| FLOATIN | G POND STICK | <u>S</u> | |
| 16354 | 1 L Can | 12 | 6.98 |
| 16482 | 4 L Bag | 6 | 20.98 |
| 16483 | 7 L Bag | 6 | 26.98 |
| 16357 | 10 L Bucket | 4 | 37.98 |
| 16484 | 15 L Bag | 4 | 46.98 |
| 16488 | 25 L Bag | 2 | 72.98 |
| 16457 | 40 L Box | | 117.98 |



VARIETY BLEND

Blend of 3 foods to enhance vitality. Best time to feed is in spring, summer, and fall, when water temperatures are 50°F and above.

| Part Number | Description | Case Qty | Retail Price |
|----------------|-------------|-------------|-----------------|
| VARIETY | BLEND | | |
| 16455 | 1 L Can | 12 | 8.98 |
| 16456 | 4 L Bag | 6 | 27.98 |
| 16454 | 7 L Bag | 6 | 32.98 |

Number

16210



KOI VIBRANCE

Highly nutritious diet that brings out vibrant reds and yellows on Koi and ornamental goldfish. Feed in spring, summer and fall, when water temperatures are 50°F and above.

| Part Number | Description | Case Qty | Retail Price |
|----------------|-------------|-------------|-----------------|
| | ANCE | | |
| 16359 | 1 L Can | 12 | 7.98 |
| 16494 | 4 L Bag | 6 | 24.98 |
| 16485 | 7 L Bag | 6 | 34.98 |
| 16459 | 10 L Bucket | 4 | 44.98 |
| 16486 | 15 L Bag | 4 | 64.98 |
| 16491 | 25 L Bag | 2 | 89.98 |
| 16458 | 40 L Box | | 147.98 |



KOI GROWTH

High protein food for rapid fish growth. Ideal for late spring & early summer feeding, when water temperatures are 50° and above.

| Part Number | Description | Case Qty | Retail Price |
|----------------|----------------|-------------|-----------------|
| GROWTH | H FOOD FOR KOI | | |
| 16434 | 1 L Can | 12 | 11.98 |
| 16489 | 7 L Box | 6 | 61.98 |



FLAKED FOOD

Premium nutrition for small pond fish. Helps enhance color, easily digested to help keep pond water clean/clear. Part Case Retail

Qty

12

Price

18.98

Description

1 L Can

FLAKED FISH FOOD

| 10 | | - | | |
|----|-----|-----|----------------|---|
| -8 | 1 | - | 1.0 | |
| 1 | 1. | | letra | 9 |
| 2. | .3 | Ter | - | 1 |
| 12 | 110 | L. | 90 | 1 |
| | 4 | | and the second | |
| | | - | | 4 |
| | | | - | 3 |



Wheatgerm transitions fish in & out of winter. Feed in spring and fall, when water temperatures are below 50°F and above 39°F.

| Part Number | Description | Case Qty | Retail Price |
|----------------|-------------|-------------|-----------------|
| SPRING | /FALL DIET | | |
| 16467 | 1 L Can | 12 | 10.98 |
| 16481 | 4 L Bag | 6 | 30.98 |
| 16469 | 7 L Bag | 6 | 54.98 |





VACATION FOOD

Gel-based block feeds pond fish up to 7 days. Precise amounts of vitamins and nutrients help support fish's immune system.

| Part Number | Description | Case Qty | Retail Price |
|----------------|----------------|-------------|-----------------|
| VACATIO | <u>ON FOOD</u> | | |
| 16477 | 3.45 oz. | 12 | 7.98 |

PONDFOOD COLOR ENHANCING

Flake and stick food diet for both goldfish and koi.

| Part Number | Description | Case Qty | Retail Price |
|----------------|------------------|-------------|-----------------|
| PONDFOC | D - COLOR ENHANC | ING | |
| 77021 | 6 oz. Flakes | 12 | 8.98 |

email: sales@waterlandscapesupply.com



ALGAEFIX



ALGAEFIX

Algae-control for ponds with plants and fish. Helps control "green water", algae blooms, blanketweed, and string algae.

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------------|---------------------|-------------|-----------------|
| ALGAEFI | <u>X (LIQUID)</u> | | | |
| AP169A | 8 oz. | 2400 | 12 | 11.98 |
| AP169B | 16 oz. | 4800 | 12 | 16.98 |
| AP169G | 32 oz. | 9600 | 6 | 28.98 |
| AP169D | 64 oz. | 19200 | 6 | 49.98 |
| AP169C | 1 gallon | 38400 | 4 | 85.98 |
| AP169J | 2.5 gallon | 96000 | 2 | 179.98 |



MICROBIAL ALGAE CLEAN

Microbial Algae Clean is the first bacterial algaecide registered with the E.P.A.. Contains patented bacteria to control green water algae in ponds w/live fish and plants. Bacteria helps establish & maintain a clean pond, free of algae. They also help improve dissolved oxygen levels and reduce noxious odors from the pond.

| 3 | Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----|----------------|-------------|---------------------|-------------|-----------------|
| | AP269B | 16 oz. | 4800 | 12 | 19.98 |
| i. | AP269G | 32 oz. | 9600 | 6 | 33.98 |
| | AP269D | 64 oz. | 19200 | 6 | 61.98 |
| | AP269C | 1 gallon | 38400 | 4 | 99.98 |

TEST KITS

| | Image: Additional system of the system of | | Sel Terret | PHOSPHU RESTANT | | | 7 |
|-------------------------|---|-------------|-----------------|--------------------|-----------------------|-------------|-----------------|
| Part Number | Description | Case Qty | Retail Price | Part Number | Description | Case Qty | Retail Price |
| AP164M | Master Liquid Test Kit (6 Bottles) | 6 | 40.98 | AP160 | Liquid pH Test Kit | 12 | 8.98 |
| AP164F | 5 in 1 Pond Test Strips (Nitrate, pH, | 6 | 16.98 | AP63L | Phosphate Test Kit | 24 | 14.98 |
| | KH, Nitrite, & GH) | Ū | | AP65L | Copper Test Kit | 24 | 11.98 |
| AP26 | Nitrite Test Kit | 24 | 9.98 | APLR1800 | Nitrate Test Kit (90) | 24 | 13.98 |
| AP33D | Ammonia Test Strips | 24 | 17.98 | APLR8600 | Ammonia Test Kit | 24 | 12.98 |
| Part Treats Case Retail | | | | | | | |

| TOND CALL | | Part Number | Description | Treats (Gallons) | Case Qty | Retail Price | p Make |
|----------------------|----------------------------|----------------|-------------------|---------------------|-------------|-----------------|-------------|
| PORTURAL PORTURAL | POND SALT | POND SA | <u>ALT</u> | | | | iviako n |
| * Information | Natural sea salt | AP156C | 1/2 gallon carton | 550 | 6 | 8.98 | |
| with all | to replace electrolytes | AP156 | 140 oz. jar | 1200 | 4 | 21.98 | |
| 1 m | electrolytes | pH BALA | NCING | | | | Mak |
| - Alexander | | AP170B | pH Down, 16 oz. | 2400 | 12 | 17.98 | m |
| A PERSONAL PROPERTY. | | AP171B | pH Up, 16 oz. | 2400 | 12 | 17.98 | |



pH UP kes pond water nore alkaline



FISH CARE



16.98 27.98 47.98 83.98

16.98 51.98

15.98 26.98 48.98 86.98

15.98 28.98

Retail Price

17.98 55.98 88.98

18.98 33.98 58.98

102.98

32000

4

PONDCARE Use Pimafix with Melafix to Treat a Wide Range of Fungal Infections...Naturally · Will not adversely affect the biological filter · Use when introducing new fish MELAFIX PIMAFIX · All-natural medication derived from · All-natural medication derived from the the leaves of Melaleuca (tea tree) leaves of Pimenta racemosa (West Indian Bay Tree) Powerful antibacterial properties Powerful antifungal/antibacterial properties that treat wound & promote rapid RN CAR RENCAR due to multiple natural active compounds tissue healing PIMAFIX Tissue regeneration in koi/goldfish can All-natural formula rapidly treats fungal usually be seen in the first 4 days infections on body and fins of pond fish · Pimafix has been formulated to work Treats ulcers, open wounds, eye cloud, mouth fungus and fin & tail rot in combination with Melafix to enhance effectiveness against fish diseases MARS · Rapidly repairs damaged fins Safe for aquatic plants Part Treats Case Retail Part Treats Case Retail Number Description (Gallons) Qty Price Number Description (Gallons) Qty Price **MELAFIX (LIQUID) PIMAFIX (LIQUID)** 12 AP178B AP176B 16 oz. 4800 18.98 16 oz. 2400 12 19.98 AP176C 64 oz. 9600 4 62.98 AP178C 64 oz. 9600 4 64.98 WATER CONDITIONERS Tracto 0-Retail Price

| | Part Number | Description | Treats (Gallons) | Case Qty |
|-------------------|-----------------|---------------------|---------------------|-------------|
| | ACCU-CLE | AR (Liquid) | | |
| 1 | AP142B | 16 oz. | 4800 | 12 |
| | AP142G | 32 oz. | 9600 | 6 |
| | AP142D | 64 oz. | 19200 | 6 |
| with | AP142C | 1 gal | 38400 | 4 |
| DCARE | AMMO-LOO | K (Liquid) | | |
| MMO | AP166B | 16 oz. | 1920 | 12 |
| OCK | AP166D | 64 oz. | 7680 | 6 |
| Conception of the | STRESS CO | <u>DAT (Liquid)</u> | | |
| - | AP140B | 16 oz. | 1920 | 12 |
| | AP140G | 32 oz. | 3840 | 6 |
| 1 m | AP140D | 64 oz. | 7680 | 6 |
| | AP140C | 1 gallon | 15360 | 4 |
| N R OZISTINI | CHLORINE | HEAVY METAL N | IEUTRAL. (Lie | <u>q.)</u> |
| 200 | AP141B | 16 oz. | 9600 | 12 |
| | AP141G | 32 oz. | 19200 | 6 |

AP248C

1 gallon

BENEFICIAL BACTERIA

| | | | Part Number | Description | Treats (Gal.) | Case Qty | Retail Price | Part Number | Description | Treats (Gal.) | Case Qty |
|----------------|--|---|----------------|-------------------------------------|------------------|-------------|------------------------------------|----------------|-------------------|------------------|-------------|
| 1 | | 100 | POND-Z | <u>YME PLUS (D</u> | RY) | | | ECOFIX (| LIQUID) | | |
| RNDCAR | ECOFIX Bacterial pond clarifier that | | AP146 | 8 oz. | 8000 | 12 | 21.98 | AP147B | 16 oz. | 4000 | 12 |
| ECOFIX | reduces organic pollution | | AP146B | 1 lb. | 16000 | 12 | 32.98 | AP147D | 64 oz. | 16000 | 6 |
| 27 (20) e | & increases concentration of dissolved oxygen | IONOCALE SIMPLY | | POND-ZY | | s — | | AP147C | 1 gallon | 32000 | 4 |
| Adla d | | ELEAN | Selected s | strains of bacter | | | TYME PUE | SIMPLY (| <u>CLEAR (LIQ</u> | UID) | |
| St no | SIMPLY-CLEAR Fast Acting bacterial | and the second | | nic sludge and ral, healthy, bal | | | Mattressui Planer | AP248B | 16 oz. | 4000 | 12 |
| and the second | pond clarifier! Natural | 1 | | Naturally active | • | 500 | | AP248G | 32 oz. | 8000 | 6 |
| | flocculation process clears pond water | | | help clean, cl | ear & dige | st 💽 | and the | AP248D | 64 oz. | 16000 | 6 |
| | orears porta water | and the second se | | امام ماسم | | | NAME AND ADDRESS OF TAXABLE PARTY. | | | | |

organic debris in pond

PONDCARE

PONDCARE

PONDCARE

| 4 | 1 | 7 |
|---|---|---|
| | | |

2020CATALOG email: sales@waterlandscapesupply.com PROFESSIONAL NETS Heavier rectangular aluminum

| NYCON | | PROFESSIONAL NETS | | | | | | | | |
|---|----------------------|---------------------|----------------|-------|-------------|--------------|-----------|-------------|-----------------|--|
| PRODUCTS A Division of Ted Ruhling Company, Inc. | • Heavier frame c | | r, aluminum | | | esigned | for Handl | ing Sma | III Fish | |
| T | Patente | ed H-Style fr | ont edge | | | | | | | |
| Canol I | Part Number | Frame Dimensions | Frame Shape | | Net Mesh | Net Depth | Handle | Case Qty | Retail Price | |
| | NYA12 | 12" x 8" | D-Frame | | 1/4" Black | 8" | 36" | 12 | 34.98 | |
| | NYA14 | 10" x 8" | Rectangular | | 1/16" White | 8" | 36" | 12 | 34.98 | |
| | | | | SKIMM | IER RAKE | S | | | | |





| ſ | • | For surface | debris | • For | bottom debris | i | |
|---|---------------------------------|-------------|----------------|-------|---------------|-------------|-----------------|
| | Part Frame Number Dimensions | | Net Mesh | | | Case Qty | Retail Price |
| | RAKES | | | | | | |
| | NYK05 | 10" x 9" | Blk Fiberglass | - | 48" | 12 | 30.98 |
| | NYK02 | 16" x 12" | Polyester | 4" | 46" | 12 | 48.98 |
| | NYKD03 | 16" x 12" | Polyester | 8" | 48"-96" Tele. | 12 | 93.98 |
| | FINE MES | H RAKES | | | | | |
| | NYKF02 | 16" x 12" | Extra Fine | 4" | 48" | 12 | 48.98 |
| | | | | | | | |

UTILITY & TANK NETS

· Utility nets have telescopic handles

• Patented H-Style edge frame

• Tank nets have scoop front edge

| Part Number | Frame Dimensions | Frame Shape | Net Mesh | Net Depth | Handle | Case Qty | Retail Price | | |
|----------------|---------------------|----------------|-------------|--------------|---------------|-------------|-----------------|--|--|
| UTILITY NETS | | | | | | | | | |
| NYC01 | 15" x 14" | L-Frame | 1/4" Black | 12" | 45"-68" Tele. | 12 | 56.98 | | |
| NYC02 | 15" x 14" | L-Frame | 1/16" White | 12" | 45"-68" Tele. | 12 | 50.98 | | |
| TANK NETS | | | | | | | | | |
| NYB10 | 14" x 12" | D-Frame | 1/4" Black | 12" | 46" | 12 | 60.98 | | |
| NYB19 | 18" x 12" | D-Frame | 1/4" Black | 12" | 46" | 12 | 67.98 | | |

SOCK NETS



KOI NETS



- 1" Dia. handle is
- permanently attached
- Soft protective cover designed for fish safety

Great For Entry Level Koi

| ber | Frame Dimensions | Handle | Case Qty | Retail Price | | | |
|------|---------------------|-----------------|-------------|-----------------|--|--|--|
| (E15 | 15" Dia. | 18" | 12 | 39.98 | | | |
| (E20 | 20" Dia. | 36" | 12 | 65.98 | | | |
| (E22 | 22" Dia. | 24" - 48" Tele. | 12 | 87.98 | | | |
| (E23 | 23" Dia. | 36" - 72" Tele. | 12 | 108.98 | | | |

KOI KASTLES • Protects koi from predators NYC©n · Sits on bottom of pond RODUCTS • Provides shade on sunny days Koi hide inside

FLOATING ISLAND

| Part Number | Description | Dimensions (L x W x H) | Case Qty | Retail Price |
|----------------|----------------|------------------------|-------------|-----------------|
| NYKK01 | Mesh Kastle | 18" x 7" x 9" | 6 | 54.98 |
| NYKK02 | Mesh Kastle | 24" x 12" x 12" | 6 | 65.98 |
| NYKK04 | Plastic Kastle | 13" x 7" x 6" | 12 | 32.98 |
| NYKK03 | Plastic Kastle | 21" x 12" x 9" | 12 | 65.98 |

Molded Plastic

BARRIERS

Protect long stemmed plants such as water lilies from koi and other fish



| ice |
|-----|
| |
| 98 |
| 98 |
| 98 |
| |

| | Anchor to Bottom |
|--------------|---------------------|
| tail 'ice | NYCON |
| | 7 6 3 - |
| .98 | |
| .98 | PLONA ISLAND |
| .98 | |

HILLIN

Mesh

POND MAINTENANCE

| Part Number | Description | Case Qty | Retail Price | C |
|----------------|--|-------------|-----------------|--------|
| STRING AL | GAE TWISTER | | | 2 200 |
| NYAT01 | 29-48" Telescopic Handle, removes string and blanket algae | 6 | 40.98 | |
| PLANT FEI | EDER | | | |
| NYLL43 | 5', stay dry while feeding water plants | 6 | 85.98 | A MILL |
| ALGAE BR | RUSH | | | Tasks |
| NYAB01 | 28-46" Telescopic Handle, stiff nylon brush | 6 | 39.98 | Easie |

ALGAE REMOVAL KIT

FEEDING RINGS



| 5 PC. ALGAE REMOVAL KIT Includes: (1) Algae Twister (1) Skimmer Rake (1) Algae Brush (1) Handle (1) Hanger | | | | | | | | | |
|--|-------------|-----------------|--|--|--|--|--|--|--|
| Part Number | Description | Retail Price | | | | | | | |

Description Price ALGAE REMOVAL KIT NYAK01 5 Piece Kit 97.98

| Part Number | Dia. | Case Qty | Retail Price |
|----------------|------|-------------|-----------------|
| NYKR01 | 12" | 12 | 9.98 |
| NYKR02 | 24" | 12 | 14.98 |



ating plants to specific

| Use to c | confine float | ting plants to |) specil | ric area |
|---------------------|----------------|----------------|--|-----------------|
| 3200 | Part Number | Dimensions | Case Qty | Retail Price |
| Anchor to Bottom | ROUND | | | |
| | NYRFI-12 | 12" | 12 | 15.98 |
| Bottom | NYRFI1 | 1 1/2' | 6 | 22.98 |
| CON | NYRFI2 | 2' | 6 | 29.98 |
| CON | NYRFI3 | 3' | 6 | 48.98 |
| - 2 | <u>OVAL</u> | | | |
| - | NYROV1 | 12" x 24" | 1 1/2' 6 22.98 2' 6 29.98 3' 6 48.98 "x 24" 6 22.98 "x 36" 6 33.98 | |
| | NYROV2 | 18" x 36" | 6 | 33.98 |
| | NYROV3 | 24" x 48" | 6 | 48.98 |





CRYSTAL CLEAR

CC021-32

CC021-64

32 oz.

64 oz.

1 gal.

500 Gal. up to 4 Mths

1000 Gal. up to 4 Mths

2000 Gal. up to 4 Mths

6

4

4

17.98

29.98

52.98

Number

CC026-12

CC026-24

Description

12 pkts.

24 pkts.

(Gal.)

250 Gal. up to 4 Mths

500 Gal. up to 4 Mths

Qty

12

6

Price

24.98

39.98

| | toll free: 8/7. | .200.0101 | • ta | X . 010 | 5.200.89 | 99 • We | ebsite: wate | manusc | apesu | pry.co | | |
|--|--|--|---|-----------------------------------|--------------------------------|---|---|--|--|------------------------------------|---|---|
| | ļ | ALGAE-0 | OFF | | | | | | 1 | OLV ^s | | |
| Jtilizes the atest in oxyg echnology to string algae o and efficiently E.P.A. registe | p remove juickly y. | | Napa | 104 | USI 255 MIL | Algae D-Solv | | | an • Do • El | d green | water contain tered | ing-algae copper |
| granular alga hat works in seconds, add oxygen to the and removes | ecide | OVES | | | | | | gae Solv | ac oly | | .P.A. | |
| and removes | odor | ING AEI | | - | | Part Number | Description | | Treat (Gallor | | Case Qty | Retail Price |
| Part | | \sim | | Case | Retail | CC073-16 | 16 oz. | | 5760 |) | 12 | 18.98 |
| Number | Description | | | Qty | Price | CC073-32 | 32 oz. | | 1152 | 0 | 6 | 31.98 |
| CC074-2 | Granular Algae | ecide, 2.5 lbs. | | 6 | 23.98 | CC073-64 | 64 oz. | | 2304 | 0 | 4 | 49.98 |
| CC074-10 | Granular Algae | ecide, 10 lbs. | | 4 | 62.98 | CC073-1G | 1 Gallon | | 4608 | 0 | 4 | 81.98 |
| CC074-25 | Granular Algae | ecide, 25 lbs. | | 4 | 124.98 | CC073-2G | 2.5 Gallon | I | 11520 | 00 | 2 | 162.98 |
| . | VAN | SH PLU | S | | | | VA | NISH | I DR | Y | | |
| | metals often p coat protecta abrasions | VANISH y removes chlori present in city wa ant to the water to s and protects th | ne, chlora ater suppl o help fish nem in tim | lies – A h heal w les of st | dds slime younds & ress. | Vanish [®] Inclusionating Grander | to fish | itely remo n – Use wh set | | ne to pre ming wa new pon | ter chang d. | les or |
| Vanish" PLUS Vani | Number | Description | Treats (Gal.) | Case Qty | Retail Price | | Part Number | Descr | iption | Treats (Gal.) | Case Qty | Retail Price |
| E | CC015-16 | 16 oz. | 3200 | 12 | 16.98 | | CC013-8 | 8 oz. | | 8000 | 12 | 12.98 |
| | CC015-32 | 32 oz. | 6400 | 6 | 24.98 | - 8255 | CC013-2 | 2 lbs | • | 16000 | 6 | 29.98 |
| | CC015-1G | 1 Gallon | 25600 | 4 | 79.98 | | CC013-2 | 5 25 lb | s. | | | 269.98 |
| | | POND | TIN | | | | ТН | IRIVE | | | | |
| Fond Tint' | spark | PONI xic pond dye dea ling clean and co for pond water to in water garden | ool – Prov prevent | ides pro | otective problems | | THRIVE base pellets fee plants all seas | | | Inrive Star sci | | Irive |
| - 8025 | 8225 | | | | | Part Number | Description | Case Qty | Retail Price | | | |
| Part Number | Description | Treat (Gallor | | ase Qty | Retail Price | CC017-30 | 30 Tab. | 12 | 7.98 | Thrive: | 1 | |
| CC064-16 | 16 oz. Blue | 1600 | 0 | 12 | 13.98 | CC017-60 | 60 Tab. | 12 | 14.98 | 1 | The I | Strend . |
| CC085-16 | 16 oz. Nite | 1600 | 0 ~ | 12 | 13.98 | CC017-200 | 200 Tab. | | 37.98 | 1 | | ans V |
| | PHUSI | ON & PI | H GU | AR | D | | • | R | APIC | CLEA | R | |
| | | | PHGuar | 4") | | RpiClear" | quicles size o brillia | signed to kly (usuall of the pond int shine – her, fall to | clear clou y within 1 d) – Quick Suspend the botto | -3 hours ly restor ed partic | dled pone dependines pond les in wa pond, to | ng on the water to a ter clump be can be |

Part

Retail

Price

16.98

19.98

Case

Qty

6

6

32000

Number

CC063-16

CC063-32

CC063-1G

Description

16 oz.

32 oz.

1 Gallon

pHusion, 2 lbs.

CC025-2



vacuumed or removed by filtration.

128000

Case

Qty

12

6

4

Retail

Price

13.98

22.98

74.98

CRYSTAL CLEAR

email: sales@waterlandscapesupply.com



TidalWave

TIDAL WAVE

PAF Series Pumps

🛇 Atlantic

Lightweight, energy efficient and corrosion resistant Tidalwave PAF Series pumps are now more versatile with removable intake screen for conversion to a true 1 1/4" solid handling pump.

- Stainless steel and composite construction
- Double silicon carbide mechanical seals
- Fiber reinforced vortex impeller
- 20' power cord
- 2 year warranty







| Part | | Dimensions | | | | | | | Outlet Cord | | | | |
|---------------|---------------|------------|------|------|------|------|-----|-----------------|-------------|-------|------|--------|-----------------|
| Number | GPH | 10' | 15' | 20' | 25' | 30' | 35' | (D x H) | Amps | Volts | Size | Length | Retail Price |
| PAF-20 | 2800 | 1950 | 1080 | 180 | - | - | - | 9" x 6" x 14" | 3.5 | 115 | 2" | 20' | 542.98 |
| PAF-25 | 3900 | 3150 | 2300 | 1350 | 240 | - | - | 9" x 6" x 14.5" | 5 | 115 | 2" | 20' | 644.98 |
| PAF-40 | 4950 | 4350 | 3570 | 2700 | 1700 | 520 | - | 9" x 6" x 15" | 6 | 115 | 2" | 20' | 718.98 |
| PAF-75 | 5950 | 5270 | 4560 | 3750 | 2830 | 1770 | 550 | 9" x 6" x 16" | 8.5 | 115 | 2" | 20' | 829.98 |
| Best Ef | ficiency Poir | nt | | | | | | | | | | | |

Triton Check Valve



1-1/2" and 2" pump outlets

Price

84.98



Number

TWVSC

Variable Speed Controller (VSC)

| Works on most asynchronous | <mark>s</mark> pumps | REE |
|---|----------------------|--------------------|
| 10 flow settings | | |
| Battery operated (batteries not included) | 3 YEAR WARRANTY | Contraction of the |
| 3 year warranty | | |
| Operated via remote control | | |
| Part | Cord | Retail |

Part

Number

TR215CV





Performance

IGHT IN FEET



SH-Series Pumps

- Non-corrosive composite housing
- Overload and thermal protection

Model: WSR-O

Model: WSV-S

- · Lightweight and energy efficient
- Vortex Impeller

Atlantic

Model: WSO-O

O

- Oil-free design
- Part Max. Dimensions Outlet Cord Case Retail Number GPH 5' 10' 15' 20' Head (D x H) Watts Size Price Length Qty SH1450 1450 1170 650 _ _ 14' 6" x 11.75" 200 1 1/4" 16' 4 285.98 SH2050 2050 1700 1130 235 16' 6" x 12.5" 280 1 1/4" 16' 4 329.98 _ 3245 1210 25' 6" x 14" 1 1/4" 16' SH3600 3600 2750 2090 520 4 467.98 SH5000 5000 4350 3620 2800 1875 28' 9.5" x 15.75" 696 1 1/2" 16' 4 699.98 SH6500 6500 5710 4875 4000 3080 35' 9.5" x 15.75" 750 1 1/2" 16' 4 739.98 GALLONS PER HOUR



- Bronze or Copper Finish
- Integrated drip edge to eliminate backflow down the wall

| Integrated drip edge to eminimate backnow down the wait | | | WSCM-S | Model: WSCR-0 | Model: WSCV-S | Model: WSCO-O |
|---|------------------|--------|--------|---------------|---------------|---------------|
| Part | | Retail | Part | | | Retail |
| Number | Description | Price | Number | Descrip | tion | Price |
| WSM-S | Mantova (Bronze) | 209.98 | WSCM-S | Mantov | a (Copper) | 209.98 |
| WSR-O | Ravenna (Bronze) | 209.98 | WSCR-O | Ravenr | a (Copper) | 209.98 |
| WSV-S | Verona (Bronze) | 209.98 | WSCV-S | Verona | (Copper) | 209.98 |
| WSO-O | Olivett (Bronze) | 209.98 | WSCO-O | Olivett | (Copper) | 209.98 |

ATLANTIC

ATLANTIC

PRO SERIES

Fast Falls

- · Molded support cones add strength/diffuse water flow
- (2) internal baffles slow water & ensure water distribution
- Raised front radius to hold back gravel/soil/mulch
- Completely sealed except spillway opening
- Molded gussets support spillway lip
- One-piece liner flange/molded inserts ensures watertight liner attachment

| Innovative 'INSIDE THE LINER' |
|------------------------------------|
| Design and Rear Liner |
| Attachment Simplifies Installation |

| Part Number | Spillway | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price |
|----------------|----------|--------------------|----------|---------------------------|-----------------|
| SP1600 | 16''' | 3000 | 1.5" | 16.5" x 9.5" x 7.25" | 168.98 |
| SP1900 | 19" | 4000 | 2" | 20.5" x 17" x 10.25" | 243.98 |
| SP2600 | 26" | 6000 | 2" | 27.5" x 17" x 10.25" | 324.98 |
| SP3800 | 38" | 9000 | 3" | 39.5" x 17" x 10.25" | 434.98 |

CLASSIC SERIES FASTFALLS



2" Bulk head included
Top grate for easy camoflauge

• Liner attachment flange • Splash reduction foam

| Part Number | Spillway | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price |
|----------------|----------|--------------------|----------|---------------------------|-----------------|
| SP1400 | 14" | 2400 | 2" | 16" x 11" x 9" | 89.98 |
| SP2500 | 25" | 4000 | 2" | 27" x 11" x 9" | 149.98 |
| SP3600 | 36" | 6000 | 2" | 36" x 11" x 9" | 169.98 |
| SP4800 | 48" | 8000 | 2" | 48" x 11" x 9" | 384.98 |

Waterscapes By Atlantic

BF1000

PS4500

CLASSIC SERIES

Filter Falls





| Part Number | Spillway | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price | |
|----------------|----------|--------------------|----------|---------------------------|-----------------|--|
| BF1000 | 14" | 2500 | 1 1/2" | 16" x 20" x 14" | 149.98 | Quality at an affordable price |
| BF1250 | 17" | 3000 | 1 1/2" | 19" x 22.5" x 14" | 159.98 | Simple installation |
| BF1500 | 19" | 4000 | 1 1/2" | 24" x 30" x 20" | 259.98 | Classic series is great for do-it-yourself |

Skimmers

Simple installation

• Economical price

| Part Number | Opening | Max. Flow (GPH) | Square Ft Rating | Dimensions (L x W x H) | Retail Price |
|----------------|---------|--------------------|---------------------|---------------------------|-----------------|
| PS4000 | 6" | 3000 | 300 | 17.5" x 24" x 22" | 289.98 |
| PS4500 | 8" | 4000 | 600 | 17.5" x 24" x 22" | 319.98 |

PS4000

| | toll fr | ee: 8/7.26 | 0.8181 | • tax | : 515.266 | .8999 | • webs | site: wate | rianoscapesup | ply.com | |
|----------------------------|------------|--|---------------------|--|-----------------------------|------------------------|------------------------------|-----------------|-------------------|---------------|-------------------------|
| | | | | | PRO | SERI | ES | | | | |
| O A1 | tlanti | C | | Skimn | | | | | | | |
| | | | | Skimn | iers | | APP | AL O | | | |
| | • . | | _ | | | 17 | Re F | | generation | | |
| - | y duty con | - | | - | v weir doo | ors | | | | COLUMN STATE | |
| Stainl | ess steel | debris net | • H | ligh dens | ity shell | | | | | | |
| | | | | | | | 1. | | red | | |
| Part Number | Opening | Max. Flow (GPH) | Square Fi Rating | | nsions V x H) | Retail Price | L. | RI | closures closures | | |
| PS4600 | 6" | 4000 | 400 | 19.5" x 2 | 26" x 22" | 494.98 | PS7000 | ET US | ave Life ANTY | | |
| PS7000 | 9" | 7000 | 900 | 25" x 3 | 0" x 24" | 627.98 | | X | WAIN PS | 15000 | |
| PS15000 | 14" | 15000 | 1400 | 28" x 3 | 3" x 31" | 917.98 \star | Debris Net | ts Availabl | e Upon Request | | uck Freight |
| | | Filter | Falls | | | ally. | | | | | |
| | | | | 1 | - | | | | | | |
| Ria | Saham | | | | | | Hell | 5 1 | 100 | | TT II |
| | PRO SERIE | S | | | | | | | ~E | 100 | - 1 |
| | _ | | | | | | 2.10 | | | | |
| | • 3 | distinct filt | ering ac | tions | | | | | and the second | Marchanter | |
| | • 0 | pen swirl c | hamber | S | - | | | | The wheel there | ALL ALL | |
| | • R | ock grate | | | | | | | the state of the | in the | |
| | | | | | | | | | | and a state | |
| Part Number | Spillway | Max. F (GPI | | Bulkhead | | mensions . x W x H) | | Retail Price | atter and the | | |
| BF1900 | 19" | 400 | | 2" | | 25" x 21.5 | " | 460.98 | | | |
| BF2600 | 26" | 600 | 0 | 2" | 34.5' | ' x 25" x 23 | | 560.98 | BF38 | | uck Freight |
| BF3800 | 38" | 800 | 0 | 3" | 46.5' | ' x 30" x 23 | " | 892.98 | | | 0 0 |
| | | | | | 04 | SIS S | ERIES | | | | |
| | | | | | | | | | | 🕥 At | lantic |
| | | | | 5 | | | ilter F | alls | | | |
| | | | | | • St | urdy remov | able lid | | | | |
| | | | | and the second s | | | nechanical f eel framed t | | | | 731 |
| | | | | - | | latala filter | | iap net | (| | |
| | 7 | | - | 1 | • Su | per Flow d | oor for max | imum surfa | ce cleaning | | NAVA |
| V | - | at i | - | | | | | | /2" and 2" pipe | | |
| 1 | | | 1 | | | | ooth sides o | | | | |
| 111 | | | | | • La | beled drill | points to ins | stall auto fil | | ets Available | Upon Request |
| | | | | | Part | | Square Ft | Max. Flow | | nsions | Retail |
| 10.5 | | | | | Number | Opening | Rating | (GPH) | | V x H) | Price |
| | | | | | PS3900 | 6" | 200 | 3900 | 17.75" x 19 | 9.5" x 19.5" | 341.98 |
| | | | | | | | | | | G | 220 |
| | | | | | - | - | pport bar fo | or rock plac | ement | | No. of Concession, Name |
| | | and the second s | | | eptional bio al Bio-Tech | | | | | - | Carl Martin |
| | 0 | | | | edia bag | i inter mats | , | | | | 1000 |
| | | | | • Stu | rdy bottom | grate to su | pport filter | media | | 2 | |
| | | · · | | • Hea | vy-duty 1-1 | /2" FIPT bu | Ikhead | | | e | SA |
| | | | | • One | e-piece line | r attachmer | nt flange | | | | |
| | | | | • Soli | id lip/molde | d-in inserts | s for waterti | ght liner att | achment | | |
| | | Pa | rt | | Max. Flow | | - | Dimensions | Retail | | - Janes |
| | | | | Spillway | (GPH) | Bulkhea | | (L x W x H) | Price | | |
| V | | | 4000 | 401 | 0000 | 4.4.0 | 04 5 | . 40 51 43 | 75" 040.00 | | |

1 1/2"


21.5" x 19.5" x 17.75"

BF1600

16"

3000

313.98



SUBMERSIBLE TRASH PUMPS



- Semi-vortex solids handling
- Handles solids, leaves, & algae
- Works in de-watering applications

• Great for High Head Applications



| Part Number | GPH | 5' | 10' | 15' | 20' | 25' | 30' | Max. Head | Dimensions (D x H) | HP | Amps | Volts | Discharge | Cord Length | Retail Price |
|----------------|------|------|------|------|------|------|------|--------------|-----------------------|-----|------|-------|-----------|----------------|-----------------|
| ETP05N | 3600 | 3420 | 3180 | 2760 | 2340 | 1920 | 1380 | 38' | 10" x 13" | 1/2 | 6.6 | 115 | 2" | 20' | 634.98 |
| ETP10N | 5800 | 5700 | 5220 | 4680 | 4320 | 3780 | 3420 | 57' | 10" x 15" | 1 | 11.5 | 115 | 2" | 20' | 762.98 |

PUMP PROTECTION

• Protect against plugging by creating a large surface area around the pump


LYEAR

- · Polyester filter media pad contained inside nylon mesh bag
- Drawstring top with push button release keeps the bag closed around pump with easy pump removal

| Part Number | Dimensions (D x H) | Overall Diameter | Sidewall Thickness | Max. Pump Diameter | Retail Price |
|----------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------|
| PP8 | 8" x 7" | 8" | 1" | 6" | 32.98 |
| PP12 | 12" x 8" | 12" | 2" | 8" | 43.98 |

- FOR VERTICAL OR HORIZONTAL PUMP a lake, pond, river of
 - APPLICATIONS
- Use pump screens with any submersible pump when pumping water from a lake, pond, river or tank
- Screens feature sturdy built design to protect pumps from damage from sticks, weeds, fish and other large debris
- Drawstring top allows for easy pump removal/inspection will draw up tight to any pipe from 1 1/2" to 4" in diameter

| Part Number | Description | Dimensions (D x H) | Retail Price |
|----------------|-----------------|-----------------------|-----------------|
| SPS12 | Small Pump Cage | 12" x 13.5" | 154.98 |
| SPS20 | Large Pump Cage | 20" x 20" | 237.98 |



Heavy Duty 1/2" x 1" Mesh Screen

| | | | 11.200 | .0101 | | | 0.200.0000 | | WODSHU | . water | unusee | ipesuppiy.e | , 0 111 | |
|-----------------|------------|------------|-------------|----------|------|--------------|-----------------------|-----|--------|---------|---------------------------|---|----------------|-----------------|
| | | EasyPro Th | R Pump Pert | lormance | | IPS | | | Varran | | Energy Overhe Low m | d motor for efficient, vo eat/load prof aintenance ale outlet | ortex des | ign |
| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimensions (D x H) | HP | Watts | Amps | Volts | Discharge | Cord Length | Retail Price |
| <u>115V MOD</u> | <u>ELS</u> | | | | | | | | | | | | | |
| TH150 | 3100 | 2460 | 1920 | 1200 | 720 | 21' | 10" x 15" | 1/4 | 150 | 2.9 | 115 | 2" FPT | 20' | 451.98 |
| TH250 | 4100 | 3300 | 2760 | 2100 | 1440 | 27' | 10" x 15" | 1/3 | 250 | 4.0 | 115 | 2" FPT | 20' | 556.98 |
| TH400 | 5100 | 4440 | 3780 | 3420 | 2880 | 32' | 10" x 17.5" | 1/2 | 400 | 5.6 | 115 | 2" FPT | 20' | 649.98 |
| TH750 | 6000 | 5700 | 5340 | 4980 | 4740 | 43' | 10" x 17.5" | 1 | 750 | 9.5 | 115 | 2" FPT | 20' | 785.98 |
| TH PUMPS | 6 with 50 | ' CORD | <u>S</u> | | | | | | | | | | | |
| TH150-50 | 3100 | 2460 | 1920 | 1200 | 720 | 21' | 10" x 15" | 1/4 | 150 | 2.9 | 115 | 2" FPT | 50' | 505.98 |
| TH250-50 | 4100 | 3300 | 2760 | 2100 | 1440 | 27' | 10" x 15" | 1/3 | 250 | 4.0 | 115 | 2" FPT | 50' | 613.98 |
| TH400-50 | 5100 | 4440 | 3780 | 3420 | 2880 | 32' | 10" x 17.5" | 1/2 | 400 | 5.6 | 115 | 2" FPT | 50' | 702.98 |
| TH750-50 | 6000 | 5700 | 5340 | 4980 | 4740 | 43' | 10" x 17.5" | 1 | 750 | 9.5 | 115 | 2" FPT | 50' | 855.98 |
| 230V MOD | <u>ELS</u> | | | | | | | | | | | | | |
| TH1502 | 3100 | 2460 | 1920 | 1200 | 720 | 21' | 10" x 15" | 1/4 | 150 | 1.4 | 230 | 2" FPT | 20' | 458.98 |
| TH2502 | 4100 | 3300 | 2760 | 2100 | 1440 | 27' | 10" x 15" | 1/3 | 250 | 1.7 | 230 | 2" FPT | 20' | 563.98 |
| TH4002 | 5100 | 4440 | 3780 | 3420 | 2880 | 32' | 10" x 17.5" | 1/2 | 400 | 2.4 | 230 | 2" FPT | 20' | 657.98 |
| TH7502 | 6000 | 5700 | 5340 | 4980 | 4740 | 43' | 10" x 17.5" | 1 | 750 | 4.0 | 230 | 2" FPT | 20' | 794.98 |



| | | | | ТН |
|----|----------|-------------------|--------|----------------|
| | Bottom S | Screen for all TH | Pumps | Part Number |
| λ. | Part | | Retail | TH150-100 |
| | Number | Description | Price | TH250-100 |
| | THPS | Bottom Screen | 23.98 | TH400-100 |
| | | | | TH750-100 |

| - | | - | |
|----------------|--------------|----------------|-----------------|
| TH | Pumps wi | th 100' Co | ords |
| | DROP SHIP FR | OM SUPPLIER | |
| Part Number | Volts | Cord Length | Retail Price |
| TH150-100 | 115 Volt | 100' | 589.98 |
| TH250-100 | 115 Volt | 100' | 693.98 |
| TH400-100 | 115 Volt | 100' | 784.98 |
| TH750-100 | 115 Volt | 100' | 960.98 |
| | | | |

HIGH HEAD SERIES PUMPS



- 3" outlets
- 20' power cords
- Thermal overload protection
- Japanese, double mechanical seals
- Designed for use with higher head pressure
 A minimum of 20' head pressure required for TB12000 & TB14500
- Ball valve should be used to create back pressure if system has less than 20' head pressure

Great Choice for

Water Features

Above 20'

| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | Dimensions (D x H) | НР | Watts | Amps | Volts | Discharge | Cord Length | Retail Price |
|----------------|-------|-------|-------|-------|-------|--------------|-----------------------|----|-------|------|-------|-----------|----------------|-----------------|
| 115V MOD | ELS | | | | | | | | | | | | | |
| TB8000 | 8000 | 7010 | 6250 | 5300 | 4400 | 40' | 11" x 18" | 1 | 1265 | 11 | 115 | 3" FPT | 20' | 899.98 |
| 230V MOD | ELS | | | | | | | | | | | | | |
| TB8002 | 8000 | 7010 | 6250 | 5300 | 4400 | 40' | 11" x 18" | 1 | 1265 | 5.5 | 230 | 3" FPT | 20' | 899.98 |
| TB12000 | 12000 | 11100 | 10500 | 9900 | 9000 | 60' | 12" x 21" | 2 | 2230 | 9.7 | 230 | 3" FPT | 20' | 1,544.98 |
| TB14500 | 14500 | 14000 | 13500 | 12900 | 12100 | 75' | 12" x 22.5" | 3 | 3335 | 14.5 | 230 | 3" FPT | 20' | 1,640.98 |



email: sales@waterlandscapesupply.com

UWD16

EASY PRO

WATERFALL DIFFUSERS

UWD23

UWD46

Units have dual 2" inlets

- · Fast & easy way to create professional looking waterfalls
- · Super strong vertical rib design is nearly indestructible
- Low profile design of only 3 1/2" easy to conceal
- · Load bearing design allows block to be stacked directly onto diffusers

| Part Number | Description | Spillway | Rec. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price |
|----------------|------------------------------|----------|--------------------|----------|---------------------------|-----------------|
| UWD16 | 16" Waterfall Diffuser | 16" | 1000-4000 | (2) 2" | 16" x 14" x 3.5" | 125.98 |
| UWD23 | 23" Waterfall Diffuser | 23" | 1500-6000 | (2) 2" | 23" x 14" x 3.5" | 169.98 |
| UWD32 | Dual 16" Waterfall Diffusers | 32" | 2000-8000 | (2) 2" | 32" x 14" x 3.5" | 251.98 |
| UWD46 | Dual 23" Waterfall Diffusers | (2) 23" | 3000-12000 | (2) 2" | 46" x 14" x 3.5" | 338.98 |
| Part Number | Description | | | | ensions W x H) | Retail Price |
| UWD16C | Wide Copper Attachment | | | 16.125" | x 7" x 3.50" | 244.98 |
| UWD16C | N Narrow Copper Attachme | nt | | 16.125" | x 7" x 3.50" | 295.98 |
| UWD23C | Wide Copper Attachment | | | 23.125" | x 7 x 3.50" | 288.98 |
| UWD23C | N Narrow Copper Attachme | nt | | 23.125" | x 7 x 3.50" | 333.98 |

AXIOM POND SKIMMERS

- Front to back design pump behind debris net
- Adjustable overflow to adjust finished pond level
- One piece, aluminum framed debris net
- PSA5000/7000/9000 compatible with SETS2 extension tube (optional)




| Part Number | Opening | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price |
|----------------|---------|--------------------|--------------------|---------------------------|-----------------|
| PSA5000 | 6" | 5000 | (2) 2" | 29" x 19" x21" | 468.98 |
| PSA7000 | 8" | 7000 | (2) 2" | 29" x 19" x 21" | 479.98 |
| PSA9000 | 8" | 9000 | (2) 2" and (1) 3" | 33" x 19" x 23" | 582.98 |
| PSA11000 | 10" | 11000 | (2) 2" and (1) 3" | 33" x 19" x 23" | 594.98 |
| PSA57N | | Debris | Net for PSA5000/70 | 000 | 54.98 |
| PSA911N | | Debris I | Net for PSA9000/11 | 000 | 54.98 |
| Part | | | | | Retail |



Number Description

SETS2 24" Ext. Tube for PSA5000/7000/9000 AND PSA3600D (below) 122.98





CF18E

CF23E

CF34E

CF48E

18"

23"

34"

48"

(2) 2"

(2) 2"

(2) 2"

(2) 2"

• 4" Diffuser tube for even waterfall • <u>SPLINER LOCK</u> easily attaches liner

Pre-installed <u>DUAL</u> 2" inlets

171.98

194.98

274.98

377.98

22" x 14.5" x 13.5"

27.75" x 14.5" x 13.5'

37.25" x 14.5" x 13.5"

52.5" x 14.5" x 13.5"

EASY PRO

email: sales@waterlandscapesupply.com



| | | SKIMMERFILTE | | | y.com |
|--------------------------------------|---|---|-------------|-----------------|--|
| 23 1/2" | | ning solution for ponds up t nal UV easily installed | o 10,000 g | allons | |
| | Part Number | r Description | Case Qty | Retail Price | |
| | STAND | ARD SKIMMERFILTER & FA | CEPLATES | <u>5</u> | II Later Barrison |
| | SS000 | 0 Skimmerfilter Base U | nit 12 | 642.98 | |
| 24 1/4" | 20" SSW85 | 500 8.5" Faceplate Asseml | oly 6 | 67.98 | And a second sec |
| 2 | SSW10 | 6000 16" Faceplate Assemb | oly 6 | 67.98 | |
| 19 1/2" 19 1/2" 8.5" Faceplate | Ra 8.5" Up to 16" Faceplate | are Ft. Recommended Flow (GPH) FACEPLATE 0 500 1800-5000 ACEPLATE 0 1200 5000-8500 | REARTY | | |
| | COMPACT | SKIMMERFILTE | R | SA | VÎO |
| | Skimming solution fo Optional UV easily inst | r ponds up to 3,000 gallons stalled | | | EXCELLENCE |
| | Part Number Description | Case Ret Qty Pri | ail 🛏 🗖 | 7"I F | 22.5" |



| Part Number | Description | Case Qty | Price |
|----------------------|-------------------------------------|----------------|-------------------|
| COMPACT S | KIMMERFILTER | & FACEPLATES | |
| CSW085 | Skimmerfilter Ba Includes Facepl | | 482.98 |
| | | | |
| Square Ft. Rating | Recommended Flow (GPH) | F | 5year WARRANTY |
| 8.5" FACE | PLATE | | |
| Up to 300 | 1800-2500 | 8.5" Faceplate | |
| | | | |



UVINEX REPLACEMENT BULBS

| | Part Number | Description | Retail Price | | | | |
|--|----------------|------------------------------------|-----------------|--|--|--|--|
| and the second s | REPLACE | REPLACEMENT BULBS : (4 PIN) | | | | | |
| | RU1805 | 18 Watt | 164.98 | | | | |
| | RU2605 | 26 Watt | 179.98 | | | | |
| | RU5005 | 50 Watt | 199.98 | | | | |
| Durable coated bul | • No quartz | sleeve | | | | | |

UVINEX REPLACEMENT TRANSFORMERS

| Part Number | Description | Retail Price |
|----------------|-----------------|-----------------|
| TRANSFORMERS | FOR 4 PIN BULBS | |
| RU116 | 18 & 26 Watt | 178.98 |
| RU117 | 50 Watt | 229.98 |

UVINEX CLARIFIERS

19 1/2"

| Part Number | Description | Compatible Skimmer | Max. Pond Volume | Max. Flow (GPH) | Retail Price |
|----------------|-------------|-----------------------|---------------------|--------------------|-----------------|
| SUV018A | 18W UVC | Compact | 2500 Gal. | 2000 | 267.98 |
| SUV026A | 26W UVC | Standard | 4000 Gal. | 2500 | 293.98 |
| SUV050A | 50W UVC | Standard | 6000 Gal. | 4750 | 427.98 |
| | 7 | 11 | | Ē. | |



SAVIO

| ۷ | VATER | MAS | rer s | OLID | S HA | NDLIN | G PU | MPS | | s a | \mathbf{V} | ũ ũ |
|-------------------------------|--|-----------|-------------|----------|--------|--------------|----------------|---------------------------|--------------------------------------|----------------------------|--------------------------------|-----------------|
| • Perfect for continuous duty | | | | | | | | Max Head Pressure in Feel | WM52050 WM51450 1000 1500 2000 | | | |
| Part Number | GPH | 5' | 10' | 15' | 20' | | Max. solids | Dimensions (D x H) | Watts | Cord Length | Case Qty | Retail Price |
| WMS1450 | 1450 | 1125 | 750 | - | - | 14' 1 | 1/4" | 6" x 1 1.75" | 200 | 16' | 4 | 295.98 |
| WMS2050 | 2050 | 1625 | 1125 | 250 | - | 16' 1 | 1/4" | 6" x 12.5" | 280 | 16' | 4 | 339.98 |
| WMS3600 | 3600 | 3200 | 2650 | 2000 | 1300 | 25' 1 | 1/4" | 6" x 14" | 520 | 16' | 4 | 471.98 |
| WMS5000 | 5000 | 4200 | 3300 | 2500 | 1700 | 28.5' 1 | 1/2" | 9.5" x 15.75' | 696 | 16' | 4 | 707.98 |
| WMS6500 | 6500 | 5800 | 4825 | 3875 | 3100 | 35' 1 | 1/2" | 9.5" x 15.75' | 750 | 16' | 4 | 749.98 |
| e | t a | | V | VATE | R MA | STER (| | R PUMP | S | | | |
| 5 4 | Oil-less design for fish/plan Wear resistant ceramic coat Durable and reliable Heavy duty bearings Three redundant lip seals Completely non-corrosive Factory tested | | | | | | | 2year warranty | | Max Head Pressure lin Feel | (WMC2220) (WMC1740) 200) | WNC39400 |
| Part Number | GPH | 5' | 10' | 15' | 20' | Max. Head | | mensions (D x H) | Watts | Cord Length | Case Qty | Retail Price |
| WMC1200 | 1200 | 1000 | 775 | 450 | - | 20' | 5.5 | 5" x 10.5" | 176 | 16' | 4 | 249.98 |
| WMC1740 | 1740 | 1550 | 1250 | 800 | - | 20' | 5.5 | 5" x 10.5" | 176 | 16' | 4 | 304.98 |
| WMC2220 | 2220 | 2050 | 1950 | 1500 | 650 | 23' | 5.5 | 5" x 10.5" | 240 | 16' | 4 | 342.98 |
| WMC3960 | 3960 | 3650 | 3400 | 3100 | 230 |) 31' | 5. | 5" x 12" | 560 | 16' | 4 | 438.98 |
| | | | | | MIS | CELLA | NEOU | JS | | | | |
| Part | | | | | | Retail | Part | | | | | Retail |
| Number | Description | | | | | Price | Numbe | er Descrij | otion | | | Price |
| | | FILTE | | S | | | | ST/ | ANDARD SKI | MMER PA | RTS | |
| RF001 | Mat for Liv | ingponds | s Filter To | ор | | 35.98 | RS023 | Screw | Pack | | | 19.98 |
| RF017 | Mat for Filt | er Weir 1 | 6 | | | 24.98 | RS020 |) Mat | | | | 41.98 |
| RF025 | Mat for Filt | er Weir 3 | 1 or F07 | D | | 34.98 | MRSN | Matala | Ultra Mat | | | 27.98 |
| SF01 | Springflo F | ilter Med | lia | | | 111.98 | RS003 | B Debris | s Basket | | | 99.98 |
| K5004 | Spring Flo | w Media | Bag | | | 17.98 | RS004 | 4 Cente | r Baffle | | | 73.98 |
| RF008 | Stays, 4/Pa | ackage | | | | 17.98 | RS024 | | | | | 49.98 |
| RF010 | Waterfall W | | hment | | | 63.98 | RS002 | | (Black) | | | 105.98 |
| RF004 | Cover (Bla | ck) | | | | 129.98 | K3011 | Disch | arge Kit, (WN | IC Series) | | 64.98 |
| | CO | MPACT S | KIMMER | PARTS | | | K3013 | | arge Kit, (WN | | | |
| RC001 | Screw Pac | k | | | | 11.98 | K3016 | | arge Kit, (WN | | | |
| RC002 | Mat (2 pk) | | | | | 26.98 | K5001 | | Cover for St | | | 289.98 |
| MRCM | (1) | | | | | | | LB Stone (light b | Cover for Sta prown) | ndard Skin | nmer | 289.98 |
| RC005A | Debris Bas | | Indle | | | 98.98 | K1003 | | nical Fill Val | ve Kit (Lef | t) | 81.98 |
| RC020 | Filter Fram | | | | | 59.98 | K1003 | | nical Fill Val | • | | 81.98 |
| RC004 | Cover (Bla | | V:4 444 | 04450 10 | MOAAAA | 125.98 | K1001 | | iter Intake Ki | | | 104.98 |
| K3014 | Compact S | | | | , | | | (for us | e with botto | m drains) | | |
| K3018 | Compact S | | | | | 54.98 | | | | | | |
| K5002 L B | Stone Cov | | • | | h4 h.u | 182.98 | | | | | | |

182.98

K5002-LB Stone Cover for Compact Skimmer (light brown)



SIGNATURE SERIES™ POND SKIMMERS





Signature Series[™] 200 Pond Skimmer



Signature Series[™] 1000 Pond Skimmer

| eignat | | eighatai e e entee | | elgilatal e e ellee | |
|----------------|------------------------------------|--------------------|--------------------|---------------------------|-----------------|
| Part Number | Description | Opening | Max. Flow (GPH) | Dimensions (L x W x H) | Retail Price |
| 43020 | Signature Series 200 Pond Skimmer | 6" | 3000 GPH | 20" x 17.5" x 17.5" | 259.98 |
| 43021 | Signature Series 400 Pond Skimmer | 6" | 4000 GPH | 21.5" x 18" x 21" | 542.98 |
| 43022 | Signature Series 1000 Pond Skimmer | 8" | 10000 GPH | 21" x 22" x 26.5" | 828.98 |

SIGNATURE SERIES[™] BIOFALLS[®] FILTER



Signature Series[™] 1000 BioFalls[®] Filter



Signature Series[™] 2500 BioFalls[®] Filter



Signature Series[™] 6000 BioFalls[®] Filter (Drop Ship Only)

| Part Number | Spillway | Max. Pond Volume | Max. Flow (GPH) | Bulkhead | Rock Tray | Dimensions (L x W x H) | Retail Price |
|----------------|----------|---------------------|--------------------|-----------|-----------|---------------------------|-----------------|
| 99774 | 15" | 1000 | 3000 GPH | Single 2" | Optional | 17.5" x 20.5" x 17" | 339.98 |
| 09020 | 21.5" | 2500 | 5000 GPH | Dual 2" | Included | 24" x 29.5" x 20" | 857.98 |
| 29319 | 28" | 6000 | 15000 GPH | Dual 2" | Included | 40" x 45" x 29.5" | 1,285.98 |

MICROPONDLESS® WATERFALL KIT



Waterfall Kit

83001

KITS INCLUDE: Waterfall Spillway Pondless® Waterfall Vault AquaBlox[®] AquaSurge[®] 2000 Pump 1 1/2" x 25' Kink Free Tubing 10' x 12' Pond Liner • 105 Sq. Ft. Underlayment

 Complete Instructions Kink Free Tubing Retail

1 1/2" x 25'



Waterfall Kit

EACH KIT INCLUDES: • Geotextile Underlayment

WATERFALL LANDSCAPE FOUNTAIN KIT

EACH KIT INCLUDES:

- Waterfall Spillway • AquaBasin[®] 45
- Pre-Cut EPDM Liner 5' x 6'
- Kink-Free Pipe 1.5" x 10'
- AquaSurge[®] 2000
- Pond Pump
- AquaSurge[®] Low Suction Intake Attachment

AquaSurge[®] 2000

- Installation Kit
- Welcome Kit

• Fittings & silicone sealant • (25') 1 1/2" kink-free hose

MICROPOND® KIT

MicroSkim[®]

83013

Price

1,149.98



10' x 12'

| 7 | • MicroFa | Falls® Filter • Installation instructions • EPDM 45 mil Liner | | | | | | | | | |
|---|----------------|---|---------------|------------------------|---------------------|-----------------|--|--|--|--|--|
| | Part Number | Description | Liner Size | Approx. Pond Volume | Kink Free Tubing | Retail Price | | | | | |
| | 99763 | 4' x 6' MicroPond® Kit | 8' x 10' | 250 | 1 1/2" x 25' | 1,049.98 | | | | | |
| | 99764 | 6' x 8' MicroPond® Kit | 10' x 12' | 500 | 1 1/2" x 25' | 1,099.98 | | | | | |
| | 99765 | 8' x 11' MicroPond® Kit | 12' x 15' | 1000 | 1 1/2" x 25' | 1,149.98 | | | | | |

949.98

| | | | | | | | | | | _ | | |
|--|---|---|-------------------|-------|--------------------|----------------|----------------|-----------------|----------------------------------|----------------|---------------------------------------|-----------------------------------|
| | ULTRAKLEAN™ BIOLOGICAL PRESSURE FILTER | | | | | | | | | | | |
| Backwash unit in less than 5 minutes without opening canister Provides optimal filtrations for ponds up to 3500 gallons Traps dirt and debris and eliminates green water Indicator light signals when time to backwash Sponge free design minimizes maintenance Integrated electronic bulb-saver option Guaranteed to clear water UV On/Off indication light UtraKlean™ Biomedia is used for efficient biological and mechanical filtration. Part Number Description Max. Flow (GPH) Watts Power Cord Discharge Hose (Top W x Bottom W x H) Price | | | | | | | | | | | | |
| | Description | - | | | | tts | | | | = | | |
| 95053 | UltraKlean™ 2 | 000 200 | 0 Gal. | 2700 | 14 W | /atts | 20' | | 1 1/4", 1 1/2 | | .5" x 17" | 349.98 |
| 95054 | UltraKlean™ 3 | 500 350 | 0 Gal. | 5200 | 28 W | /atts | 20' | 1", | 1 1/4", 1 1/2 | " 13" x 10. | 5" x 21.5" | 419.98 |
| ULTRAKLEAN™ PRESSURE FILTER REPLACEMENT PARTS | | | | | | | | | | | | |
| Part Number | Description | | | | Ret Pri | | Part Number | Desc | cription | | | Retail Price |
| 95030 | 14 Watt High | Output Bu | lb | | 34.9 | 98 | 95079 | Qua | rtz Tube for | UltraKlean™ | 3500 | 31.98 |
| 95078 | Quartz Tube | for UltraKle | an™ 2000 |) | 23.9 | 98 | 95055 | Ultra | aKlean™ Bio | Balls | | 35.98 |
| 95031 | 28 Watt High | Output Bu | lb | | 46.9 | 98 | 95080 | Lid | O-Ring for L | JitraKlean™ 2 | 000-3500 | 27.98 |
| | | | ULI | RAP | (LEA | R® | UV CI | | FIER | | | |
| Helps clear Easy to re Mounted I Features a | [®] UV Clarifier/Ster ar pond of green wat move UV bulb and o horizontally or vertic a swirl sleeve that op gically-advanced T5 | ter quartz sleeve cally ptimizes UV et | fficiency | F | ł | 99 | -A | | Part Number 95045 95046 | | 00 Quartz Sleeve 100 Quartz Sleeve | Retail Price 27.98 33.98 |
| Part Number | Description | Max. Pond Size | Max. Flow Rate | Watts | Cord Length | F | ittings | Retail Price | 95047 | | 00 Quartz Sleeve | |
| 95036 | | 1000 Gal. | 500 GPH | 14 | 20' | | 1/4", 1 1/2" | 205.98 | 95039 | 14 Watt High O | | 37.98 |
| 95037 | UltraKlear [®] 2500 | 2500 Gal. | 1000 GPH | 28 | 20' | | 1/4", 1 1/2" | 259.98 | 95040 | 28 Watt High O | | 47.98 |
| 95038 | UltraKlear® 5000 | 5000 Gal. | 1500 GPH | 55 | 20' | 1", 1 | 1/4", 1 1/2" | 329.98 | 95041 | 55 Watt High O | utput UV Bulb | 67.98 |
| | | | | ULTF | RA TM N | NA' | TER P | UMP | S | | | |
| Part Number | Model GPI | Max. H Head | Watts | | Tubin | g Siz | e | | mensions x W x H) | Cord Length | Case Qty | Retail Price |
| 91005 | 400 370 | 0 7.5' | 24 | | 1/2", 3/4" | , 1", <i>*</i> | 1 1/4" | 5.5" | x 4" x 3.5" | 12' | 2 | 92.98 |
| 91006 | 550 528 | 8 8' | 33 | | 1/2", 3/4" | , 1", <i>*</i> | 1 1/4" | 6" | x 4" x 4" | 12' | 2 | 114.98 |
| 91007 | 800 793 | 3 9' | 58 | | 1/2", 3/4" | , 1", <i>*</i> | 1 1/4" | 6" | x 4" x 4" | 25' | 2 | 142.98 |

| 91005 | 400 | 370 | 7.5' | 24 | 1/2", 3/4", 1", 1 1/4" | 5.5" x 4" x 3.5" | 12' | 2 | 92.98 |
|-------|------|------|-------|-----|------------------------|------------------|-----|---|--------|
| 91006 | 550 | 528 | 8' | 33 | 1/2", 3/4", 1", 1 1/4" | 6" x 4" x 4" | 12' | 2 | 114.98 |
| 91007 | 800 | 793 | 9' | 58 | 1/2", 3/4", 1", 1 1/4" | 6" x 4" x 4" | 25' | 2 | 142.98 |
| 91008 | 1100 | 1110 | 12' | 92 | 3/4", 1", 1 1/4" | 9" x 5" x 6" | 25' | 2 | 214.98 |
| 91009 | 1500 | 1480 | 16.5' | 153 | 3/4", 1", 1 1/4" | 9.5" x 6" x 7" | 25' | 2 | 239.98 |
| 91010 | 2000 | 1982 | 20' | 250 | 3/4", 1", 1 1/4" | 9.5" x 6" x 7" | 25' | 2 | 272.98 |

AQUAJET® POND PUMP

| Part Number | GPH | Max. Pond Size | Max. Fountain Height | Watts | Dimensions (L x W x H) | Cord Length | Retail Price | 3year |
|----------------|------|-------------------|-------------------------|-------|---------------------------|----------------|-----------------|---------|
| 91014 | 600 | 1200 Gal. | 47" (Daisy) | 33 | 12" x 12" x 6" | 25' | 230.98 | POS AIR |
| 91015 | 1300 | 1300 Gal. | 62" (Daisy) | 110 | 12" x 12" x 6" | 25' | 274.98 | |
| 91016 | 2000 | 2000 Gal. | 65" (Daisy) | 250 | 12" x 12" x 6" | 25' | 360.98 | |

SUBMERSIBLE POND FILTER

Retail

Price

Filter Will Work With Pumps Up to 1300 GPH

Submersible Pond Filter 73.98



ULTRATM PUMP FOUNTAIN HEAD KIT

| - | Part Number | Description | Retail Price |
|---|----------------|-------------|-----------------|
| | 91045 | Small Kit | 18.98 |
| | 91046 | Large Kit | 24.98 |

64

Part

95110


Number Description

| | | | | | AQI | JASU | RGE® | | K | Ag | uasca | pe" mer Products |
|--------|---|-------------------|------------------|----------------|-------|------------------------|------|-------------|-------|-----------|--------|---------------------|
| • | Extreme Fish saf Asynch Vertical | e – use ronous | es no c motor | oil r techn | ology | 3 YEA WARRAN | R | | | | R | |
| Part | Model | | | | | | Max. | Dimensions | | | Cord | Retail |
| Number | Number | GPH | 5' | 10' | 15' | 20' | Head | (L x W x H) | Watts | Discharge | Length | Price |
| AQUASI | JRGE® PL | JMPS | | | | | | | | | | |

| AQUASL | JRGE® P | UMPS | | | | | | | | | | |
|--------|---------|------|------|------|------|------|--------|-----------------|-----|------------------------------|-----|--------|
| 91017 | 2000 | 2193 | 1850 | 1465 | - | - | 12.47' | 12" x 5.5" x 7" | 90 | 3/4", 1", 1 1/4", 1 1/2", 2" | 20' | 359.98 |
| 91018 | 3000 | 3196 | 2700 | 2350 | - | - | 14.76' | 12" x 5.5" x 7" | 165 | 3/4", 1", 1 1/4", 1 1/2", 2" | 20' | 409.98 |
| 91019 | 4000 | 3947 | 3750 | 3350 | 2250 | - | 18.55' | 14" x 6" x 7.5" | 215 | 3/4", 1", 1 1/4", 1 1/2", 2" | 20' | 471.98 |
| 91020 | 5000 | 5284 | 5000 | 4750 | 3250 | 1750 | 23.62' | 14" x 6" x 7.5" | 360 | 3/4", 1", 1 1/4", 1 1/2", 2" | 20' | 522.98 |

Impeller Kits: • Aquasurge 2000-91070 \$59.98 • Aquasurge 3000-91071 \$68.98 • Aquasurge 4000-91072 \$77.98 • Aquasurge 5000-91073 \$83.98

AQUAFORCE[®] PUMPS



- Extremely energy efficient Asynchronous motor technology
 - · Durable cage design helps prevent clogging

| Part | 0 | Alle | | | | Max. | Dimensions | | | Cord | Retail |
|--------|---------|--------------|------|------|------|--------|------------------|-------|------------------------------|--------|--------|
| Number | GPH | 5' | 10' | 15' | 20' | Head | (L x W x H) | Watts | Discharge | Length | Price |
| AQUAF | ORCE® F | <u>PUMPS</u> | | | | | | | | | |
| 91011 | 1070 | 850 | - | - | _ | 10' | 14" x 14" x 6.5" | 55 | 3/4", 1", 1 1/4", 1 1/2", 2" | 25' | 216.98 |
| 91112 | 2149 | 1806 | 1320 | 260 | - | 16.5' | 14" x 14" x 6.5" | 160 | 3/4", 1", 1 1/4", 1 1/2", 2" | 25' | 257.98 |
| 91012 | 2695 | 2350 | 2000 | - | _ | 14' | 14" x 14" x 6.5" | 147 | 3/4", 1", 1 1/4", 1 1/2", 2" | 25' | 287.98 |
| 91113 | 3868 | 3613 | 3254 | 2100 | - | 18' | 14" x 14" x 6.5" | 215 | 3/4", 1", 1 1/4", 1 1/2", 2" | 25' | 329.98 |
| 91013 | 5284 | 5000 | 4600 | 3500 | 1600 | 23.62' | 14" x 14" x 6.5" | 360 | 3/4", 1", 1 1/4", 1 1/2", 2" | 25' | 420.98 |

Adjustable Flow Pond Pumps

| Part Number | GPH | Max. Head | Dimensions (L x W x H) | Max. Watts | Discharge | Cord Length | Retail Price | AQ | UAFORCE [®] P 10000 Pump | RO |
|----------------|-----------|--------------|---------------------------|---------------|------------------------|----------------|-----------------|----------------|--------------------------------------|----------|
| AQUASU | JRGE® AD | JUSTAE | BLE FLOW PU | <u>MPS</u> | | | | Max. Head | Dimensions (L x W x H) | Ma Wa |
| 45009 | 2000-4000 | 18.55' | 14" x 6" x 7.5" | 215 | 1", 1 1/4", 1 1/2", 2" | 20' | 942.98 | 28' | 12.5" x 9" x 17" | |
| 45010 | 4000-8000 | 27.89' | 14" x 6" x 7.5" | 660 | 1", 1 1/4", 1 1/2", 2" | 20' | 1,142.98 | | | |
| AQUAFC | DRCE® AD | JUSTAE | BLE SOLIDS H | | IG PUMP | | | Part Number | GPH | Discl |
| 91104 | 4000-8000 | 28' | 14" x 14" x 6.5" | 660 | 1", 1 1/4", 1 1/2", 2" | 20' | 1,142.98 | 20006 | 10,600 | 3 |

NEW!

POND POWERHEAD

• Adjustable head allows for directional flow control · Propeller provides maximum water flow

| • | Energy-efficient, | 12-volt | motor | design |
|---|-------------------|---------|-------|--------|
|---|-------------------|---------|-------|--------|

· Durable construction ensures years of trouble-free use Transformer not included

Cord

Length

20'

Retail

Price

1,885.98

Max.

Watts

1240

Discharge

3"

| | Part Number | GPH | Dimensions (L x W x H) | Voltage | Watts | Cord Length | Retail Price |
|------|----------------|------|---------------------------|---------|-------|----------------|-----------------|
| A BE | 91142 | 2000 | 9.75" x 5.75" x 5.75" | 12V | 40 | 20' | 159.98 |

CHECK VALVE ASSEMBLIES

| Part Number | Description | Application | Retail Price |
|----------------|---------------------------------------|--------------|-----------------|
| 48026 | 2" Check Valve Assembly with Fittings | Universal | 93.98 |
| 29098 | 3" Check Valve Assembly with Fittings | Tsurumi 12PN | 185.98 |
| 29512 | 3" Dual Union Check Valve | Universal | 119.98 |

AQUASCAPE

| | | AUTOMATIC DOSI | NG SY | STEM | Aqua | sca | pe |
|-----------------------|--|--|----------------|-------------|-------------|-------------|-----------------|
| Elimina | te guesswork and rou | tine of adding water treatment to | garden p | ond | | Contract | mer Productir |
| | tely applies treatment to | | • | lity | Hanna - | 1 | - |
| - | use and fully programm | | eration | | E. C | 100 | - |
| • Can be Part | used on almost any por | nd | Retail | | 1 | 1 | |
| Number | Description | | Price | | | | |
| UTOMA | TIC DOSING SYSTEM | | | 1 | 52 | | |
| 6030 | Automatic Dosing Sys | stem for Ponds | 159.98 | | A | / | |
| POND W | ATER TREATMENT FOR | AUTOMATIC DOSING SYSTEM | | | WATER | | |
| 6032 | Maintain - Reduces Ma | | 29.98 | | | | |
| 6033 | | sightly Water Conditions | 29.98 | | | 1 | |
| 6034 | Clean - Keeps Ponds | | 29.98 | | | Y. | |
| 6035 | Protect - Reduces Fis | | 29.98 | | | 1 | |
| | BE | NEFICIAL BACTERIA | | ONDS (DR | Y) | | |
| 11-12-1 | | Contains 8 strains of bacteria including photo synthetic | Part | | | Case | Retail |
| - | | • 1.5 billion CFU per gram | Number | Description | Treats | Qty | Price |
| BENERICAL BACTERIA | Mandard Enterical | Contains marigold | 98925 | 4.4 oz | 26,000 | 12 | 12.98 |
| | Planege / 2014/10 | and Vitamin B | 98948 | 8.8 oz | 52,000 | 12 | 19.98 |
| and and a second | 00 | | 98949 | 1.1 lb | 104,000 | 12 | 34.98 |
| | | 00 | 98950 | 7 lb | 665,000 | 4 | 149.98 |
| - | | ECOBLAS | ST | | | | |
| | | • Eliminates algae from waterfalls, streams water features on contact | Part Number | Description | Treats | Case Qty | Retail Price |
| | | • Can be used at any | 29311 | 8.8 oz | 200 sq/ft | 12 | 14.98 |
| and the second second | | water temperature | 29312 | 38.4 oz | 780 sq/ft | 12 | 34.98 |
| | - <u>-</u> | | 29313 | 7 lb | 2,275 sq/ft | 6 | 69.98 |
| 1 | | SAB™STREAM & PO | ND CL | EANER | | | |
| Harris | 1 Trank | Maintains a balanced ecosystem Reduces pond maintenance | Part Number | Description | Treats | Case Qty | Retail Price |
| | | Reduces ammonia, nitrate | 98898 | 4.4 oz | 1,200 gal | 12 | 12.98 |
| -9 | | and phosphate | 98899 | 8.8 oz | 2,400 gal | 12 | 19.98 |
| | | | 98900 | 1.1 lb | 4,920 gal | 12 | 34.98 |
| | 0 | Contraction of the | 98896 | 7 lb | 31,240 gal | 4 | 149.98 |
| | - | ALGAECI | DE | | | | |
| - | | Controls string algae | Part Number | Description | Treats | Case Qty | Retail Price |
| REALTER | / 2 3. | Clears green water | 96022 | 8 oz | 2,500 gal | 12 | 8.98 |
| | | • Can be used in ponds with fish & plants | 96023 | 16 oz | 5,000 gal | 12 | 12.98 |
| - | 0 | | 96024 | 32 oz | 10,000 gal | 12 | 17.98 |
| _ | | 0 | 96026 | 1 gal | 40,000 gal | 4 | 62.98 |
| | | BENEFICIAL BACTER | A FOR | R PONDS (I | LIQUID) | | |
| n | IL I | 7 | Part Number | Description | Treats | Case Qty | Retail Price |
| | IA No. 1 Contraction of the local sectors in the lo | • Contains 8 strains of bacteria | Number | Becomption | neuts | aly | |

98887

98888

98885

40002

including photo synthetic

• 1.5 billion CFU per ounce

 Contains marigold and Vitamin B 16 oz

32 oz

Gallon

Refill Pouch 32 oz

10,000

20,000

80,000

20,000

12

12

4

12

19.98

34.98

79.98

19.98

| | ™ SYST | For Po | 2ND GE nds Up to) Gallons | NERATIO | N) | Aqu | (EPA Reg: #83739-1 | | | | | |
|--|---------------|----------------|----------------------------------|-------------------|--------------------|---------------------|----------------------|-----------------|--|--|--|--|
| 95027 | 75 | Part Number | Description | | Max. Flow (GPH) | Max. Pond Volume | Inlet/Outlet Size | Retail Price | | | | |
| Helps to control unsightly algae without chemication | als | 95027 | lonGen™ (2 | nd Generation) | 4800 | 25000 | 2" | 395.98 | | | | |
| Energy efficient electronic water clarifer (less than Easy to install | \$1.00/month) | 95028 | Probe for 2 | nd Generation | | | | 144.98 | | | | |
| Safe for fish & plants, non-toxic to animals | | 95075 | Probe for 1 | st Generation wit | th G2 Contr | ol Panel | | 139.98 | | | | |
| Complete with electronic control panel, transfor flow chamber probe, and copper test kit | mer, | 95074 | Probe for 1 | st Generation wit | th G1 Contr | ol Panel | | 139.98 | | | | |
| Probe lasts 1-3 seasons | | 96019 | KH/Alkalini | y Test Kit | | | | 19.98 | | | | |
| SPILL | WAY B | OWL, | SPILL | VAY BASI | N AND | KIT | | | | | | |
| | A | 122 | -u- | See | all and | 24 | N | EW! | | | | |



Spillway Basin 40

Spillway Bowl Stand

An ideal stand alone over flowing water feature that will create a beautiful, tranquil focal point in almost any setting.

Use when installing Spillway Bowls or Basins. The Spillway

Bowl Stand creates the ideal elevation between Spillway Bowls.



Spillway Bowl Creates a beautiful spilling water feature that can be added to any pond or pool creating an instant waterfall.

- Unique and beautiful patina finish
- · Light weight and easy to install
- Made from durable GFRC



Spillway Bowl and Basin Landscape Fountain Kit Pump Included: Ultra 2000 Pond Pump Pipe Included: Pre-Cut Kink-Free 3/4" x 12.5"

Bowl and Basin can be installed as a disappearing water feature or several Spillway Bowls can be



JEW



| Part Number | Description | Weight | Retail Price |
|----------------|---------------------|----------|-----------------|
| 78204 | 32" Spillway Bowl | 71 lb. | 369.98 |
| 78205 | 40" Spillway Basin | 141 lb. | 539.98 |
| 78206 | Spillway Bowl Stand | 33.5 lb. | 109.98 |
| 58087 | Spillway Kit | 380 lb. | 1,599.98 |
| | | | |



Smart Control Plug 82001

· Easy connection to smart phone

Description

Smart Control Plug

Faux Log Fish Cave

Faux Oak Stump Cover

Koi Krunchies

- Monitor energy consumption
- · 3 outlets allow simple set-up

Part

Number

82001

81000

78324

78259



- 81000
- · Quality natural ingrediants



ACCESSORIES

Faux Log Fish Cave 78324

- · Provides pond fish shelter from predators
- · Extremely realistic decorative accent for any size pond

Retail

Price

59.98

14.98

129.98

139.98

Dimensions

(L x W x H)

6" x 1.5" x 5.5"

14.1 oz / 400 g

19" x 12" x 10"

15" Dia. x 18.5 H



| Faux Oak Stump | Cover | | | | | | | |
|----------------|-------|--|--|--|--|--|--|--|
| 78259 | | | | | | | | |

· Great for hiding outdoor electrical outlets

- · Can also be used as a decorative garden
- accent or seat

| | | 41A | _UG | | | email | : sales@ | waterlandscapesu | pply.co |
|----------------|-------------------------|--------------------|----------|-------------------------------|-----------------|--------------------|------------|--|-----------------|
| PON | | R | | CRYSTA | AL SERI | ES | | | |
| Star | ED STONE | | | ·s | imulated st | • | ndard with | great for do-it-your Crystal Skimmer Is | self |
| oryot | | | | Part Number | Spillway | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Reta Pric |
| | | | | CRYST | AL SERIES V | VATERFALL E | BOXES | | |
| | 1 | | | PB1281 | 14" | 2000 | 1.5" | 15.5" x 16.5" x 13.6" | 199.9 |
| No. | | | | PB1298 | 20" | 4200 | 1.5" | 16" x 22" x 14" | 249.9 |
| A | 1-7 | T | | Part Number | Opening | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Reta Pric |
| | | | | | AL SKIMMER | - | | | |
| Q | | 2 | | PB1311 | 7" | 4200 | N/A | 21" x 14.5" x 20" | 299.9 |
| | | | S | ERENITY SI | ERIES | | | | |
| | For ponds Same prin | • | - | uilder products Dimensions | Retail | | 1 | 1 | / |
| umber | Spillway | (GPH) | Bulkhead | (L x W x H) | Price | | K | | -1 |
| | Y MINI WAT | | | | | 1 | | | |
| PB1151 Part | 14" | 1800 Max Elaw | 1.5" | 18" x 15.5" x 14.5" | 129.98 | | | | |
| lumber | Opening | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price | | | | |
| ERENIT | Y SKIMME | <u>R</u> | | | | Contrac Grade | | | |
| PB1304 | 7" | 1800 | N/A | 16" x13.5" x 14" | 239.98 | | | | |
| | | | | CASCAI | DE SERI | IES | | | |
|) t | Octagona Reversible | | strength | | Deteil | | | REMOVA LANDSCAF Conceal u Mulch, Rock c | PE LID sing: |
| Part Iumber | Spillway | (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price | L.N. | | | |
| B1359 | 10" | 1800 | - | 8" x 10" x 8" | 89.98 | | | | - |
| B1106 | 14" | 3000 | (2) 2" | 14.5" x 24" x 13.5" | 265.98 | | | (internet) | |
| B1113 | 22" | 5500 | (2) 2" | 14.5" x 32" x 13.5" | 447.98 | | | | |
| B1120 | 30" | 7500 | (2) 2" | 14.5" x 41.5" x 13.5" | | | | 100 | |
| PB1182 | 40" | 10000 | (2) 2" | 14.5" x 51" x 13.5" | 839.98 | | | | |
| | | | | CORNE | ER FALL | _S | | | |
| C | | | | ling Pond-Free | | | | and the second | |
| | or Se | condary | Fails to | Any Water Fea | ture! | 100 | | | - |
| •Fits t | ightly into | o any cor | ner | | | | - | SEA MEANING | 18 |
| •Dual | 1.5" spin | weld inlef | s | | | | - | 224 4 12 12 3 | Sec. 1 |

- •Dual 1.5" spinweld inlets
- Install inside liner or attach to front

Max. Flow

(GPH)

2500

(2) 1 1/2"

- Molded Landscape Lid for plants, mulch or rock
- •Flow rate of up to 2,500 gph

Spillway

12"

| nt | | |
|-------|-------------|--------|
| Inlet | Dimensions | Retail |
| Size | (L x W x H) | Price |

12" x 12" x 10"

159.98



Part

Number

PB1861



| Number | Opening | (GPH) | (L x W x H) | Price |
|--------|---------|-------|---------------------|--------|
| PB1199 | 8" | 5000 | 21" x 14.5" x 19" | 489.98 |
| PB1137 | 10" | 10000 | 23.5" x 18.5" x 23" | 699.98 |
| PB1144 | 15" | 20000 | 25.5" x 22" x 26" | 979.98 |

ELITE CASCADE FALLS

Marine grade stainless steel hardware

2500

- (2) Bulk head openings
- (2) Matala filtration mats
- Octagonal design for strength
- Reversible waterfall weir allows for customized installation

| Part Number | Spillway | Max. Flow (GPH) | Bulkhead | Dimensions (L x W x H) | Retail Price | | | |
|--|----------|--------------------|----------|---------------------------|-----------------|--|--|--|
| ELITE CA | SCADE FA | <u>LLS</u> | | | | | | |
| PB1076 | 14" | 2500 | (2) 2" | 18.5"x24.5"x21" | 419.98 | | | |
| PB1083 | 22" | 5500 | (2) 2" | 25" x 30" x 23" | 699.98 | | | |
| PB1090 | 30" | 7500 | (2) 3" | 27" x 40" x 26" | 979.98 | | | |
| PB1243 | 40" | 10000 | (2) 3" | 32" x 48" x 31" | 1,399.98 | | | |
| ELITE CASCADE FALLS (One Piece • Built-In Lid) | | | | | | | | |

(2) 1.5"

20" x 8" x 7"

PB1762 20"

C7" 139.98 DEBRIS NETS

| Part Number | Description | Retail Price |
|----------------|--|-----------------|
| NET7SK | Replacement Net For Serenity Skimmer | 29.98 |
| NET8SK | Replacement Net For Crystal & 8" Elite Skimmer | 29.98 |
| NET10SK | Replacement Net For 10" Elite Skimmer | 39.98 |
| NET15SK | Replacement Net For 15" Elite Skimmer | 49.98 |

PB1762

REMOVABLE

LANDSCAPE LID

Conceal using:

Mulch, Rock or Plants

Replacement Mats

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|--|-----------------|----------------|--|-----------------|
| MT14GR | Replacement Matala Mat for 14" Elite Falls | 19.98 | SERMAT | Replacement White Mat for 14" Crystal Falls | 14.98 |
| MT22GR | Replacement Matala Mat for 22" Elite Falls | 39.98 | CRYMAT | Replacement White Mat for 20" Crystal Falls | 19.98 |
| MT30GR | Replacement Matala Mat for 30" Elite Falls | 59.98 | CRYMAT | Replacement White Mat for 8" Crystal Skimmer | 19.98 |
| MT8GR | Replacement Matala Mat for 8" Elite Skimmer | 29.98 | SERMAT | Replacement White Mat for Serenity Skimmer | 14.98 |
| MT10GR | Replacement Matala Mat for 10" Elite Skimmer | 39.98 | SERMAT | Replacement White Mat for Serenity Waterfall Box | 14.98 |
| MT15GR | Replacement Matala Mat for 15" Elite Skimmer | 49.98 | | | |

Truck Freight OO PB1243

Contractor Grade

NEW! BACTI-TWIST - Presented on page 87

email: sales@waterlandscapesupply.com



FILTRIFIC

skimmer door

ECCENTRIC

FLEX-COUPLING

Provides easy skimming height positioning and is included with each fixed skimmer.

Optional Bottom draw (1 1/2" inlet)

Rock pocket helps naturalize

DOOR SKIMMERS



S44D For use with T40F Filter Tank GPM: 80 Connection: 4" x 4" Filter Tank Coupling by Rock fins hold skimmer in place
 4" x 4" Eccentric Flex-Coupling



S64D For use with T75F & T390F Filter Tanks GPM: 80 Connection: 6" x 4" Filter Tank Coupling by 4" x 4" Eccentric Flex-Coupling



S66D For use with T75F & T390F Filter Tanks GPM: 160 Connection: 6" x 6" Filter Tank Coupling by 6" x 6" Eccentric Flex-Coupling

| Part Number | Description | Compatible Tanks | Max. Flow (GPM) | Dimensions (L x W x H) | Retail Price |
|----------------|--------------------|------------------|--------------------|---------------------------|-----------------|
| S44D | Small Door Skimmer | T40F | 80 | 8.25" x 15" x 11.25" | 509.98 |
| S64D | Small Door Skimmer | T75F/T390F | 80 | 8.25" x 15" x 11.25" | 548.98 |
| S66D | Large Door Skimmer | T75F/390F | 160 | 8.25" x 26" x 11.25" | 811.98 |

FIXED SKIMMER

LOW-PROFILE SKIMMING SURFACE

Pulls water from all sides and is adjusted vertically with the eccentric flex-coupling.



DRAIN PORT (BACK) Optional drain down when pump is shut off.

| Part | _ | Compatible | Max. Flow | Dimensions | Retail |
|--------|---------------------|------------|-----------|--------------------|--------|
| Number | Description | Tanks | (GPM) | (L x W x H) | Price |
| S44 | Small Fixed Skimmer | T40F | 80 | 7.5" x 11.25" x 9" | 205.98 |
| S64 | Small Fixed Skimmer | T75F/T390F | 80 | 7.5" x 11.25" x 9" | 259.98 |
| S66 | Large Fixed Skimmer | T75F/T390F | 200 | 9.5" x 15" x 10" | 326.98 |





Give any water feature a natural look with the Filtrific Waterfall Starter. Versatile, rock-bearing design neatly disguises it in any landscape, allowing only the water and natural elements to be seen.



Connection: 2" or 3"

Part Max. Flow Dimensions Inlet Retail (GPM) Spillway Number (L x W x H) Size Price 15" x 10.5" x 8" WS1 (2) 6" 160 2" OR 3" 203.98

Bottom-Draw Disc



The gravity fed Bottom-Draw Disc connects to the threaded port on the Door Skimmer. This eliminates having to make a second liner penetration.

CONNECTION FITTINGS

| Reducer RC-64 | Ec | Mechanical A K5 centric (off-Center) -64E | uto Fill |
|----------------------|----------------|--|-----------------|
| | Part Number | Description | Retail Price |
| | Y1066 | Dual Skimmer Fitting | 210.98 |
| | RC-64 | Reducer Fitting | 64.98 |
| Dual Skimmer Fitting | RC-64E | Eccentric Fitting | 62.98 |
| Y1066 | K5 | Mechanical Auto Fill | 109.98 |

| | | .0101 - 10 | ax. 010.2 | 00.000 | | rebaile. wa | licitatiusca | pesuppiy.com | 1 |
|-------------------|---|-----------------------------------|--|------------------------|-----------------------------|-------------------------------|-------------------------------|----------------------------|--|
| Requires | | T75F 2 Filter Baskets | Fi | | ren TA | | | | RIFIC* |
| | 0 | - | | ld separa | ately | | | | <u> </u> |
| | | | | The u | | lesign of the arly any sty | | nks readily a features. | dapts |
| | | | • Tra | ditional w | vater garde | | | waterfalls & stre | eams |
| | T390F | | • Hyb | orid ponds | S | | Disappear | ing fountains | |
| Part Number | Description | | Max. Fl (GPH | | Dimensions (L x W x H) | Inlet Size | Outlet Size | Required Filter Baskets | Retail Price |
| T40F | 40 Gallon Filter Tank | | 9600 | | x 31.75" x | 24" 4" | 2" | (1) See Below | 1,007.98 |
| T75F | 75 Gallon Filter Tank | | 1200 | 0 35 | 5" x 36" x 3 | 2" 6" | 3" | (2) See Below | 1,833.98 |
| T390F | 390 Gallon Filter Tank | | 4200 | 0 70' | " x 51.5" x 4 | 48" 6"-10" | 4" | (2) See Below | 5,045.98 |
| T40SP | 40 Gallon Side Tank for | T40F/T75F | | 25 | 5" x 32" x 2 | 0" 4" | | | 606.98 |
| RH15 | Increases f • Remote p • Versatile o Part Number Descri | ote Filter 480 | adding add e set away nect to skir Flow Dime H) (L x 00 13" > | itional su from wat | ction points ter feature | s et Required e Basket | ts Pric 395.9 | | Filter basket & remote skimmer sold separately |
| | | • | EU TR | R R/ | ASKET | '9 | | | |
| Bort | Provides essential Each basket has 1. Easily cleaned to n | 7 square feet naintain efficie | for the pu of surfac ency | Imp | | E6-40 E10-40 E20-40 | E1 | 0-75 E1 | 6-390 10-390 20-390 |
| Part Number | Description | Compatible Filters | Screens Required | Microns | Retail Price | Part Number | Descriptio | n | Retail Price |
| SCREEN | NED FILTER BASKETS | | | | | REPLACE | MENT SCRE | ENS | |
| E6-40 | Extra Coarse Mesh | RH15 & T40F | 1 | 3100 | 426.98 | ES6-40 | Extra Coa | arse Mesh | 219.98 |
| E10-40 | Coarse Mesh | RH15 & T40F | 1 | 1600 | 393.98 | ES10-40 | Coarse N | | 178.98 |
| E20-40 | Medium Mesh | RH15 & T40F | 1 | 686 | 393.98 | ES20-40 | Medium I | | 178.98 |
| E6-75 | Extra Coarse Mesh | T75F | 2 | 3100 | 439.98 | ES6-75 | | arse Mesh | 227.98 |
| E10-75 | Coarse Mesh | T75F | 2 | 1600 | 403.98 | ES10-75 | Coarse N | | 186.98 |
| E20-75 | Medium Mesh | T75F | 2 | 686 | 403.98 | ES20-75 | Medium I | | 186.98 |
| E6-390 E10-390 | Extra Coarse Mesh Coarse Mesh | T390F T390F | 2 | 3100 1600 | 617.98 547.98 | ES6-390 ES10-390 | Extra Coa Coarse N | arse Mesh lesh | 329.98 289.98 |
| E20-390 | | T390F | 2 | 686 | 547.90 547.98 | ES10-390 ES20-390 | Medium I | | 289.98 |
| | TRATION | 1000 | 2 | 000 | J-11.30 | BIO-FILTR | | | 209.90 |
| BCTN20 | | T40F | | | 219.98 | BC-40 | Bio Core | for T40F | 248.98 |
| BCTN20 | | T75F | | | 232.98 | BC-40 BC-75 | Bio Core | | 329.98 |
| 5011120 | Bio Ourtain | 1701 | | | 202.00 | 50-10 | 210 2016 | | 020.00 |

n

PUMP VAULTS

| | ATALOG | | | ema | ail: sales@w | aterlandscapesu | ipply.com |
|-----------------------|--|--|---|---|--|--|--|
| | | P | UMP VAU | JLTS | | 🖉 Atle | antic |
| PV1800 | PV2300 | • Large • Cut li | | - | • | PV18EXT | Echama Pro sume |
| - the | | Part Number | Description | | Max. Flow (GPH) | Dimensions (W x H) | Retail Price |
| CER | | PUMP VAU | | | <u> </u> | , , | |
| PV1700 | Lid keeps gravel from falling into vault | PV1800 | Small Pump | Vault | 10,000 | 18" x 24" | 295.98 |
| | • Discharge both 1 1/2" & 2" | PV2300 | Large Pump | Vault | 15,000 | 23" x 30" | 516.98 |
| 2.5-1 | Flat side installs tight against EcoBlox | PV18EXT | 14" Vault Ext | tension | | 16.5"x15.5" | 203.98 |
| 27 | Adapts easily to 3 way diverter and Eco-Rise | PV23EXT | 17" Vault Ext | tension | | 21.5"x19.5" | 238.98 |
| | diverter and Eco-Rise | PV1700 | Small Pump | Vault | 3900 | 17" x 12" x 22.5" | 247.98 |
| | | POI | ND FREE | WELL | | SA | V 🖁 🛛 |
| | •3" discha | | Wide mouth Multiple kno Injection me | | y pump access mbing outlets in water level Max. Flow (GPH) 15,000 | | Retail Price 214.98 106.98 |
| and the second second | •Sturdy va | ault lid | | | • | with Strong Des | • |
| | •Sturdy va | | n ath | | • | with Strong Des mp Vault Applic | • |
| | •Wall ridg | es for stre | • | | • | • | • |
| 1 | •Wall ridg •Multiple | es for stre inlet vents | allows | | ll in Most Pu | mp Vault Applic | ations |
| | •Wall ridg •Multiple | es for stre | allows | | • | • | • |
| | •Wall ridg •Multiple | es for stre inlet vents | allows | Works We | II in Most Pu Max. Flow | mp Vault Applic | ations |
| | •Wall ridg •Multiple | es for stre inlet vents ter collecti | allows | Part Number 566410(SF) | II in Most Pu Max. Flow (GPH) | Dimensions (L x W x H) | ations Retail Price |
| | •Wall ridg •Multiple | es for stre inlet vents ter collecti PU SMALL • Featur • One pi MINI PU | allows on | Part Number 566410(SF) YONS CANYONS aded inlet | Il in Most Pu Max. Flow (GPH) 10000 | Dimensions (L x W x H) | Retail Price 259.98 Piece with |
| | •Wall ridg •Multiple | es for stre inlet vents ter collecti PU SMALL • Featur • One pi MINI PU | allows on MP CAN & LARGE PUMP es auto-fill threa ece molded unit MP CANYON ece molded unit | Vorks We | Il in Most Pu Max. Flow (GPH) 10000 | Dimensions (L x W x H) 19" x 19" x 25" PONDEN Heavy Duty, One F Molded Design v Snap on Lid For Use with Ug | Retail Price 259.98 Piece with |

Small Pump Canyon

Large Pump Canyon

Extension for PB1168

Extension for PB1175

PB1168

PB1175

PB2354

PB1977

7500

20000

_

_

17" x 15.5" x 21"

27" x 24" x 30"

Height: 22"

Height: 48"

363.98

559.98

139.98

307.98

| Number Capacity (Lx W x H) Price Cravel Basins Rescuess 31.5 2.7" x 16" x 17.5" 67.9 Cravel Basins Rescuess Rescuess 1.8 dots avings 1.1 corease water volum Company Landow Reduce rock tonainaging 1.2 dots avings 1.1 corease water volum 0.1 gonainer reservoir Company Landow Reduce rock tonainaging 1.2 dots avings 1.1 corease water volum 0.1 gonainer reservoir Company Landow Reduce rock tonainaging 1.2 dots avings 1.1 corease water volum 0.1 gonainer reservoir Company Landow Reduce rock tonainaging 1.2 dots avings 1.1 corease Water Capacity! Water Capacity Marce Marce Apacity Marce Capacity! Marce Reduce rock tonainaging 1.1 coreased Water Capacity! Marce Reduce rock tonaing 1.1 coreased Water Capacity! Marce Reduce 1.1 coreased Water Capacity! Marce< | | toll free: 877.266.8181 | • fax: 515.266.8999 | • website | e: waterlandsc | apesupply.com | |
|---|-----------|-------------------------|---|---|--|--|-----------------|
| <complex-block> Visit Lock Connection System Holds 3X More Gravel Basins</complex-block> | | | PRO SERIES: I | ECOBLOX | | 🖉 Atla | Intic |
| Number Capacity (Lx W x H) Print COBLOX 31.5 27" x 16" x 17.5" 67.3 Correct Basins RES-CUBES Reduce rock tonnage Less rock required Increase water volum Gallon Capacity: Gallon Capacity: Gallon Capacity: Marter Savings Less rock required Increase Water Capacity! WHTER Water Capacity: Marter Capacity! WATER CAPACITY From 40% using Rock to 90% usi | | | | • 1/2" x | | | PRO SERIES |
| Gravel Basins ECOBLOX 31.5 27 x 16" x 17.5" 67.9 RES-CUBES * Reduce rock tonnage • Labor savings • Increase water volum • Dig smaller reservoir • Reduce install time • Reduce install time • Dig smaller reservoir • Gallon Capacity! • Watter Capacity! Watter Capacity! Watter Capacity! • Marter Capacity! Watter Capacity! Watter Capacity! • Number Dimensions Retive to 90% using Rock t | | | | | | | Retail Price |
| <image/> Reduce rock tonage Reduce rock tonage Reduce rock tonage Reduce install time Reduce install time<td></td><td></td><td></td><td>ECOBLOX</td><td>31.5</td><td>27" x 16" x 17.5"</td><td>67.98</td> | | | | ECOBLOX | 31.5 | 27" x 16" x 17.5" | 67.98 |
| WITTER CAPACITY form 40% using Rock to 90% using Res-CubesNote: Note: Note: Note: Note: | | | | | - | • Dig smaller re | eservoir |
| Number (L x W x H) Price Description Pump Vaut Dimensions Retain and the ended AFV Large Vaut 15000 24" x 24" x 32" 457.9 | | | | | WA from | TER CAPACIT m 40% using Roc | Y k |
| Nex Cube Description Description Max. Flow Dimensions Cate of the edded Variation Description Max. Flow Max. Flow Max. Flow Max. Flow Variation Description Max. Flow Max. Flow Max. Flow Max. Flow Variation Description Max. Flow Max. Flow Max. Flow Max. Flow Variation Dimensions Max. Flow Max. Flow Max. Flow Max. Flow Variation Description Max. Flow Dimensions Retain the edded Variation Dimensions Max. Flow Dimensions Retain the edded Variation Dimensions Max. Flow Dimensions Retain the edded Variation Dimensions Max. Flow Dimensions Retain the edded Variation Large Vault 15000 24" x 24" x 32" 457.9 | 2015 2000 | dualation make | | | | | Retail Price |
| JAFVE JAFVE JAFVE FUMP VAULTS: FOUR SIZES NOW AVAILABLE Mini - 3000 GPH Max Flow Medium - 10000 GPH Max Flow Medium - 10000 GPH Max Flow Small - 6000 GPH Max Flow Max. Flow Output Max. Flow Max | Res | Subes Pump Vau | | | JAFRC | . , | 30.98 |
| With the provided of the provid | | | | ULTS | | | |
| JAFV EXTENSIONS: TWO SIZES NOW AVAILABLE • Allows for deeper reservoirs • Allows for deeper reservoirs • Multiple extensions can be used if needed Part Max. Flow Dimensions Retain the second of the se | asyPro | JAI (Exte | FOUR SIZES NOW • Mini - 3000 GPH • Medium - 10000 • Small - 6000 GPI • Large - 15000 GP | V AVAILABLE Max Flow GPH Max Flow H Max Flow | JAFT | JAFL | |
| Jumber Description (GPH) (L x W x H) Prior JAFV Large Vault 15000 24" x 24" x 32" 457.9 | | JAFV | | • , | Allows for deeper Multiple extensio | r reservoirs ns can be used if need | ed |
| | | Description | | | | | Retail Price |
| AFVE 18" Extension, for JAFV 177.9 | | | | 15000 | 24" x 24" | x 32" | 457.98 |
| | AFVE | 18" Extension, for JA | NFV | - | - | | 177.98 |

6000

10000

3000

16" x 16" x 22"

18"D x 19.5"H

13"D x 14.5"H

JAFM

JAFME

JAFL

JAFT

Small Vault

Medium Vault

Mini Vault

12" Extension, for JAFM

274.98

119.98

257.98

134.98

| ema | ail: sales@waterlandscapesupply.com |
|--------------|-------------------------------------|
| NTAIN BASINS | proven a |
| | |



FOU

Incredible Strength, Supports Up to 3000 lbs.

Rugged design

- Holds variety of features
- Easy installation access doors



Part Access Gallon Weight Dimensions Retail Number Doors Capacity Capacity $(L \times W \times H)$ Price 566517 Yes 35 2000 lbs. 36" Dia. x 10.8" H 524.98 (DFB36)

3000 lbs.

44" x 44" x 11"

912.98

60

4

566558

(DFB44)



PUMP PRO-TECTORS

- Protect against plugging by creating a large surface area around the pump
- Polyester filter media pad contained inside nylon mesh bag
- Drawstring top with push button release keeps the bag closed around pump with easy pump removal



| Part | Retail | Dimensions | Description |
|--------|--------|------------|-------------|
| Number | Price | (D x H) | |
| 0 | | | |

PUMP SCREENS - CAGES

- Use pump screens with any submersible pump when pumping water from a lake, pond, river or tank
- Screens feature sturdy built design to protect pumps from damage from sticks, weeds, fish and other large debris
- Drawstring top allows for easy pump removal / inspection – will draw up tight to any pipe from 1 1/2" to 4" in diameter

For Vertical or Horizontal Pump Applications

| Part Number | Description | Dimensions (D x H) | Retail Price |
|----------------|-----------------|-----------------------|-----------------|
| SPS12 | Small Pump Cage | 12" x 13.5" | 154.98 |
| SPS20 | Large Pump Cage | 20" x 20" | 237.98 |

HIGH VOLUME CENTRIFUGAL PUMP INTAKE FILTERS

Intake Screens for High Volume Applications

- Allows fine particles through yet still keeps out large objects such as sticks, fish and weeds
- Made from epoxy coated heavy gauge galvanized wire – will not rust or corrode
- Mesh size is 1/2" x 1"
- PVC swing check valves keep pumps primed
- Intake screens for high volume applications

| Part Number | Pipe Size | Max. Flow (GPH) | Dimensions (D x H) | Retail Price |
|----------------|--------------|--------------------|-----------------------|-----------------|
| PIF3 | 3" | 13500 | 11" x 30" | 291.98 |
| PIF4 | 4" | 21000 | 11" x 30" | 398.98 |



Heavy Duty 1/2" x 1" Mesh Screen



PL0150

CFS155T

PL0200

PL0300

3" FPT


PUMP PROTECTORS

email: sales@waterlandscapesupply.com

Sorry,

Color Choice


NETS



Not Available Retail Handle Price Туре Multi-Colored Net Yes 9.98 KOI NETS

| Part Number | Туре | Handle | Retail Price |
|----------------|-----------------------------|--------|-----------------|
| NET424 | 16" x 18" HD Net Head | No | 31.98 |
| NET416 | 24" Dia. Koi Net | No | 29.98 |
| NET425 | 30" Dia. Koi Net | No | 33.98 |
| NET446 | Skimmer Net | No | 27.98 |
| NET400 | Telescopic Pole (9' 8" max) | | 27.98 |

SOCK NET



4-IN-1 NET COMBO



PAN186

Long Handle

Skimmer

14" x 13.375"

4'

33.98

| Number Description (W x H) Length Prior PT816 Point 12'x 12' 13' 15.5 PT814 Minil Skimmer Net 2'x 12' 13' 15.5 PT814 Point Fish Net 12'x 12' 13'x 6'' 14'x 13'' 33.8 1'' 33.8 1'' 33.8 1'' 33.8 1'' 33.8 1'' 33.8 1'' 33.8 1''' 18'x 7''' 18'x 7'''' 18'x 7'''' 18'x 7'''' 18'x 7''''''''''''''''''''''''''''''''''' | | toll free: 877.26 | | | | | | | | |
|--|--|--|---|---|---|--|--|--|--|---|
| PT81 PT81 <th< th=""><th></th><th></th><th></th><th></th><th>NE</th><th>TS</th><th></th><th></th><th>Lag</th><th>una</th></th<> | | | | | NE | TS | | | Lag | una |
| PT815 Part Bound Fish Net Dimension Length Part Length Dimension Press Part Length Dimension Press Part Length Dimension Press Part Length Dimension Press Part Length Dimension Press Part Length Part Press Dimension Press Part Press Dimension Press Part Press Dimension Press Part Press Part Pr | | PT811 | | | | *E2 | XTENDABLE! | *all but PT | 811 & PT821 | |
| Part Number Frame Dimension Handle Case Base Retail | | | PT | r815 | | | Description | Dimensions | | Retail Price |
| PT81 PT817 PT817 PT819 PT816 Pond Fish Net 14'x13' 33.61' 35.3 PT810 PT821 PT821 PT816 Pond Net 11.5'x11.5' 23.61' 35.3 PT817 PT821 PT821 PT817 Pond Sish Net 18'x17' 18.33' 35.9 PT827 PT829 PT821 Pond Net 15'x17.5' 29.555' 45.9 PT821 Mini Fish Net 15'x16.5' 29.555' 45.9 PT829 PT829 Pro Skinmer Net 15'x16.5' 29.555' 44.9 PT829 Pro Skinmer Net 15'x16.5' 29.555' 44.9 PT829 Pond Net 15'x16.5' 29.555' 4.9 PT829 Pond Net 15'x16.5' 29.565' 4.9 PT829 Pond Net 15'x17'' 32'' 63'' 12'''' 12''''' Part Munber Frame Dimension Handle Case Print Stationalish Mandle Case Print | r. zð | PT816 | | | | PT811 | Pond Fish Net | 12"x11.5" | 13" | 15.98 |
| PT81 PT82 POND NET WITH EXTENDABLE HANDLE PT82 PT82 POND NET WITH EXTENDABLE HANDLE PT82 PT82 PT82 PT82 P22.637 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 <td></td> <td></td> <td>- AN</td> <td></td> <td>ME ?</td> <td>PT814</td> <td>Mini Skimmer Net</td> <td>8" x 6"</td> <td></td> <td>15.98</td> | | | - AN | | ME ? | PT814 | Mini Skimmer Net | 8" x 6" | | 15.98 |
| PT821 Description Extendable Extendable PT827 PT827 PT829 PT824 Mini Fish Net 8"x 6" 10" 2.9 PT827 PT829 PT829 PT824 Mini Fish Net 8"x 6" 10" 2.9 PT829 PT829 PT829 PT829 PT824 Mini Fish Net 8"x 6" 10" 2.9 PT829 POND NET WITH EXTENDABLE HANDLE PT80 | T814 | PT817 | РТ8 | 318 | | PT815 | Pond Fish Net | 14"x13" | | 35.98 |
| PT821 PT821 <th< td=""><td></td><td>45-</td><td></td><td></td><td>2</td><td></td><td></td><td></td><td>Extendable</td><td>33.98</td></th<> | | 45- | | | 2 | | | | Extendable | 33.98 |
| PTB27 PTB27 PTB27 PTB21 Mini Fish Net 8' x 6'' 10'' 2.9 COLLAPSIBLE! PTB29 PTB29 Pro Fish Net 15.5'x 18.5'' 2.05.55'' 44.9 MINI POND NET PTB29 Pro Skimmer Net 15.5'x 18.5'' 2.05.55'' 44.9 Part Frame Dimension Handle Case Retail Part Part Standal Case Retail Part Frame Dimension Handle Case Retail Part Standal Case Retail Part Frame Dimension Handle Case Retail Part Standal Case Retail Number Frame Dimension Handle Case Retail Part Standal Case Retail Number Frame Dimension Handle Case Retail Part Part Standal Case Retail Number Frame Dimension Handle Case Retail Case Retail Case | Man | | 7821 | id he | | | (Collapsible Handle) | | Extendable | 38.98 |
| PT827 PT0 Fish Net 15.5"x18.5" 29.5-55" 45.9 PT823 Pro Skimmer Net 15.5"x18.5" 29.5-55" 44.9 PT823 Pro Skimmer Net 15.5"x18.5" 29.5-55" 44.9 PT823 Pro Skimmer Net 15.5"x18.5" 29.5-55" 44.9 Part Frame Dimension Handle Case Retail Number Frame Dimension Handle Case Retail OND SKIMMER NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Case Retail Number Frame Dimension Handle Case | | PT827 | | | | | (Collapsible Handle) | | Extendable | 37.98 |
| Price Price <th< td=""><td></td><td></td><td></td><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td></th<> | | | | 4 | | | | | | |
| MINI POND NET POND NET WITH EXTENDABLE HANDLE Part Number Frame Dimension Handle Case Oty Price Price 98556 10" x 7" 12" 12 8.98 POND NET WITH EXTENDABLE HANDLE Part Number Frame Dimension Handle Case Oty Price Part Number Frame Dimension Handle Case Oty Price Part Frame Dimension Handle Case Oty Price Part Number Frame Dimension Handle Case Oty Price Part Frame Dimension Handle Case Oty Price 98559 12" x 7" 32"-63" 12 17.98 Pond NET WITH EXTENDABLE HANDLE Part Case Oty Reta Part Case Number Frame Dimension Handle Case Oty Price 36"-69" 12 32.98 POND NET/POND SKIMMER NET Case Oty Price 36"-69" 12 32.98 12 37.9 Pond NET/POND SKIMMER NET Case Oty Price 81032 12 37.9 Soooo 2000 Stimmer Gase Soooo Reta | *004 | | PT82 | 9 I DOWN | | | | | Extendable | |
| Part Number Frame Dimension Handle Handle Case Qty Retail Price 98556 10" x 7" 12" 12 8.38 POND SKIMMER NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE Part Number Frame Dimension Handle Case Qty Retail Price Pond NET/POND SKIMMER NET Case Part Retail Qty Price Pond NET/POND SKIMMER NET Coll APSIBLE Pond AND FISH NET/SKIMMER Coll APSIBLE Pond AND FISH NET/SKIMMER Still Still Still Qty < | COLI | LAPSIBLE! | | | | PT829 | Pro Skimmer Net | 15.5"x18.5" | | 44.98 |
| Number Frame Dimension Handle Qty Price 98556 10" x 7" 12" 12 8,98 POND SKIMMER NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE Part Case Retail Number Frame Dimension Handle Qty Price 98559 12" x 7" 32"- 63" 12 12.32.9 POND SKIMMER NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Qty Price 98550 12" x 7" 32"- 63" 12 17.98 Part Frame Dimension Handle Qty Price 98550 12" x 7" 32"- 63" 12 17.98 Pond NET WITH EXTENDABLE HANDLE Part Number Frame Dimension Handle Qty Price 98560 16" x 16.5" 36"- 69" 12 32.98 POND NET/POND SKIMMER NET Case Retail Qty Price 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET Case Retail | | MINI PO | ND NET | | Aquaso | cape | POND NET WITH | I EXTEND | ABLE HANI | DLE |
| Number Frame Dimension Handle Qty Price 98556 10" x 7" 12" 12 8,98 POND SKIMMER NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Qty Price Part Frame Dimension Handle Qty Price 98559 12" x 7" 32"- 63" 12 32.9 POND SKIMMER NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Qty Price 98559 12" x 7" 32"- 63" 12 17.98 Post Frame Dimension Handle Qty Price 98560 16" x 16.5" 36"- 69" 12 32.98 Post FISH NET WITH EXTENDABLE HANDLE Part Case Retail Qty Price 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET Case Retail ColLAPSIBLE POND AND FISH NET/SKIMMER 81031 81031 81031 Fart Frame Dimension Handle | | F | TA | | | | _ | | -1 | 1 |
| 98556 10" x 7" 12" 12 8.98 98556 10" x 7" 12" 12 8.98 POND SKIMMER NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE POND NET WITH EXTENDABLE HANDLE Part Number Frame Dimension Handle Case Retail Pond NET/Pond SKIMMER NET Coll APSIBLE Pond And FISH NET/SKIMMER Coll APSIBLE Stooo 21" x 24" 36" 6 94.98 | | | 610 | | | | | | 1. | 7 |
| Pond Skimmer Net With Extendable Handle Pond Net With Extendable Handle Part Number Frame Dimension Handle Case Retail Pond NET/POND SKIMMER NET ColLAPSIBLE Pond And FISH NET/SKIMMER ColLAPSIBLE! Stogo Blo31 Blo32 Part Number Frame Dimension Handle Case Retail Stogo 21" x 24" 36" 9 4.98 Price | | Frame Dimension | Handle | | | | Frame Dimension | Handle | | |
| Number Frame Dimension Handle Qty Price 98559 12" x 7" 32"- 63" 12 17.98 98560 16" x 16.5" 36"- 69" 12 32.9 POND SKIMMER NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Qty Price 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET Case Retail Part S6"- 69" 12 32.9 POND NET/POND SKIMMER NET COLLAPSIBLE Coll APSIBLE POND AND FISH NET/SKIMMER Coll APSIBLE! 50000 Case Retail Retail 81031 Number Frame Dimension Handle Qty Price 81031 81032 Retail Number Frame Dimension Handle Qty Price 81031 81031 81031 81031 94.98 | Number | | 1.785.1 | Qty | Price | Number | | | Qty | Price |
| Number Frame Dimension Handle Qty Price 98559 12" x 7" 32"- 63" 12 17.98 98560 16" x 16.5" 36"- 69" 12 32.9 POND SKIMMER NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE PRO FISH NET WITH EXTENDABLE HANDLE Part Frame Dimension Handle Qty Price 98561 20" 36"- 69" 12 32.9 POND NET/POND SKIMMER NET Case Retail Part Frame Dimension Handle Qty Price 98562 16" x 16.5" 36"- 69" 12 32.9 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET COLLAPSIBLE POND AND FISH NET/SKIMMER COLLAPSIBLE POND AND FISH NET/SKIMMER 81031 81032 81031 | Number 98556 | 10" x 7" | 12" | Qty 12 | Price 8.98 | Number 98558 | 12" x 7" | 32"- 63" | Qty 12 | Retail Price 17.98 |
| POND SKIMMER NET WITH EXTENDABLE HANDLEPart Number 98562Case 16" x 16.5"Retail GtyPrice Price 98561Part 20"Case GtyRetail Case OfficialPOND NET/POND SKIMMER NETCollapsible pond and Fish net/skimmerStand StimmerStand StimmerCollapsible!Stimmer SogoRetail Case SogoCollapsible pond and Fish net/skimmerPart NumberCase SogoRetail Case SogoStimmerPart NumberCase SogoRetail Case SogoStimmerPart NumberCase Frame Dimension SogoRetail Handle Case Case SogoStimmer Case< | Number 98556 | 10" x 7" | 12" | Qty 12 | Price 8.98 | Number 98558 | 12" x 7" | 32"- 63" | Qty 12 | Price 17.98 |
| Part Number Frame Dimension Handle Case Qty Retail Price 98562 16" x 16.5" 36"- 69" 12 32.98 POND NET/POND SKIMMER NET COLLAPSIBLE POND AND FISH NET/SKIMMER 50000 21" x 24" 36" 6 94.98 Part Coll APSIBLE POND AND FISH NET/SKIMMER State 81031 17.5" 36" 6 34.98 | Number 98556 OND SK | 10" x 7" IMMER NET WIT | 12" H EXTEND | Qty 12 DABLE H/ Case | Price 8.98 ANDLE Retail | Number 98558 PC | 12" x 7" PND NET WITH E | 32"- 63" •XTENDAB | Qty 12 BLE HANDL | Price 17.98 E Retai |
| Number Frame Dimension Handle Qty Price 98562 16" x 16.5" 36"- 69" 12 32.98 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET COLLAPSIBLE POND AND FISH NET/SKIMMER 50000 50000 50000 50000 81032 81031 Part Frame Dimension Handle Qty Price 9000 21" x 24" 36" 6 94.98 | Number 98556 POND SK Part Number | 10" x 7" IMMER NET WIT | 12" H EXTEND Handle | Qty 12 DABLE H/ Case Qty | Price 8.98 ANDLE Retail Price | Number 98558 PO Part Number | 12" x 7" IND NET WITH E | 32"- 63" XTENDAB Gi Handle C | Qty 12 SLE HANDL | Price 17.98 E Retai Price |
| Number Frame Dimension Handle Qty Price 98562 16" x 16.5" 36"- 69" 12 32.98 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET COLLAPSIBLE POND AND FISH NET/SKIMMER 50000 50000 50000 50000 81032 81031 81031 Part Frame Dimension Handle Qty Price Retail Part Case Retail Price 81031 17.5" 35" 6 34.9 | Number 98556 OND SK Part Number 98559 | 10" x 7" IMMER NET WIT | 12" H EXTEND Handle 32"- 63" | Qty 12 DABLE H/ Case Qty 12 | Price 8.98 ANDLE Retail Price 17.98 | Number 98558 PC Part Number 98560 | 12" x 7" PND NET WITH E Frame Dimension 16" x 16.5" | 32"- 63" XTENDAB Handle 36"- 69" | Qty 12 CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL | Price 17.98 E Retail Price 32.98 |
| 98562 16" x 16.5" 36"- 69" 12 32.98 98561 20" 36"- 69" 12 37.9 POND NET/POND SKIMMER NET COLLAPSIBLE POND AND FISH NET/SKIMMER 50001 50000 50000 81032 81031 81032 81031 81032 81031 81031 Part Frame Dimension Handle Case Retail Part Case Retail Number Frame Dimension Handle Qty Price 81031 17.5" 35" 6 34.9 | Number 98556 OND SK Part Number 98559 | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" | 12" H EXTEND Handle 32"- 63" | Qty 12 DABLE H/ Case Qty 12 | Price 8.98 ANDLE Retail Price 17.98 | Number 98558 PC Part Number 98560 | 12" x 7" PND NET WITH E Frame Dimension 16" x 16.5" | 32"- 63" XTENDAB Handle 36"- 69" | Qty 12 CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL | Price 17.98 E Retai Price 32.98 |
| Soloo1 COLLAPSIBLE! Part 50000 Number Frame Dimension Handle Qty 21" x 24" 36" | Number 98556 POND SK Part Number 98559 POND SK Part | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" | 12" H EXTEND Handle 32"- 63" H EXTEND | Qty 12 DABLE H/ Case Qty 12 DABLE H/ Case | Price 8.98 ANDLE Retail Price 17.98 ANDLE | Number 98558 PO Part Number 98560 PRO | 12" x 7" PND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH | 32"- 63" XTENDAB Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation Calculation | Qty 12 CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL CLE HANDL | Price 17.98 E Retail Price 32.98 DLE |
| 50001 50000 81032 Part 50000 50000 Part Case Retail Number Frame Dimension Handle Qty Price 50000 21" x 24" 36" 6 94.98 | Number 98556 POND SK Part Number 98559 POND SK Part Number | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension | 12" H EXTEND Handle 32"- 63" H EXTEND Handle | Qty 12 DABLE H/ Case Qty 12 DABLE H/ Case Qty | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part Number | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension | 32"- 63" XTENDAB Handle C 36"- 69" EXTENDA Ca Handle Q | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND | Price 17.98 E Retail Price 32.98 |
| COLLAPSIBLE!SologoState< | Number 98556 OND SK Part Number 98559 OND SK Part Number 98562 | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" | 12" H EXTEND Handle 32"- 63" H EXTEND Handle 36"- 69" | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part Number 98561 | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" | 32"- 63" XTENDAB Andle 36"- 69" Ca Handle Ca Handle Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND AB | Price 17.98 E Retail Price 32.98 LE Retail Price 37.98 |
| Source So | Number 98556 OND SK Part Number 98559 OND SK Part Number 98562 | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" | 12" H EXTEND Handle 32"- 63" H EXTEND Handle 36"- 69" | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part Number 98561 SCOLL | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND | 32"- 63" XTENDAB Andle 36"- 69" Ca Handle Ca Handle Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND AB | Price 17.98 E Retail Price 32.98 LE Retail Price 37.98 |
| COLLAPSIBLE!Part NumberCase Frame DimensionRetail QtyPrice5000021" x 24"36"694.98 | Number 98556 OND SK Part Number 98559 OND SK Part Number 98562 | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" POND NET/PONE | 12" H EXTEND 32"- 63" H EXTEND Handle 36"- 69" D SKIMME | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part Number 98561 SCOLL | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND | 32"- 63" XTENDAB Andle 36"- 69" Ca Handle Ca Handle Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND | Price 17.98 E Retail Price 32.98 LE Retail Price 37.98 |
| NumberFrame DimensionHandleQtyPriceNumberFrame DimensionHandleQtyPrice5000021" x 24"36"694.988103117.5"35"634.9 | Number 98556 POND SK Part Number 98559 POND SK Part Number 98562 P | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" POND NET/PONE 5000 | 12" H EXTEND 32"- 63" H EXTEND Handle 36"- 69" D SKIMME | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 Case Qty 12 Case Qty 12 Case Qty 12 Case Qty | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part Number 98561 COLL | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND LLAPSIBLE! 81032 | 32"- 63" XTENDAB Andle 36"- 69" Ca Handle Ca Handle Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND | Price 17.98 E Retail Price 32.98 LE Retail Price 32.98 |
| | Number 98556 POND SK Part Number 98559 POND SK Part Number 98562 P | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" POND NET/PONE 5000 | 12" H EXTEND 32"- 63" H EXTEND Handle 36"- 69" D SKIMME | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 Case Qty 12 Case Qty 12 Case Qty 12 Case Qty | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price | Number 98558 PO Part Number 98560 PRO Part SECOLL | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND LAPSIBLE! 81032 81032 | 32"- 63" XTENDAB Andle 36"- 69" Ca Handle Ca Handle Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL SLE HANDL ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND | Price 17.98 E Retail Price 32.98 LE Retail Price 32.98 |
| | Number 98556 POND SK Part Number 98559 POND SK Part Number 98562 P Part Number 98562 P Part Number 98562 P | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" Frond NET/PONE 5000 LAPSIBLE! | 12" H EXTEND Andle 32"- 63" H EXTEND Handle 36"- 69" SKIMME 1 500 | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 Case Qty 12 Case Qty 12 Case Qty 12 Case Qty | Price 8.98 ANDLE Retail Price 17.98 ANDLE Retail Price 32.98 | Number 98558 PO Part Number 98560 PRO Part Number 98561 COLL COLL | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND LLAPSIBLE! 81032 COPING S! | 32"- 63" EXTENDAB Handle 36"- 69" EXTENDA Ca Handle Qu 36"- 69" 12 AND FISH Ca Ca Ca | Qty 12 3LE HANDL 3LE HANDL 3LE HANDL 3LE 4 3LE 4 3LE 4 3LE 4 4 4 4 4 4 4 4 4 4 4 4 4 | Price 17.98 E Retail Price 32.98 DLE Retail Price 37.98 MER |
| 50001 21" x 24" 36" 6 94.98 81032 17.5" 35" 6 34.9 | Number 98556 POND SK Part Number 98559 POND SK Part Number 98562 P Part Number Part Number | 10" x 7" IMMER NET WIT Frame Dimension 12" x 7" IMMER NET WIT Frame Dimension 16" x 16.5" COND NET/PONE 5000 | 12" H EXTEND Handle 32"- 63" HEXTEND 36"- 69" SKIMME 1 Handle 500 Handle | Qty 12 DABLE HA Case Qty 12 DABLE HA Case Qty 12 ER NET | Price 8.98 ANDLE Retail Price 32.98 | Number 98558 PO Part Number 98560 PRO Part Number 98561 COLL COLL COLL COLL Part Number | 12" x 7" ND NET WITH E Frame Dimension 16" x 16.5" FISH NET WITH Frame Dimension 20" APSIBLE POND LLAPSIBLE! 81032 COPING Frame Dimension | 32"- 63" EXTENDAB Handle C 36"- 69" EXTENDA EXTENDA Ca Handle Qt AND FISH Ca Handle Qt Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca | Qty 12 SLE HANDL ABLE HANDL ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND ABLE HAND | Price 17.98 E Retail Price 32.98 LE Retail Price 32.98 |

email: sales@waterlandscapesupply.com

8175

| | | | eeding Ring / S 9.75" Diamet | | | • Ai • Lo | ater/shoc uto shut-co w battery emains af | / alert loat |
|----------------|---|-------------|---------------------------------|--|----------------|----------------------------------|--|-----------------|
| Part | | Food | Feedings | Retail | Part Number | Description | Case Qty | Retail Price |
| Number | Description | Capaci | | Price | KSP | Digital Salinity Tester | 6 | 140.98 |
| FM211 | Fishmate P21 Feeder - Small Ponds | 1 Lite | | 84.98 | 3005 | Salt Calibration Solution, 90 mL | | 16.98 |
| FMP7000 | Fishmate P7000 Feeder - Large Ponds | 7 Lite | r 3 | 174.98 | KPHM | Digital pH Tester | 6 | 110.98 |
| PT140 | Feeding Ring | - | - | 7.98 | 7010 | pH Calibration Solution, 90 mL | | 16.98 |
| Part Number | THERMO CUBE Operates based on turns power on/off Part Number Description TC-3 Thermo Cube Description | – Helps pro | event freeze up | s – Ideal for an Air Temp. Off 45°F Case | | | h, plants, ponds | |
| P418 | Floating Pond De-Icer | 1250 | 10' 3 Yr | . 8 | 75.98 | | - | |
| THERMO | -POND-K&H MFG | | | | | | 800 | 1 |
| 8001 | Thermo-Pond 3.0 Pond Heater | 100 | 10' 1 Yr | · 6 | 90.98 | | 000 | • |
| PERFEC | T CLIMATE-K&H MFG | | | | | - | | |
| 8125 | 250W Perfect Climate Deluxe | 250 | 12' 2 Yr | · 6 | 82.98 | 39000 | | |
| 8175 | 750W Perfect Climate Deluxe | 750 | 12' 2 Yr | · 6 | 91.98 | | | - |
| 8115 | 1500W Perfect Climate Deluxe | 1500 | 12' 2 Yr | • 6 | 99.98 | | | - |
| 8100 | Submersible Pond De-Icer | 300 | 14' 2 Yr | · 6 | 94.98 | | 81 | 00 |
| AQUASC | CAPE [®] | | | | | | | |
| 39000 | 300 Watt Heater | 300 | 22' 3 Yr | - 6 | 149.98 | PD300 | | |
| ATLANTI | C [®] WATER GARDENS | | | | | | | 200 |
| PD300 | 300 Watt Heater | 300 | 20' 1 Yr | · 6 | 125.98 | Section 18 | Sec. | |
| DEDE | All-in-one de | sign, safe | for all ponds | . Will not bur | n liner. | | A STATE | - |

PERFECT CLIMATE





74000

| Description PT945 | Case Qty | Retail Price |
|-----------------------------|--|--|
| Sinks or Floats Thermometer | 24 | 19.98 |
| General Use Thermometer | 24 | 14.98 |
| Floating Thermometer | 12 | 7.98 |
| Submersible Thermometer | 6 | 10.98 |
| | Description Sinks or Floats Thermometer General Use Thermometer Floating Thermometer | DescriptionQtySinks or Floats Thermometer24General Use Thermometer24Floating Thermometer12 |

Transforms from submersible to floating in seconds. 8125 WIRELESS THERMOMETER

| | Versatile w parameters | ireless the s of your p | ermometer monit oond's environme | ors multiple nt: | |
|---|------------------------|---|--|---|---|
| | 115000 | • Wireless se • 6' waterpro • Central dig | of probe ital display | CHANNEL 1: Internal sensor measures dat CHANNEL 2: 10 ft probe measures data | a |
| | | FEATURES: - Water temp | ng or free standing perature (°F/°C) UTSIDE temperature (°F/°C | Wireless transmission | |
| | WATERPROOF | - Wireless IN - Inside hum - 12/24 hour | . , | | |
| 1 | Part Number | Wireless Range | Operating Temp. Range | Case Reta Qty Pric | |
| | LCTWT | 330' | -30.8°F to 139.8°F | - 16 49.9 | 8 |

Requires (2) AA and (2) AAA Batteries (not included)



PondoVac 5

17" x 28"

1800

16'

32.8

7.5' Max

48080

949.98

POND VACUUMS





MSD2

MSD6

MSD20

2/Card

6/Card

20/Card

12

12

5

9.98

16.98

36.98

Part

Number

CR0102

Effective Zone

(Area Covered)

1200 sq. ft.

Batteries

Required

(2) 9V

Case

Qty

4

Retail

Price

119.98

| K |
|----------------|
| 9 |
| |
| S |
| |
| 2 |
| 5 |
| |
| |
| Ð |
| |
| |
| OFI |
| |
| C |
| 0 |
| $\overline{>}$ |
| |
| 57 |
| õ |
| $\mathbf{\Xi}$ |
| - |
| - |
| |
| |
| - |
| |
| |
| |
| 6 |

email: sales@waterlandscapesupply.com



| | | | 200.01 | • | | | | | | onanaooap | | | |
|----------------------|---------------|---------------------------------|--|---|----------------|---|----------------|-----------------|--|---|---------------------|-------------|-----------------|
| | AQU | JATI | C PL | AN | TING | MEDIA | | | | BLOON | 1 & GR(| w, | |
| AUC A | | MAR Comp blend (inclue | IS FISH rised of a of natural ding zeoli float/clou | Wor float wate f CAF uniqu mater te) | e rial | own, bond br all | | | aquatic plan to promote l and faster b | rmulated for the of all type larger, bright looms as we d stronger ro | er Il as | | |
| | | • | D .(.) | Part Num | | Description | Case Qty | Retail Price | Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
| Part Number | Description | Case Qty | Retail Price | MIC | ROBE-L | | GICAL | LAB. | BNG16 | 16 oz. | 4800 | 12 | 12.98 |
| MARS FI | SH CARE | | | MLO | CAPM10 | 10 lbs. | 6 | 17.98 | BNG32 | 32 oz. | 9600 | 12 | 20.98 |
| AP187C | 25 lbs. | | 47.98 | MLO | CAPM20 | 20 lbs. | 3 | 34.98 | BNGGAL | Gallon | 38000 | 12 | 62.98 |
| FER | TILIZER | R SP | IKES | | | | CR | YSTA | L CLEA | R THRI | VE | | |
| up to one • Temperat | nutrients for | | | | | THRIVE release pelle d aquatic pla season long | ants all | | | | | | |
| Part Number | Description | | Reta Prie | | Part Number | Des | cription | | Formula | tion | Case Qty | | Retail Price |
| PT910 | 3 Pack | | 11.9 | 8 | CC017-3 | 30 30 1 | Fablets | | 10-14 | -8 | 12 | | 7.98 |
| PT911 | 6 Pack-Mini | Spikes | s 11.9 | 8 | CC017-6 | 60 60 T | Fablets | ; | 10-14 | -8 | 12 | | 14.98 |
| PT909 | Box of 50 | | 167.9 | 8 | CC017-2 | 200 200 | Tablet | s | 10-14 | -8 | 1 | | 37.98 |
| WA | TER GAI | RDE | NING | C | ONTA | INERS | | WA | TER GA | RDENI | NG BAS | KET | S |
| | BO GARDE | | ICA V G CO | | | S | Т | | | | | | |

SQUARE

| ranoa | | | iei pianing aquatie piante |
|----------------|-----------------------|-----------------|----------------------------|
| GP85 | | | RIBBED BLOW MOLD |
| Part Number | Dimensions (D x H) | Retail Price | WATER LILY |
| GROWIN | <u>G CONTAINERS</u> | | |
| GP85 | 8" x 5" | 4.48 | |
| RIBBED I | BLOW MOLD | | |
| BFN106 | 10" x 6" | 4.98 | |
| WATER L | ILY CONTAINERS | | |
| WLC95 | 9" x 5" | 7.98 | |
| WLC125 | 12" x 5" | 9.98 | LOTUS |
| WLC167 | 16" x 7" | 13.98 | |
| LOTUS C | ONTAINERS | | ROSEANNE POT |
| LC206 | 20" x 6" | 23.98 | |
| LC2310 | 23" x 10" | 32.98 | |
| ROSEAN | NE POT | | |
| R2212 | 22"Lx12"Wx7"H | 16.98 | |

Varied sizes and shapes perfect for planting aquatic plants



These Mesh Planting Baskets allow for easy plant placement in your pond.

The mesh allows plant roots to reach out, aiding in good water and fertilizer circulation around the plants' roots.

| Part Number | Dimensions (L x W x H) | Retail Price | | |
|-------------------------|---------------------------|-----------------|--|--|
| ROUND PLANTING | <u>G BASKETS</u> | | | |
| PBR5 | 5.5" x 4" | 2.48 | | |
| PBR7 | 6.75" x 5" | 3.58 | | |
| SQUARE PLANTIN | IG BASKETS | | | |
| PBS4 | 4" x 4" x 4" | 2.48 | | |
| PBS8 | 7.5" x 7.5" x 3.5" | 4.18 | | |
| PBS9 | 9" x 9" x 5" | 4.18 | | |
| PBS11 | 11" x 11" x 7.5" | 5.98 | | |
| PBS13 | 13" x 13" x 10.5" | 11.98 | | |
| KIDNEY PLANTING BASKETS | | | | |
| PBK187 | 18.5 x 7 x 6" | 8.98 | | |



email: sales@waterlandscapesupply.com



Includes 39" waterproof measuring tape on bottom and side

Part Number

WG772M

WG772L

WG772XL

FISH TRANSPORT BAGS & SUPPLIES



| Z | 2 | 16 | d, |
|----|------|----|----|
| SA | 2 | 1 | |
| | 1 | - | |
| | ates | - | 2 |

| Cotton lined |
|---------------|
| Resists punct |

| Part Number | Qty Per Box | mil | Dimensions | Retail Price |
|----------------|----------------|-----|------------|-----------------|
| FB916 | 200 | 3 | 9" x 16" | 90.98 |
| FB1524 | 200 | 3 | 15" x 24" | 130.98 |
| FB1835 | 100 | 3 | 18" x 35" | 140.98 |

BAG SEALING EQUIPMENT

Part

• Quickly & secu your fish trans

| urely close sport bags | Retail |
|---------------------------|--------|
| scription | Price |
| a Soaling Tool | 40.00 |

| Number | Description | Price |
|--------|--------------------------------|-------|
| BBT | Bag Sealing Tool | 49.98 |
| BB | Bag Sealing Bands, 100 per bag | 9.98 |
| | | |

MESH MEDIA BAG PRICE

| A STREET, STRE | | | | |
|--|----------------|-----------|-------------|-----------------|
| | Part Number | Size | Case Qty | Retail Price |
| | MBSM | 8" x 14" | 12 | 1.98 |
| | MB2030 | 20" x 30" | 12 | 6.98 |
| | MB2436 | 24" x 36" | 12 | 11.98 |
| BI | O BLOO | скя | PO | FORCE |

Pond Force Bio-Block

- 1 cubic foot of polyester blocks
- 20" x 30" mesh bag
- Approx. 500 sg/ft of surface area
- · Very economical pricing
- Long lasting material

| ks | | - Martin | |
|----|-----|----------|--|
| | 44. | | |
| | | | |
| | | - | |
| | | | |

Retail

Price

FB23

259.98

| Part Number | Description | Retail Price |
|----------------|-----------------|-----------------|
| PFBLOCKS | 1 Cubic Ft. | 31.98 |
| PFBLOCKS8 | 8 Cubic Ft. Box | 115.98 |

| Nonice I | 2 |
|----------|----------------|
| | ME |
| | 10 |
| Part | and the second |

Number

KMFM

Description

10 lbs. Momotaro Filter Media

Filter Media

 Imported from Japan Replicates ecosystem of the Ashi River • Ceramic cylinders with porous surface · Provides ideal conditions for good bacteria to colonize

| ٠ | Simpl | уp | lace | in I | pond | where |
|---|-------|------|-------|------|------|-------|
| | there | is n | novir | ng i | wate | r |
| | | | | • | | |

| 1011 | 1.000 | Contraction of the second | |
|------|------------|---------------------------|---|
| 100 | | 1000 | • |
| - | ALC: NO. O | Minister | |

Better tool grip

- Reduce fatigue
- Improved safety

· Heat-sealed

- Rough texture
- ures

| 2 | | |
|-----|----------|-----------------|
| | Case Qty | Retail Price |
| | 12 | 24.98 |
| | 12 | 24.98 |
| | 12 | 24.98 |
| wis | | |

BACTI - T

Size

Med

Lg

XL

Bio-Ribbon is Black, Spiral Shaped, Plastic Media for Pond Filters

WATER GARDEN GLOVES



| Part Number | Description | Retail Price |
|----------------|---------------------------|-----------------|
| PBBT12 | Bacti-Twist 1/2" Cubic Ft | 19.98 |
| PBBT1 | Bacti-Twist 1" Cubic Ft | 34.98 |
| PBBT2 | Bacti-Twist 2" Cubic Ft | 59.98 |
| PBBT5 | Bacti-Twist 5" Cubic Ft | 129.98 |

BIO BALLS



 1 cubic foot box 650 Bio Balls per box

| Part | | Retail |
|--------|-------------------|--------|
| Number | Description | Price |
| BB15 | Bio Balls, 1 1/2" | 71.98 |

POLYPROPYLENE FILTER BRUSHES

 Stainless steel center core · Works as mechanical / biological filtration · Collects fine/medium particles · Will not hinder flow of water Extends time between maintenance Part Retail Number Description Diameter Price **FB13** 13" Brush 4" 6.98

4"

9.98

23" Brush

email: sales@waterlandscapesupply.com

| | | В | ULK F | ILTER | R MEDIA - GR | | | |
|--|-------------------------------------|---|---|--|--|--|--|---|
| Part Number | Color | Size (W x L | | Retail Price | | 1 mar | | |
| 1 1/4" FILTER M | | <u> </u> | -, | | | N Ste | Sill allow | Contraction of the |
| FM12W | Cream | 56" x 1 | 15' | 239.98 | | 1 4/8 | 1985 | |
| FM56JC | Cream | 56" x 1 | 20' | 1,639.98 | | 11116 | Garal | |
| 2" FILTER MED | |) | | , | | 10.26 | CA 111 | |
| FM20W | Cream | ≁ 56" x : | 9' | 195.98 | | | | 14 |
| FM28W | Cream | 28" x 2 | | 233.98 | Truck Freight | K | and the state | Bulk Filter Filtedia |
| FM56JC2 | Cream | 56" x 9 | | 1,639.98 | OO O FM56JC/FM56JC2 | | | Filter |
| | | В | ULK F | ILTER | R MEDIA - GR | EEN | | |
| | 1000 | | - | | Part | | Size | Retail |
| 1 | al and | | | ruck Freight | | Color | (W x L) | Price |
| 11 | (ST) | T | | FM56LG | | | | |
| | | 1111 | 114 | | FM10G | Green | 56" x 15 | |
| | | | Bulk | | FM56LG | Green | 56" x 120 | 1,419.98 |
| | | | Bulk Filter Media | | 2" FILTER MEDI | | | |
| | | | | | FM28G | Green | 28" x 20 | 259.98 |
| | | B | ULK F | ILTER | R MEDIA - BL | ACK | | |
| Part | Color | Size | | Retail | | | | |
| Number 1 1/4" FILTER N | | (W x L | -) | Price | | | 7 | |
| | | 56" x 1 | 151 | 200.09 | Truck Freight | | | Bulk Filter |
| | Black | | | 269.98 | <u>00</u> 0 | | | Filteria |
| FM56JCB | Black | 56" x 1 | 20 | 1,839.98 | FM56JCB | | | |
| | | R | EPLAC | EME | NT DEBRIS N | IETS | | |
| | | | | | | | | |
| | | Desig | gned fo | or Por | ndSweep® Sk | kimmers | | |
| | <i></i> | Desig | gned fo | or Por | ndSweep® Sk | kimmers | | |
| | | Desig | gned fo | or Poi | ndSweep® Sk | cimmers. | | |
| | | Desig | gned fo | or Poi | ndSweep® Sk | <mark>(immers</mark> | | |
| | | Desig | gned fo | or Poi | ndSweep® Sk | <mark>kimmers</mark> | | |
| N-300 | N-302P | | | | | | | |
| N-300 | N-302P | | gned fo 1/700 | | | kimmers 280900/120 | | 500/1200/901 |
| Part | N-302P Top Width | | | | 0700 N-P | | D N-15 Bottom | 500/1200/901 Retail leight Price |
| Part Number | Тор | N-70 Bottom | 1/700 | N-PR Reta | 0700 N-F | PRO900/120 | D N-15 Bottom Width H | Retail leight Price |
| Part Number N-300 | Top Width | N-70 Bottom Width | 1/700 Height | N-PR Reta Pric | 0700 N-P | PRO900/120 Top Width 14.25" | D N-15 Bottom Width H | Retail leight Price |
| Part Number N-300 N-302P | Top Width 12" | N-70 Bottom Width 12" | 1/700 Height | N-PR Reta Pric 59.9 | 0700 N-P | PRO900/120 Top Width 14.25" 22.2" | 0 N-15 Bottom Width H 14.25" 1 | Retail Price 3.25" 62.98 |
| Part Number N-300 N-302P | Top Width 12" 15" | N-70 Bottom Width 12" 12.8" 15.45" | 1/700 Height 12" 11.3" 12" | N-PR Reta Pric 59.9 59.9 61.9 | 0700 N-P | PRO900/1200 Top Width 14.25" 22.2" 19" | D Bottom Width 14.25" 1 20.5" | Retail leight Price 3.25" 62.98 15" 69.98 |
| Part Number N-300 N-302P | Top Width 12" 15" | N-70 Bottom Width 12" 12.8" 15.45" R | 1/700 Height 12" 11.3" 12" EPLAC | N-PR Reta Pric 59.9 59.9 61.9 61.9 | 0700 N-P | PRO900/1200 Top Width 14.25" 22.2" 19" IETS | D N-15 Bottom Width P 14.25" 1 20.5" 19" | Retail leight Price 3.25" 62.98 15" 69.98 |
| Part Number N-300 N-302P N-PRO700 | Top Width 12" 15" 17.5" | N-70 Bottom Width 12" 12.8" 15.45" R | 1/700 Height 12" 11.3" 12" EPLAC gned f | N-PR Reta Pric 59.9 59.9 61.9 61.9 | 07700 N-P Part Number N-701/700 N-PRO900/1200 N-1500/1200/901 NT DEBRIS N | PRO900/1200 Top Width 14.25" 22.2" 19" IETS | D N-15 Bottom Width P 14.25" 1 20.5" 19" | Retail leight Price 3.25" 62.98 15" 69.98 |
| Part Number N-300 N-302P N-PRO700 MicroSk | Top Width 12" 15" 17.5" | Bottom Width 12" 12.8" 15.45" R Desig | 1/700 Height 12" 11.3" 12" EPLAC gned f | N-PR Reta Pric 59.9 59.9 61.9 61.9 | 07700 N-P Part Number N-701/700 N-PRO900/1200 N-1500/1200/901 NT DEBRIS N | PRO900/120 Top Width 14.25" 22.2" 19" IETS IETS IETS IETS | D N-15 Bottom Width H 14.25" 1 20.5" 19" | Retail Price 3.25" 62.98 15" 69.98 |
| Part Number N-300 N-302P N-PRO700 MicroSk | Top Width 12" 15" 17.5" | Bottom Width 12" 12.8" 15.45" R Desig EMENT DEBR | 1/700 Height 12" 11.3" 12" EPLAC gned for RIS NETS | N-PR Reta Pric 59.9 61.9 61.9 CEMEI or Aq | 07700 N-P Part Number N-P N-P N-P N-PRO900/1200 N-PRO900/1200 N-1500/1200/901 NT DEBRIS N uascape® Sk Uascape® Sk | PRO900/120 Top Width 14.25" 22.2" 19" IETS IETS IETS IETS IETS IETS IETS IETS IETS IETS | D N-15 Bottom Width H 14.25" 1 20.5" 19" | Retail leight Price 3.25" 62.98 15" 69.98 |

ASN-STN

ASN-LRG

ASN-GRD

6.5"

8.5"

16"

39.98

39.98

51.98

16"

ASN-GRD

NETS FOR MICROSKIM®

13.5"

15.5"

11.5"

14"

12"


12.5"

21.98

27.98

99219 (OLD)

99775 (NEW)



FILTER MATS

email: sales@waterlandscapesupply.com

DREAMPOND BOTTOM DRAINS KOI TOILET II **3" KOI TOILET I • AERATED** 4" KOI TOILET I • AERATED **KOI TOILET II w/SCREEN** 3" or 4" Standard w/7" Membrane Diffuser w/9" Membrane Diffuser 4" Standard Part Retail The most versatile and complete solution SLIP Number Description Aerated Price for aerated bottom drains. Features sweep 3" **KTR30** 100.98 Koi Toilet II No bottom design to eliminate trapping debris, Koi Toilet II 4" 105.98 **KTR** No slanted air dome/high quality air diffuser **KTRS** Koi Toilet II w/Screen 4" w/Screen No 105.98 with internal check valve function. **KTA30** Koi Toilet I • Aerated 3" Aerated 395.98 Yes Available in 3" & 4" Models **KTA100** Koi Toilet I • Aerated 4" Aerated 438.98 Yes EASY PRO BOTTOM DRAINS · Heavy duty roto-molded design offers superior strength · Welded, threaded inlet allows for easy connection to Both models have dual rubber 3" OR 4" pipe (male adapter not included) BD1 gaskets and six stainless screws · 16 stainless screws securely attach liner ring to base for tight penetration through liner BDA has 1/2" barbed fitting - Airflow: 5 to 1.5CFM • Uses 3" schedule 40 PVC EBD4A EBD4 BDA Retail Part Part Retail SLIP FPT Number Description Aerated Price Number Description Aerated Price 3" 4" 194.98 BD1 3" Bottom Drain No 110.98 EBD4 4" Bottom Drain No BDA 3" Bottom Drain Aerated 3" 176.98 EBD4A 4" Bottom Drain Aerated 4" Yes 251.98 Yes **BOTTOM DRAIN W/90°** SCREENED BOTTOM DRAIN Anti-vortex suction outlet Part Retail SLIP Number Price Liner installation RTF1848-C Concrete installation 1.5" 49.98 RTF1850-C 2" 94.98 Part Retail 3" FPT RTF1852-C 149.98 Number Price RTF1854-C 4" 187.98 **BD200** 2" 69.98 **AQUA ART RETRO-DRAIN** Part **REC. FLOW** Retail **Create Bottom** Number Price Suction Without SPIG **Cutting Into** ARDS 500-1400 GPH 184.98 the Liner Small • 1 1/2" - 3" ARDS ARDL 1400-10000 GPH 192.98 Large • 1 1/2" - 4" D14ARK 1400-10000 GPH D14ARK 429.98 (ARDL with 9" Matala diffuser) Large • 1 1/2" - 4" ARDL with 9" diffuser **BOTTOM-DRAW DISC Large Diameter Disc** Allows rock placements over the top and sides which makes hiding the Bottom-Draw Disc eas Connection: 1 1/2" Max GPM: 15 Diameter: 16 1/2" Retail Part Bottom-Draws remove debris from the bottom Number Price he gravity fed B of the pond and help replace stagnant water

CD1

with healthy, oxygenated water.

260.98

| | toll free: 8/ / | .200.010 | • 18 | IX: 515. | 266.8999 | • we | edsite: w | atenanc | iscapesup | piy.com | |
|---------------------|---------------------------------------|------------------------------------|---|-----------------|---|--|--|---|--|----------------------------|-----------------|
| | PON | D RET | URNS | | | | | | | | |
| Eductor | Educ s will circulate | tors | | | Pa | art umber | МРТ | | eq. Flow Rate [betw 10 – 50 | | Retail Price |
| | allons of water | | | | E | D14 | 1/4" | | 192 – 426 | 6 | 49.98 |
| for each | gallon pumped | | 100. | 4 | EI | D38 | 3/8" | | 450 – 100 | 0 | 59.98 |
| | | | | | EI EI | D34 | 3/4" | | 810 – 180 | 00 | 59.98 |
| | | | Y | | EI | D100 | 1" | | 1260 – 282 | 20 | 95.98 |
| | T. | T | T | | E | D150 | 1.5" | | 1980-444 | 0 | 105.98 |
| | | | SP | ECIA | LITY S | кімм | ERS | | | | |
| | | IW\$200 | | | | | | NU | | 25" W | |
| Part Number | Description | Weir Width | Max. Flow (GPH) | | Dimensions (L x W x H) | R | Retail Pa | art umber | Description | SKIMS | |
| WS200 | Renegade Vinyl | 8" | 4500 | | j" x 11.7" x 20 | | | | · · · | | |
| ws | Liner Skimmer, 2 FloPro II In-Wall | | 3000 | | 5" x 7.1" x 11 | | | 38B | | ent Floating | 29.98 |
| NNS112 | Skimmer, 1 1/2" No-Niche Skimme | er 25" | 3000 | 0" Di | ameter x 13. | 76" 40 | 9.98 | 13B | Replacements for NNS112 | ent Basket | 31.98 |
| FOI PROFESSIONAL | POND PRODUCTS | Stain Wed Screen Particle | less Steel Ige-Wire Separates es Down to NICRONS! | tile N | VE FIL Dramatically Replaces use Combine with Connects to SYEAR WARRANT | ical P increase th e of priming h <u>ANY</u> beac skimmer, b | ne efficienc g pot/leaf b d filter for a | y of <u>ANY</u> asket on n ideal ko | biological fi external pun pi pond or ac | lter | garden |
| Part | OND FROM BOTTOM DRAIN | | FILTERED THRU SOO MICRON SIEVE | - | Truck Freight OO Max. Pond | Dir | nensions | SK332 | Inlet | S | K211 Retail |
| Number | Description | | | GPH) | Volume | | x W x H) | | Size | Size | Price |
| SK332 | UltraSieve Midi | Yes | Yes | 3600 | 7000 | 21.75" x | 10.38" x 28 | | 4" | 2" | 1,799.98 |
| SK211 | UltraSieve III | Yes | | 7900 | 14000 | 25.6" x 1 | 4.57" x 38 | .98" (3 | |) 2" Outlet " Discharge | 2,799.98 |
| Part Number | Description | | Retail Price | Part | | | | | | | Retai |
| SK334 | Lid for UltraSieve | Midi | 107.98 | Number | Descriptio | on | | | | | Price |

SK218

Lid for UltraSieve III

139.98

SK214

200 Micron Stainless Steel Sieve Element for UltraSieve III

629.98



MODEL: 220

UP TO 4,800 Gallons

NEXUS FILTER SYSTEMS

nexus

Multi-award winning filter systems

HOW THE NEXUS® FILTER WORKS

The mechanically clean water passes to the outside chamber of the nexus where the K1 Media moving bed is located for biological treatment prior to being returned to the pond.

At this stage, biological breakdown occurs through different strains of bacteria and filter feeders living on the protected surface area of each piece of the K1 Media. These bacteria convert Ammonia and Nitrite into less harmful Nitrate.

Water from the pond enters the nexus via the inlet into the inner chamber which works as a vortex allowing larger solids to settle out.

Water then passes through the grills in the stainless steel "Eazy" filter, where the finer particles are removed at the mechanical stage of filtration, thanks to the static bed of our award winning K1[®] Micro filter media.

· Install on a pump-fed or gravity-fed set-up

· Easy to install, simple to maintain

Manufactured ready for easy upgrade to Automatic System





| Part Number | Description | Max. Pond Size | Max. Flow Rate | Volume of Water in Nexus | Dimensions (W x H x D) | Retail Price |
|----------------|----------------|----------------|----------------|-----------------------------|---------------------------|-----------------|
| NEXEAZ210 | Model Nexus220 | 4,800 Gallons | 2,640 Gal/hour | 135 Gallons | 43.7" x 33.4" x 49.6" | 2,399.98 |
| NEXEAZ310 | Model Nexus320 | 9,000 Gallons | 3,431 Gal/hour | 222 Gallons | 51.9" x 40.3" x 56.3" | 2,999.98 |

NEXUS AUTOMATIC SYSTEM

AUTOMATIC CLEANING CYCLE



The Nexus Automatic System will control the cleaning cycle fully automatically. Cleaning is done on a timer, which is factory set to clean once every 3 days, however, this is easily adjustable to fit in with your pond requirements. The Nexus Automatic System will run a cleaning cycle which lasts approximately 10 minutes.






- · Patented pondflow regulation system
- · Simple installation with flexible connectors
- · Large waste collection which is easy to clean
- · Can be installed on pump or gravity fed set-ups



Cutaway example to show

how pre-filter works





| Part Number | Description | Max. Flow Rate | Inlet Gravity Fed | Outlet Gravity Fed | Inlet Pump Fed | Outlet Pump Fed | Dimensions (W x H x D) | Retail Price |
|----------------|----------------------|-------------------|----------------------|-----------------------|-------------------|--------------------|---------------------------|-----------------|
| CETUS | CetusSieve (Gravity) | 4,755 Gph | 4" | 1 1/2" | 1 1/2" | 4" | 22.6" x 37.2" x 33.9" | 1,389.98 |
| CETUSP | CetusSieve (Pump) | 4,755 Gph | 4" | 1 1/2" | 1 1/2" | 4" | 22.6" x 37.2" x 33.9" | 1,389.98 |

EVOLUTION AQUA

EVOLUTION

K1MicroBead

NEW RANGE OF PRESSURISED FILTER SYSTEMS

- · Uses K1Micro filter media for dramatically improved biological filtration compared to using beads
- · Multi-port valve and blower included with all models
- · Blower used during cleaning cycle
- · Large clear viewing lid on top of the filter
- Improved flow through K1Micro filter media
- 6 sizes of filter systems available, 15", 18", 20", 24", 30" and 36"



| Part Number | Description | Max. Pond Size | Diameter | Height | Volume of K1 Micro Media | Multi-port Valve Size | Air Blower Size | Retail Price |
|----------------|---------------|----------------|----------|--------|-----------------------------|--------------------------|--------------------|-----------------|
| K1MBF15 | K1MicroBead15 | 2,400 Gallons | 15" | 24" | 0.88 cu. ft. | 1 1/2" | 200W | 1,559.98 |
| K1MBF18 | K1MicroBead18 | 3,600 Gallons | 18" | 26" | 1.06 cu. ft. | 1 1/2" | 200W | 1,739.98 |
| K1MBF20 | K1MicroBead20 | 4,800 Gallons | 20" | 30" | 1.77 cu. ft. | 1 1/2" | 200W | 2,279.98 |
| K1MBF24 | K1MicroBead24 | 9,600 Gallons | 24" | 32" | 3.53 cu. ft. | 2" | 200W | 2,579.98 |
| K1MBF30 | K1MicroBead30 | 14,500 Gallons | 30" | 37" | 5.28 cu. ft. | 2" | 300W | 3,639.98 |
| K1MBF36* | K1MicroBead36 | 24,000 Gallons | 36" | 43" | 8.83 cu. ft. | 2" | 300W | 4,199.98 |

K1MICRO BEAD

```
* Drop Ship from Supplier
```

DETOX DECHLORINATOR

K1Media

detox dechlorinator **REMOVES HARMFUL CHLORINE FROM WATER**

- · With high capacity, pre-washed carbon
- · Removes toxins in tap water
- · Easily connects to a hose pipe fittings included
- · No need to wait for chlorine to "gas-off" or to use liquid treatments
- Available in 12" and 30" size
- · For use on ponds and indoor aquariums

PURE POND

PUREPONI

PUREPOND

MAINTAINS HEALTHY POND WATER

- · Bacteria and enzymes delivered in gel-like balls
- · Cleans up organic waste
- · Breaks down ammonia and nitrite
- · Maintains crystal clear and healthy water

| • | • | | and the second | |
|----------------|---------|------------------|----------------|-----------------|
| Part Number | Size | Gallon Treats | Case Qty | Retail Price |
| PUREPOND500 | 500 ml | 2,600 | 18 | 19.98 |
| PUREPOND1000 | 1 Litre | 5,280 | 12 | 37.98 |
| PUREPOND2000 | 2 Litre | 10,550 | 8 | 62.98 |

PURE POND BOMB

| PURE Pond Bomb | High cor enzymes Breaks c Cleans u | TING BOOST O ncentration of bacter delivered in one ge down ammonia and r up organic waste clarity of water | ia and I-like ball | | PURE |
|---|--|--|-----------------------|-------------|-----------------|
| Part Number | | How Packaged | Treats | Case Qty | Retail Price |
| PONDBON | 1B250 | 1 | 5,200 | 12 | 24.98 |
| PONDBOMB36 36 5,200 899.98 (PondBomb36 - Countertop Display with 36 Packs) | | | | | |

| -020 | FG ⁴ | 12 | - | |
|----------------|-----------------|-------------|-----------|-----------------|
| - | FC | 30 | | - |
| Part Number | Length | Treats | Max. Flow | Retail Price |
| FC12 | 12" | 59,500 Gal | 60 Gph | 219.98 |
| FC30 | 30" | 146,500 Gal | 60 Gph | 319.98 |

PURE+ FILTER START GEL



concentrated bacteria culture for use in new pond filters

| Part Number | Size | Treats | Case Qty | Retail Price |
|-----------------|-----------|-----------|-------------|-----------------|
| PUREPONDGEL1L | 1 Litre | 2,640 Gal | 12 | 39.98 |
| PUREPONDGEL2.5L | 2.5 Litre | 4,600 Gal | | 79.98 |

K1 MEDIA

NUMBER 1 FILTER MEDIA IN KOLAND AQUATICS

| | Part Number | Cubic Feet | Case Qty | Retail Price |
|----|----------------|---------------|-------------|-----------------|
| ia | MEDIA1L* | .04 | 12 | 12.98 |
| | MEDIA3L* | .11 | 8 | 24.98 |
| • | MEDIA25L | .88 | | 94.98 |
| | MEDIA50L* | 1.77 | _ | 174.98 |

* Drop Ship in Case Quantities

| Improve figure Reduce algorithm De-ice to provide the second secon | e into your po sh health gae growth an prevent winter grade air pum | d sludge build up fish kill | | ON SYS | | For Pond | s Up to 1800 (| }allons |
|--|---|--------------------------------|--------|------------------|----------------|---------------|----------------|----------------|
| • Long life e Part Number | Pond Volume | Diffuser Disc | СГМ | Tubing Length | Tubing Size | Max. Depth | Watts | Retai Price |
| MEA-PRO-MINI | 1800 | (2) 3 1/4" Dia. | 0.34 | (1) 65' | 3/16" | 8' | 6 | 72.98 |
| MAP9 | Air F | Pump (only) | 0.34 | (1) 65' | 3/16" | 8' | 6 | 36.98 |
| LDIA | | | Diaphr | agm Kit | | | | 16.98 |

Atlantic ATLANTIC MINI AERATION KITS

- •Weighted air stones with rim guards stand up to multi-season use
- •Kits include air pump with 6' cord, 4" air stones, in-line check valves and tubing as shown
- Dependable aeration for smaller ponds 5' deep or less
- Replaceable diaphragm cartridges extend pump service life



| Part Number | Description | Watts | Diffusers | Tubing Size | Max. Depth | Pond Volume | Retail Price |
|------------------|--------------|-------|-----------|-----------------|---------------|----------------|-----------------|
| TAKIT0400 | Aeration Kit | 4.5 | 1 | 1/4" x 20' | 5' | 1000 Gal. | 82.98 |
| TAKIT0800 | Aeration Kit | 9 | 2 | (2x) 1/4" x 20' | 5' | 2000 Gal. | 126.98 |

LAGUNA AERATION KIT

LOW VOLUME AIRPUMPS

| Laguna | | from fr • 5" diar | Helps prevent pond surface from freezing over 5" diameter float 30' winter safe tubing Styrofoam float Air pump | | PONDMASTER Easy to use Quiet operation Energy-efficient motor No lubrication necessary | | | | | | | | |
|--------|----------|----------------------|---|-------------------|--|-------------|---------------------|----------------|---------------|-------|----------------|-------------|-----------------|
| - | | | | 2 | Part Number | Description | Cu. Inch Per Min | Tubing Size | Max. Depth | Watts | Cord Length | Case Qty | Retail Price |
| | | | | 3YEAR WARRANTY | 40512 | AP-2 | 70 | 3/16" | 3' | 2 | 6' | 4 | 13.98 |
| Part | Tubing | Airstone | | Retail | 40513 | AP-3 | 110 | 3/16" | 3.3' | 3 | 6' | 4 | 18.98 |
| Number | Included | Included | Watts | Price | 40514 | AP-4 | 275 | 3/16" | 4' | 4 | 6' | 4 | 30.98 |
| PT1630 | 30' | 1" | 4.5 | 71.98 | 40518 | AP-8 | 545 | 3/16" | 4.5' | 8 | 6' | 4 | 46.98 |



HP-150

HP-200

7

8.4

155

250

45

10.1" x 7.9" x 8.7"

10.1" x 7.9" x 8.7"


10'

10'

1.079.98

1,159.98

| | | 9 2 8 9 5 2 8 |
|----------------|----------------|----------------------|
| Part Number | Model # | Retail Price |
| HPSPC | XP-40/60 | 154.98 |
| H80PC | HP-80 | 154.98 |
| H120PC | HP-100LL/120LI | 319.98 |
| H200PC | HP-150/200 | 319.98 |



MEDO LINEAR PISTON COMPRESSORS

- The compressors utilize a small piston instead of a diaphragm
- Quiet, energy efficient, weather resistant and durable
- Common to last 6 years with proper installation



3 year warranty

- 5' power cord
- UL listed for outdoor use

| Part | | | CUBIC | FEET PER | MINUTE @ | | | | | Retail |
|--------|---------------|-----|-------|----------|----------|-----|-----------|-------------|-------|--------|
| Number | Description | 0' | 2' | 4' | 6' | 8' | Max Depth | Outlet Size | Watts | Price |
| ML28 | Linear Piston | 1.3 | 1.2 | 0.8 | 0.5 | - | 6' | 5/8" | 26 | 369.98 |
| ML45 | Linear Piston | 1.8 | 1.7 | 1.5 | 1.1 | - | 6' | 3/4" | 45 | 433.98 |
| ML60 | Linear Piston | 2.5 | 2.5 | 2.3 | 1.4 | 0.5 | 8' | 3/4" | 60 | 559.98 |
| ML80 | Linear Piston | 3.0 | 2.9 | 2.8 | 2.1 | 1.2 | 8' | 3/4" | 86 | 589.98 |
| ML100 | Linear Piston | 4.6 | 4.5 | 4.2 | 3.7 | 1.8 | 9' | 1" | 95 | 899.98 |
| ML120 | Linear Piston | 5.2 | 5.1 | 4.8 | 4.5 | 2.6 | 9' | 1" | 118 | 929.98 |

AERATION




Objects up to 10" tall

109-RB

Model 109

30" x 23" x 18"





AERATION

email: sales@waterlandscapesupply.com



100

| | | | | | | | | AR- | om | 0 |
|--|---|----------------------------|------------------------------|-------------------|---|--|---|---|--|----------------------------------|
| | | | WEIG | HTED A | IR TU | BING | | - Alle | Maf | ala |
| Guarantee | I PVC hose all temperatu ed not to crac ng for easy in Inner | ck/split | Retail | Ide Us Aera | al for e in otion ems | 6 | 6 | | 2 | |
| Number | Diameter | Length | Price | Syste | ems / | | | | | |
| BOXED RC | | | _ | 5 | | | | | | |
| WAH38 | 3/8" | 100' | 109.98 | | | | | | | |
| WAH38-3 | 3/8" | 300' | 329.98 | Part | Inner | Retail | | | | |
| WAH38-5 | 3/8" | 500' | 544.98 | Number | Diameter | | Part | I | Inner | Retail |
| WAH12 | 1/2" | 100' | 179.98 | CUT (PRIC | | | Number | Length Di | ameter | Price |
| WAH12-3 | 1/2" | 300' | 599.98 | WAH38C | 3/8" | 1.98/FT | PRE-CUT | | | |
| WAH12-5 | 1/2" | 500' | 999.98 | WAH12C | 1/2" | 2.98/FT | WAH38-20 | 20' | 3/8" | 31.98 |
| WAH58 | 5/8" | 100' | 249.98 | WAH58C | 5/8" | 3.98/FT | WAH38-30 | 30' | 3/8" | 39.98 |
| | | | | AIR PU | MP M | ANIFOLI | DS | | | |
| SC2-38 SC2-12 SC2-58 | | SC3-38 SC3-12 SC3-58 | | 🔰 Š | C4-38 C4-12 C4-58 | IK-DF12 | TT | SCP4-38 | K K S | tala° |
| Part Number | Descriptio | on | Compatil Tubing | | | Part Number | Description | Compa Tubir | | Retail Price |
| SC2-38 | 2-Way | | 3/8" | | 40.98 | MANIFOLDS | Description | TUDI | | Flice |
| SC2-12 | 2-Way | | 1/2" | | 42.98 | HK-DF6 | 6-Way | 3/16 | 3" | 23.98 |
| SC2-58 | 2-Way | | 5/8" | | 44.98 | HK-DF12 | 12-Way | 3/16 | | 37.98 |
| SC3-38 | 3-Way | | 3/8" | | 54.98 | | 12-Way | 3/10 |) | 57.50 |
| | | | | | | 0004.20 | Disatia | 2/0 | | 40.00 |
| SC3-12 | 3-Way | | 1/2" | | 56.98 | SCP4-38 | Plastic | 3/8 | " | 19.98 |
| SC3-12 SC3-58 | 3-Way 3-Way | | 1/2" 5/8" | | 56.98 60.98 | SCP4-38 | Plastic AIRST | | " | 19.98 |
| | | | | | 56.98 | SCP4-38 | | | | |
| SC3-58 SC4-38 | 3-Way | | 5/8" | | 56.98 60.98 | SCP4-38 | | | | |
| SC3-58 SC4-38 SC4-12 | 3-Way 4-Way | | 5/8" 3/8" | | 56.98 60.98 70.98 | SCP4-38 | | | | 19.98 ond Logic |
| SC3-58 | 3-Way 4-Way 4-Way 4-Way | AIRSTO | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 | SCP4-38 | | ONES | | |
| SC3-58 SC4-38 SC4-12 SC4-58 | 3-Way 4-Way 4-Way 4-Way | AIRSTO | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 | | | ONES | | |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA | 3-Way 4-Way 4-Way 4-Way | ES | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 | SCP4-38 | | ONES | | lond |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA | 3-Way 4-Way 4-Way 4-Way | ES | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 | AIRST | ONES | 1602 | Cogic |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong | 3-Way 4-Way 4-Way 4-Way | ES ca | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | | | ONES | | lond |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de | 3-Way 4-Way 4-Way 4-Way AIRSTON | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part | AIRST | ONES 160264 | 1602 Rec. | 65 Retail |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de | 3-Way 4-Way 4-Way A-Way AIRSTONI er than silic ensity, self w finer bubbl | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part Number AIR STONES | AIRST | ONES 160264 | 1602 Rec. | 65 Retail |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de • Produces increased | 3-Way 4-Way 4-Way A-Way AIRSTONE er than silic ensity, self w finer bubbl pressure | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part Number AIR STONES 160261 (2) | AIRST | ONES 160264 Fitting | 1602 Rec. CFM | eggic 65 Retail Price |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de • Produces increased | 3-Way 4-Way 4-Way A-Way AIRSTON er than silic ensity, self w finer bubbl pressure h muriatic | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part Number AIR STONES 160261 (2) : 160264 (1) | AIRST | ONES 160264 Fitting 3/16" Barb | 1602 Rec. CFM 0.2 | e65 Retail Price |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de • Produces increased • Clean with | 3-Way 4-Way 4-Way A-Way AIRSTON er than silic ensity, self w finer bubbl pressure h muriatic | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part Number AIR STONES 160261 (2) : 160264 (1) | AIRST Dimensions (W/H x L) 2" Dia. Sphere 6" Blue Airstone 12" Blue Airstone | ONES 160264 Fitting 3/16" Barb 3/16" Barb 3/16" Barb | 1602 Rec. CFM 0.2 0.5 0.8 | Retail Price 10.98 9.98 |
| SC3-58 SC4-38 SC4-12 SC4-58 ALUMINA • 3X strong • Higher de • Produces increased • Clean with | 3-Way 4-Way 4-Way A-Way AIRSTON er than silic ensity, self w finer bubbl pressure h muriatic | ES ca veighting | 5/8" 3/8" 1/2" 5/8" | | 56.98 60.98 70.98 72.98 75.98 | 160261 Part Number AIR STONES 160261 (2) : 160264 (1) | AIRST | ONES 160264 Fitting 3/16" Barb 3/16" Barb 3/16" Barb | 1602 Rec. CFM 0.2 0.5 0.8 | Retail Price 10.98 9.98 |

| Part Number | Dimensions (W/H x L) | Fitting | Rec. CFM | Retail Price |
|----------------|-------------------------|------------|-------------|-----------------|
| ALUMINA | AIRSTONES | | | |
| AS15 | 1 1/2" x 1 1/2" | 3/16" Barb | 0.15 | 17.98 |
| AS325 | 1 1/2" x 3" | 1/4" Barb | 0.3 | 22.98 |
| AS650 | 1 1/2" x 6" | 1/2" MPT | 0.6 | 29.98 |
| AS950 | 1 1/2" x 9" | 1/2" MNT | 0.9 | 50.98 |
| AS1250 | 1 1/2" x 12" | 1/2" MPT | 1.2 | 57.98 |



MALE ADAPTERS

1/4" x 3/8"

1/4" x 1/2"

1/4" x 5/8"

1/2" x 3/8"

Part Number

A1438B

A1412B

A1458B

A1238B

Retail Price

3.98

4.98

4.98

3.98

Part

Number

FA12B

FA1258B

FEMALE ADAPTER

Retail

Price

4.98

4.98

101

FEMALE ADAPTERS

1/2" x 5/8"

1/2" x 1/2"

Matala®

ROCKING PISTON AIR COMPRESSORS

- Lightweight aluminum components
- · Wear resistant hard coated cylinders
- · Easy to replace piston seal
- · Permananetly lubricated bearing
- · Designed for 24 hour operation
- Inlet air filter & rubber pads included

| | MPC-60C | MPC-120C | 2 YEAR WARRANTY | MPC-200C | ļ |
|----------------|-------------------|----------|---------------------------|----------------|-----------------|
| Part Number | Description | | Dimensions (L x W x H) | Cord Length | Retail Price |
| MPC-60A | 1/4 HP Compressor | 7 | ′.1" x 6.3" x 7.8" | 6' | 499.98 |
| MPC-120A | 1/2 HP Compressor | ç | 9.4" x 6.3" x 7.8" | 6' | 699.98 |
| MPC-200A | 3/4 HP Compressor | 1 | 0.8" x 6.5" x 9.5" | 6' | 1,199.98 |

ROCKING PISTON AERATION SYSTEMS



AERATION SYSTEMS WITH CABINETS

10.8" x 6.5" x 9.5"

- · Simplify your setup
- Protect your investment

STANDARD FEATURES INCLUDE:

- Ventilation fan

MPC-200C-4

- Weatherproof vents
- Tubing pop-outs
- Self-standing lid hinge

| Part Number | Description | Retail Price |
|----------------|-------------------------|-----------------|
| AERATION SYS | TEMS WITH CABINETS | |
| MPC-60C1 | 1/4 HP System w/Cabinet | 1,239.98 |
| MPC-120C1 | 1/2 HP System w/Cabinet | 1,439.98 |
| MPC-200C1-4 | 3/4 HP System w/Cabinet | 1,999.98 |

3/4 HP Compressor System

- 2 Outlets

- Lockable latch

- Elevated base



6'

1,339.98

ROCKING PISTON PERFORMANCE RATING

| | CUBIC FEET PER MINUTE @ | | | | | | | | | | | | |
|-------------------|---------------------------|------|------|------|------|------|------|------|------|------|-------|-----|------|
| Description | Pond Size | 0' | 5' | 10' | 15' | 20' | 25' | 30' | 40' | 50' | Watts | HP | Amps |
| 1/4 HP Compressor | Up to 1.5 Acres, 16' Deep | 3.53 | 3.11 | 3.0 | 2.9 | 2.75 | 2.61 | 2.51 | 2.26 | 2.01 | 226 | 1/4 | 2.27 |
| 1/2 HP Compressor | Up to 3 Acres, 16' Deep | 5.16 | 4.7 | 4.59 | 4.42 | 4.13 | 3.96 | 3.85 | 3.36 | 3.04 | 433 | 1/2 | 3.81 |
| 3/4 HP Compressor | Up to 4 Acres, 16' Deep | 7.45 | 7.17 | 6.78 | 6.68 | 6.36 | 6.29 | 6.0 | 5.58 | 5.02 | 597 | 3/4 | 5.4 |

| MATALA POND AND LAKE AERATION KITS Matala | | | | | | | | | | |
|--|--|--|--------------------------------|------|-------|-----------------|----------------|-----|-------|-----------------|
| Aeration Depth | Guide | 1/4 HP KI • 1/4 HP Compressor • Pressure gauge & relief valve | C (SING Less Cabinet | | | SER) | With Cabinet | | | |
| 5' - 8' 8' - 12' 12' - 16' Max Do 40 | - | Air manifold 3/8" x 100' weighted tubing Single air diffuser base Fittings & clamps | | 4. | C | | | | | |
| | | | Part Number | HP | Watts | Retail Price | Part Number | HP | Watts | Retail Price |
| | | | AK-60C1 | 1/4 | 226 | 799.98 | AK-60C1-1 | 1/4 | 226 | 1,399.98 |
| | | 1/4 HP | | DIFF | USER | RS) | | | | - |
| Max D | Pond Size 1/2 Acre 3/4 Acre 1/2 Acre epth: | • 1/4 HP Compressor • Pressure gauge & relief valve • Air manifold • (2) 3/8" x 100' weighted tubing • (2) Single air diffuser base • Fittings & clamps | Less Cabinet | デ | | | With Cabinet | | | |
| 40 | | | Part Number | НР | Watts | Retail Price | Part Number | HP | Watts | Retail Price |
| | | | AK-60C2 | 1/4 | 226 | 999.98 | AK-60C2-1 | 1/4 | 226 | 1,599.98 |
| | | 1/2 HP | KIT (3 D | DIFF | USER | (S) | | | | |
| 12' - 16' Max De | Pond Size 3/4 Acre 1 1/2 Acre 3 Acre epth: | • 1/2 HP Compressor • Pressure gauge & relief valve • Air manifold • (3) 3/8" x 100' weighted tubing • (3) Single air diffuser base • Fittings & clamps | Less Cabinet | | 6 | 6 | With Cabinet | | | |
| 40 |)' | | Part Number | HP | Watts | Retail Price | Part Number | HP | Watts | Retail Price |
| | | | AK-120C | 1/2 | 433 | 1,439.98 | AK-120C-1 | 1/2 | 433 | 1,999.98 |
| | | 3/4 HP | KIT (4 D | DIFF | USER | RS) | | | | |
| Aeration Guide • 3/4 HP Compressor | | | | | | | | | | |

- Pressure gauge & relief valve Air manifold
- (4) 3/8" x 100' weighted tubing
- (4) Single air diffuser base

| Max | Depth: |
|-----|--------|
| | 40' |

• Fittings & clamps

| Part Number | HP | Watts | Retail Price |
|----------------|-----|-------|-----------------|
| AK-200C | 3/4 | 597 | 2.033.98 |



3/4

597

AK-200C-1

2,699.98

AERATION KITS

email: sales@waterlandscapesupply.com

| | | | | | | | | · · · | |
|-------------------------------|-------------|-----------------------------------|-------------|--|---------------------------|--|---|-----------------|---------------------------|
| | | ROC | KING | PISTO | N REBU | | TS | | |
| These rebuil easy to repla | | 66 | Part Num | | Description | ing Diston F | Pobuild Kit | | Retail Price |
| There are 3 sizes availble | | | 1 | RBK-60 1/4 HP Rocking Piston Rebuild Kit RBK-120 1/2 HP Rocking Piston Rebuild Kit | | | | | |
| | | UH | 5 | (-200 | 3/4 HP Rock | - | | | 155.98 183.98 |
| | | | | | | _ | | | 100.00 |
| Conceitor | | MA | | COMP | RESSOF | | 5 | 0.0 | 0 0 @ |
| Capacitor Mafala° | A\$306116 | A\$312116 | A\$320116 | | | S 30029 | A\$300029-5 | A\$300029-6 | itala° |
| Part Number | | | A0020110 | Retail Price | Part Number | | | A0000029-0 | Retail Price |
| AS306116 | Description | for MPC-60 | | 27.98 | AS300029 | Descri For MF | PC-60 and MPC-120 (1/4 | 1" male thread) | 23.98 |
| AS312116 | • | for MPC-120 | | 33.98 | AS300029 | | PC-200 (3/8" male threa | | 23.98 |
| AS320116 | • | for MPC-200 | | 39.98 | AS300029 | | ement element | u, | 11.98 |
| | | | POST N | | ED CAI | • | | | |
| | | Mataia Agentaria | | | •7' •Fi •So | ound proof educes mo Description | rd C, MPC-120C, an fing standard otor sound consid | derably | Retail Price 749.98 |
| | UTHE PRIMA | JURANUS. | V | ALVE | BOXES | | | | |
| | | | underg | ground a | and yet ha color, lid | ve easy a | | MOGO | 10 |
| | MI2001 | | 106010 | | x 10" Deep - | | 39.98 | L. | - 34 |
| | | M | 112001 | 12" x 17' | ' x 10" Deep | - Box | 79.98 | | |
| | | | DIREC | T BUR | RIAL TU | BING | | | |
| | | • Will • Dur • UV- • Ext | Stabilized | if buried ng that go I PVC for w friction | oes from co use in har | shest con | r to weighted tub ditions e air to the water | | omically |
| Part Number | | Description | | | | | | | Retail Price |
| TPB12100 | | Boxed 1/2" x 100' | Direct Buri | al Tubing | | | | | 79.98 |
| | | | | | | | | | |

510120

AERATION SPECIALTY

Boxed 5/8" x 100' Direct Burial Tubing



Part

Number

RV303004

RV306003

Description

Rebuild Kit for MRV30

Rebuild Kit for MRV60



Retail

Price

99.98

103.98

email: sales@waterlandscapesupply.com



KASCO SOLAR

Kasco's solar packages are powerful enough to run our standard units up to a **1HP single phase** or **2HP three phase** unit. These systems are the solution for projects in remote locations where power is not available, or for those looking to make a positive impact on the environment.

| | II IIee. 077. | 200.0101 | | 5.200.098 | • web | | iscapesuppiy.co | |
|---------------------|------------------------|----------------|--------------------------------|--------------|----------------|---------------------------|---------------------------|------------------------|
| <u>Kasco</u> | | JF | SERIES D | ECOR/ | ATIVE FO | UNTAINS | | |
| | | | CALL | OR DELI | VERED PRI | CE | | |
| 3/4 HP | Part Number | Volts A | Power Cord mps Min Max. | | SPRAY PATTI | ERNS INCLUDED | WITH 3/4 HP FOL | JNTAIN |
| J SERIES | | | 7.3 50' - 200' | 18" | A. Linden - E | B. Cypress - C. Willow - | H. Birch - G. Sequoia | 2year warranty |
| Standard: 5 Pattern | | | 3.7 50' - 400' | 18" | | 8. Cypress - C. Willow - | - | |
| | Part | | Power Cord | Minimorra | | | | |
| 1 HP | Number | Volts A | mps Min Max. | | SPRAY PATT | ERNS INCLUDED | WITH 1 HP FOU | NTAIN 2year |
| J SERIES | | 120 | 11 50' - 200' | 19" | A. Linden - B | 8. Cypress - C. Willow - | H. Birch - G. Sequoia | WARRANT |
| Standard: 5 Pattern | s 4400HJF | 240 5 | 5.5 50' - 400' | 19" | A. Linden - B | . Cypress - C. Willow - | H. Birch - G. Sequoia | |
| 2 HP | Part | | Power Cord | | | |) WITH 2 HP FOU | |
| J SERIES | Number | | mps Min Max. | Depth | | | | |
| Standard: 6 Pattern | 8400JF | 240 1 | 0.5 50' - 400' | 20" | A. Linden - C | . Willow - D. Juniper - E | . Redwood - F. Spruce - I | H. Birch |
| 3 HP | Part | | Power Cord | | | |) WITH 3 HP FOU | |
| J SERIES | Number | | mps Min Max. | Depth | | | | |
| tandard: 6 Pattern | s 3.1JF | 240 1 | 3.4 50' - 400' | 24" | A. Linden - C | . willow - D. Juniper - E | . Redwood - F. Spruce - | n. Birch |
| 5 HP | Part | Maltin | Power Cord | | SPRAY PATT | |) WITH 5 HP FOU | NTAIN 3 YEAR |
| J SERIES | | | mps Min Max. 20 100' - 400' | Depth 36" | | | . Redwood - F. Spruce - | |
| tandard: 7 Pattern | s 5.1JF | 240 2 | 20 100' - 400' | 30 | A. Linden - C | . Willow - D. Juniper - E | | o. oequoia - ri. Birch |
| | THE J | SERI | ES SPR/ | AY PA | TTERNS | SHOWN | I BELOW | |
| Linden | H x Dia. | B | Cypress H × | Dia. | E Redwood | H x Dia. | F Spruce | H x Dia. |
| 400JF/HJF | 9' x 29' | 3400 | IF/HJF 7': | x 17' | 3400JF/HJF | N/A | 3400JF/HJF | N/A |
| 400JF/HJF | 12' x 31' | | | x 28' | 4400JF/HJF | N/A | 4400JF/HJF | N/A |
| 400JF .1JF | 18' x 30' | 8400 | | V/A | 8400JF | 22' x 7' | 8400JF | 19' x 10' |
| .1JF .1JF | 19' x 35' 20' x 35' | 3.1JF 5.1JF | | V/A | 3.1JF 5.1JF | 24' x 8' 26' x 8' | 3.1JF 5.1JF | 21' x 13' 24' x 15' |
| | H x Dia. | | | Dia. | © Sequoia | H x Dia. | | H x Dia. |
| 400JF/HJF | 6.5' x 21' | | | 1/A | 3400JF/HJF | 13' x 8' | 3400JF/HJF | 7' x 5' |
| 400JF/HJF | 9' x 31' | | | I/A | 4400JF/HJF | 18' x 11' | 4400JF/HJF | 11' x 8' |
| 400JF | 12.5' x 28' | 8400 | | x 46' | 8400JF | N/A | 8400JF | 12' x 11' |
| .1JF | 13' x 35' | 3.1JF | 9': | x 48' | 3.1JF | N/A | 3.1JF | 14.5' x 10' |

5.1JF

10' x 50'

5.1JF

21' x 10'

5.1JF

5.1JF

14' x 36'

14' x 12'

email: sales@waterlandscapesupply.com

Amps

5.0

6.7

3.4

11.3

5.7

High Oxygen Transfer Aerators

Volts

120 / Single Phase

120 / Single Phase

120 / Single Phase

120 / Single Phase

240 / Single Phase

SURFACE AERATORS

Part

Number

2400AF

3400AF

3400HAF

4400AF

4400HAF

New to our lineup

- Highly efficient design
- UPS Shippable

Kasco pond aerators dramatically agitate high volumes of water at the surface to maximize exposure of water to air for gas exchange.

Surface aerators are typically selected when decorative fountain pattern is not necessary nor desired.

CALL FOR DELIVERED PRICE

8400AF 2 20" 240 / Single Phase 9.0 3.1AF 3 24" 240 / Single Phase 10.7 5.1AF 5 26" 240 / Single Phase 18

Min.

Depth

15"

18"

18"

19"

19"

HP

1/2

3/4

3/4

1

1

AQUA CONTROL EVOLUTION SERIES 1/2 HP FOUNTAIN

- 1/2 HP, 120 volt floating fountain
- 100' mooring rope
- · Controller with GFCI, photo sensor and timer
- 2 mooring stakes
- Torrent & Tornado Spray Patterns

| Part Number | Description | CALL FOR DELIVERED PRICE |
|----------------|--------------------------------|--------------------------|
| EVU6-K-050 | 1/2 HP Fountain with 50' cord | and Quick Disconnects |
| EVU6-K-075 | 1/2 HP Fountain with 75' cord | and Quick Disconnects |
| EVU6-K-100 | 1/2 HP Fountain with 100' core | d and Quick Disconnects |
| EVU6-K-125 | 1/2 HP Fountain with 125' core | d and Quick Disconnects |
| EVU6-K-150 | 1/2 HP Fountain with 150' core | d and Quick Disconnects |
| EVU6-K-175 | 1/2 HP Fountain with 175' core | d and Quick Disconnects |
| EVU6-K-200 | 1/2 HP Fountain with 200' core | d and Quick Disconnects |

Evolution Series Floating Aerating Fountains Include:



Cord

Length

50'

50'

50'

50'

50'

50'

50'

50'

Max.

Cord

200'

200'

400'

200'

400'

400'

400'

400'

onnects onnects onnects onnects





 This 36" wide aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and 20' length of 5/16" nylon rope. Use to skim floating vegetation and algae from the pond surface or remove float to use on pond bottom.

- Strong and lightweight aluminum construction
- Two 5 1/2" heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene float for shoreline cleanup



AQUATIC RAKES

Weed Rake

• No need to worry which side lands up when throw this rake out into the pond as there are teeth on both sides


• 17 - 3" long teeth on each side of the rake and a baked on, powder coat finish with 25' of rope

Weed Cutter



- 28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines
- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction

| Part Number | | | Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|----------------------|--------|----------------|---------------|-----------------|----------------|-----------------|-----------------|
| LR36 | 36" Deluxe Lake Rake | 252.98 | EPR | 32" Weed Rake | 179.98 | AWE | 28" Weed Cutter | 263.98 |



POND AND LAKE TREATMENT

OOO POND PRODUCTS

| | | | PO | ND | CLEAF | 2 | | | 1h | bno |
|------|---|---|--|---|--|--|---|---|---|--|
| | | Part | | | s (Acres | Retail | POND | DCLEAR LIQUID: | | ogic |
| | | Number | Description | – M | onths) | Price | - Incuto | 1/4 acre for one month | | |
| - | | | EAR LIQUID | | | | | DCLEAR WATER SOL nates need for measuring | | |
| ndQ | lea 📷 | 570106 | Liquid, 1 gallon | | 4 – 1 | 45.98 | over th | he course of a full sease | | |
| | andClear | | EAR WATER SOLU | | | | | r shelf life. ilable to treat a 1/4 acre i | for 3 or 6 months | |
| | Ponaciea | 570098 | 3# 12 Packets | | 4 – 3 | 103.98 | | ps ponds clean and c | | naturally |
| | | 570100 | 6# 24 Packets | | 4 – 6 | 171.98 | | | Easy to use | natarang |
| | | 570116 | 24# 96 Packets | 1 | - 6 | 537.98 | | ,, , , , , , , , , , , , , , , , , , , | | |
| | 9456 | | MU | CK / | AWAY | тм | | | | |
| | | beaches, an | ay to eliminate mucky l d shorelines. Precision n and consume up to 5' | release | pellets sink | Part Num | ber [| Description | Treats Shore Line | Retai Price |
| l | uckAway | Consumes r | nuck more effectively th | han usin | ng powder o | | 108 E | 8 scoops - 4 lbs. | 75' - 3mos | 103.9 |
| 1 | - Ann | • | ar shelf life. – Available line for 3 or 6 months. | to treat | 1,500 sq. ft | 5701 | 109 1 | 16 scoops - 8 lbs. | 150' - 3mos | 171.9 |
| 100 | and the second | | inte for 5 of 6 months. | | | 5701 | 124 4 | 48 scoops - 24 lbs. | 450' - 3mos | 399.98 |
| ł | - Contraction | Pas. | MUCK AW | ΔΥΤΝ | | | AKF | - | | |
| | | aquatic a | lepth. 100% natural a nd domestic life. Bes | | | Part | | | Treats (Acres | Reta |
| 1021 | mar and | water tem | peratures are above | | wnen | Num 5701 | | Description 36# MuckAway TL | – Months) 3 | |
| | | water tem | • | e 50°F. | DYE | | | · · | – Months) | |
| | Blue D DYE | ular strength cre, 4-6' deep lons available | P(| e 50°F. | | GIC POI IAL BAC ity and SI d forces of IClear Lic results on treats of one month | ND DYE CTERIA hading, of Pond quid for up to 1/4 | 36# MuckAway TL E PLUS Naturally Dye | – Months) | |
| | Blue D DYE • Safe | ular strength cre, 4-6' deep lons available | gallon treats up to in 3 colors c & domestic life | SO°F. | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh | GIC POI IAL BAC ity and SI d forces of IClear Lic results on treats of one month | ND DYE CTERIA hading, of Pond quid for up to 1/4 | 36# MuckAway TL E PLUS Naturally Dye | – Months) | Price |
| | 1 ac • Gall • Safe Description | ular strength cre, 4-6' deep lons available | gallon treats up to in 3 colors c & domestic life | 9 50°F. OND | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to | GIC POI IAL BAC ity and SI d forces of CClear Lic results on treats of one mont elf life | ND DYE CTERIA hading, of Pond quid for up to 1/4 th | 36# MuckAway TL E PLUS Naturally Dye 4 acre | – Months) | |
| | Blue D DYE • Safe | jular strength cre, 4-6' deep lons available e for all aquati | gallon treats up to in 3 colors c & domestic life | SO°F. | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part | GIC POI IAL BAC ity and SI d forces of IClear Lic results on treats on one mont elf life | ND DYE CTERIA hading, of Pond quid for up to 1/4 th | 36# MuckAway TL E PLUS Naturally Dye 4 acre | – Months) | 789.98 |
| • | Blue Description GIC POND DYE Nature's Blue, 1 | jular strength (cre, 4-6' deep lons available e for all aquati | gallon treats up to in 3 colors c & domestic life | e 50°F. OND Retail Price | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number | GIC POI IAL BAC ity and Sid d forces of IClear Lic results on treats of one moni elf life Des | ND DYE CTERIA hading, of Pond quid for up to 1/4 th | 36# MuckAway TL E PLUS Naturally Dye 4 acre | - Months) 3 | 789.98 |
| | Blue 1 ac • Gall • Gall • Safe Description GIC POND DYE | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life | e 50°F. OND Retail Price | DYE POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number POND L | GIC POI IAL BAC ity and SI d forces of Clear Lic results one moni elf life Des COGIC P Nat | ND DYE TERIA hading, of Pond quid for up to 1/4 th scription <u>POND I</u> ture's I | 36# MuckAway TL E PLUS Naturally Dye 4 acre | - Months) 3 Plus Beneficial | 789.98 |
| | 1 ac • Gall • Safe • Description • Safe • Safe | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life | 2 50°F. OND Retail Price 3.98 3.98 | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number POND L 570107 570110 | GIC POI IAL BAC ity and Sid d forces of IClear Lic results on treats of one moni elf life Des OGIC P Nat | ND DYE CTERIA hading, of Pond quid for up to 1/4 th scription POND I ture's I ilight E | 36# MuckAway TL E PLUS Naturally Dye 4 acre n DYE P Blue PLUS, 1 gallon Blue PLUS, 1 gallon | - Months) 3 | 789.98 |
| | 1 ac • Gall • Safe • Description • Safe • Safe | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life 4 4 5 DISSO | e 50°F. OND OND Retail Price 3.98 3.98 3.98 3.98 | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number POND L 570107 570110 | GIC POI IAL BAC ity and Sid d forces of IClear Lic results on treats of one moni elf life Des OGIC P Nat | ND DYE CTERIA hading, of Pond quid for up to 1/4 th <u>POND I</u> ture's F illight E D D | 36# MuckAway TL E PLUS Naturally Dye 4 acre n DYE P Blue PLUS, 1 gallon | - Months) 3 | 789.98 |
| | 1 ac • Gall • Safe • Description • Safe • Safe | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life 4 4 5 DISSO • Protect and sh • Easy-to-use, co | e 50°F. OND Retail Price 3.98 3.98 3.98 0LVA nade yo onveni | DYE POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number <u>POND L</u> 570107 570110 BLE | GIC POI IAL BAC ity and SI d forces of IClear Lic results one mont elf life Des OGIC P Nat Twi PON Part Numb | ND DYE CTERIA hading, of Pond quid for up to 1/4 th scription <u>POND I</u> ture's I ilight E D D D | 36# MuckAway TL E PLUS Naturally Dye 4 acre DYE P Blue PLUS, 1 gallon Blue PLUS, 1 gallon Blue PLUS, 1 gallon | - Months) 3 Plus Beneficial S | 789.94 Retai Pricc Retai 64.94 Retai Pricc |
| | 1 ac • Gall • Safe • Description • Safe • Safe | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life 4 4 5 DISSO • Protect and sh • Easy-to-use, co soluble packet | e 50°F. OND Retail Price 3.98 3.98 3.98 3.98 0LVA ade yo onvenits | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One galld for up to • 2 Year sh Part Number POND L 570107 570110 BLE | GIC POI IAL BAC ity and SI d forces of IClear Lic results one mont elf life Des OGIC P Nat Twi PON Part Numb DISS 5303 | ND DYE CTERIA hading, of Pond quid for up to 1/4 th scription POND I ture's I ilight E D D D ber | 36# MuckAway TL E PLUS Naturally Dye 4 acre n DYE P Blue PLUS, 1 gallon Blue PLUS, 1 gallon Glue PLUS, 1 gallon YE PACKET Description | - Months) 3 3 Plus Beneficial S CKETS 4X Con | 789.9 Reta Pric Bacteri 64.9 Reta Pric |
| 9 | 1 ac • Gall • Safe • Description • Safe • Safe | ular strength cre, 4-6' deep lons available e for all aquati I gallon 1 gallon | gallon treats up to in 3 colors c & domestic life 4 4 5 DISSO • Protect and sh • Easy-to-use, co | e 50°F. OND Retail Price 3.98 3.98 3.98 3.98 0LV/A ade yo onveni s o color c DyeMa | POND LO BENEFIC Water Clar • Combine and Ponc optimum • One gallo for up to • 2 Year sh Part Number POND L 570107 570110 BLE | GIC POI IAL BAC ity and SI d forces of IClear Lic results one mont elf life Des OGIC P Nat Twi PON Part Numb DISS 5303 | ND DYE CTERIA hading, of Pond quid for up to 1/4 th Scription POND I ture's I ilight E D D Seer SOLVAR | 36# MuckAway TL E PLUS Naturally Dye 4 acre DYE P Blue PLUS, 1 gallon Blue PLUS, 1 gallon CYE PACKET Description BLE POND DYE PAC | - Months) 3 3 Plus Beneficial S CKETS 4X Con ackets | 789.9 Reta Pric Bacteri 64.9 64.9 Reta Pric |

every 4-8 weeks

STOCK TANK DEFENSE

530360

- Pre-Measured, no mess tablets
- Dissolves muck and organic waste
- Keeps stock tanks clean and clear

| Part Number | Description | Retail Price |
|----------------|-------------------------------|-----------------|
| 200011 | Stock Tank Defense, 6 tablets | 10.98 |

Black DyeMond, 4 packets

69.98

STOCK TANK DEFENSE:

Airmax

Improves water quality for fresh, healthy drinking water for livestock, birds, or other wildlife. Keeps stock tanks clean and clear. Treats up to a 150 gallon stock tank for 3 months.



Ultra

Part

ALGAE DEFENSE

Kills Algae Fast

Algae Defense - is a broad spectrum algaecide that works as a quick fix to eliminate algae problems. When water temperatures are at least 60° F, Algae Defense can work at optimum level. Unless steps are taken to reduce the overall nutrients in the pond, multiple applications may be needed for a full season of control. For best results, use with Treatment Booster PLUS. How to Use: Mix 32 oz of Algae Defense, 4 oz Treatment Booster PLUS and 2 gallons of water in a tank sprayer to treat up to 2,000 sq. ft. Spray algae directly. Only treat up to half of the pond's surface, waiting 10-14 days before treating the second half. In hot weather, or when fish are stressed, treat 1/4 to 1/3 of the pond at a time. For deeper water, place the tank sprayer's tip beneath the water's surface. Always read product label before use. Can not be shipped to CA, CT, ME, NJ, NY, WA, and Canada. Retail Water Use Restrictions: None Part Number Description Price

530130 Algae Defense - Treats up to 8,000 sq. ft. 68.98

Other Restrictions: Do NOT use in ponds with koi, goldfish or trout unless carbonate hardness (KH) is above 50 ppm.

ULTRA PONDWEED DEFENSE

W **Broad Spectrum Pondweed Control - Contact Herbicide**

Ultra PondWeed Defense - is a broad spectrum aguatic herbicide that works on all pondweeds including submerged, floating and emergent weeds. Ultra PondWeed Defense may also be used for shortterm control of duckweed. For best results, use on actively growing plants. Emergent treatments may require additional applications to gain full control. For best results, use with Treatment Booster PLUS.

How to Use: Mix 16 oz of Ultra PondWeed Defense, 4 oz Treatment Booster PLUS and 2 gallons of water in a tank sprayer to treat up to 2,500 sq. ft. Spray target directly. Only treat up to half of the pond's surface, wating 10-14 days before treating the second half. In hot weather, or when fish are stressed, treat 1/4 to 1/3 of the pond at a time. For deeper water, place the tank sprayer's tip beneath the water's surface. Always read product label before use. Water Use Restrictions: 3 days drinking, 1 day livestock/domestic animal consumption, 5 day irrigatio.

| Part Number | Description | Retail Price |
|----------------|---|-----------------|
| 530144 | Ultra Pondweed, 1 quart - Treats up to 5,000 sq. ft | 68.98 |
| 530154 | Ultra Pondweed, 1 gallon - Treats up to 20,000 sq. ft | 205.98 |

SHORELINE DEFENSE

Broad Spectrum Emergent Weed & Cattail Killer

Shoreline Defense - takes care of persistent emergent weeds, and is perfect for cattails, phragmites and other emergent weeds as it not only kills the foliage, but also kills the roots for long-term control. For best results, use with Treatment Booster PLUS.


How to Use: Mix 8 oz of Shoreline defense, 4 oz of Treatment Booster PLUS and 2 gallons of water in a tank sprayer to treat up to 2,500 sq. ft. Spray only on foliage above the water's surface on a calm day to keep spray contained to target areas. Completely wet foliage surface for best results. Always read product label before use. Water Use Restrictions: None

| Part Number | Description | Price |
|----------------|--|--------|
| 530157 | Shoreline Defense, 1 quart - Treats up to 20,000 sq. ft | 54.98 |
| 530167 | Shoreline Defense, 1 gallon - Treats up to 80,000 sg, ft | 177.98 |

WIPEOUT PONDWEED DEFENSE

Controls Persistent Pond Weeds All Season

WipeOut Pondweed Defense - PondWeed Defense® is an herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, potable water sources, drainage canals and irrigation canals. Pond Logic® WipeOut™ Aquatic Herbicide contains fluridone, the same active ingredient found in Sonar® A.S. and Avast!® SC Aquatic Herbicide. How to Use: Mix 3.4 fluid ounces of Pond Logic® WipeOut™ with water in the included container and apply to the pond in several spots from the shoreline. 3.8 fl. oz. treats a 1/8 surface acre pond with an average depth of 4 ft. Always read product label before use. · Treats entire body of water in a single application





Can not be shipped to AK, CA, CT, DC, HI, ME, NJ, NY, PR, VT, WA or Canada.

TREATMENT BOOSTER PLUS





POND LOGIC






Can not be shipped to AK, CA, CT, DC, HI, ME, NJ, NY, Puerto Rico, or WA

AQUATIC WEED SOLUTIONS GUIDE ON PAGE 148

email: sales@waterlandscapesupply.com



WATER FILL BOX

Designed To House WFS37 & WFS50 (Sold Separately Above)

- · A good way to mount a water fill valve in a pond without a skimmer
- Provides an ideal housing in which to install an auto fill
- Sits inside the liner and holds fill valves up to 13" long
- 1" overflow is included for exact water heights
- Fill valve sold separately (WFS37 & WFS50)





| - | | - |
|-----------------------------------|-------------|-----------------|
| Description | Case Qty | Retail Price |
| Black Foam, 12 oz. (Straw Foam) | 12 | 19.98 |
| Black Foam Gun Cartridge, 24 oz. | 12 | 39.98 |
| Black Foam Gun Applicator (Steel) | - | 123.98 |

FISH SAFE SEALANTS

SEALS UNDER WATER

DLAR

BF500

BF510

BF510P

GOLD LABEL

· Seals underwater - Cures with moisture

Black Foam Gun Applicator (Plastic)

· Seals almost anything (rubber, PVC, glass, stone, plastic, etc.) · Can be used in awkward leak repairs


| Part | | Case | Retail | |
|----------|--------------------------------|------|--------|------------------------|
| Number | Description | Qty | Price | |
| GOLD LA | BEL POND AQUARIUM SEALER | | | HPT |
| GOL075 | One Shot Sealer 2.5 oz. | 12 | 29.98 | |
| GOL290 | Pond Sealer 9.8 oz. | 25 | 48.98 | |
| ATLANTIC | C SILICONE SEALANT | | | Black R |
| SN2800 | 2.8 oz. | 48 | 9.98 | WA Perform |
| SN10300 | 10.3 oz. Caulking Tube | 12 | 17.98 | The later of the later |
| LEAK FIX | | | | SN10300 |
| LF-0515 | Rubber Coating Sealant (Black) | 12 | 10.98 | Atlanti |
| LF-0517 | Rubber Coating Sealant (White) | 12 | 10.98 | NUMERICAN DESCRIPTION |
| LF-0518 | Rubber Coating Sealant (Clear) | 12 | 10.98 | |
| | | | | |

LEAK FIX

80.98

- Rubber coating sealant
- Covers 2-8 sq. feet
- Forms a watertight flexibl coating
- · Coating will not drip, crack, peel or sag for years

Lide the state **ATLANTIC SILICONE**





Retail

Price

39.98 73.98

45 MIL EPDM LINER

The best liner on the market. It is the preferred choice of professionals because of its flexibility and its puncture resistance.

| ******** | | ade | | | Part Number | Description | Core Length | Size | Туре | Retail Price |
|----------|-------------|-----------|-------|----------|-----------------|-------------|----------------|------------|------|-----------------|
| | | | | | 50' ROLL | <u>S</u> | | | | |
| | in | USA | | | RL1050 | 45 Mil EPDM | 6.5' | 10' x 50' | Roll | 620.00 |
| | | | | | RL1550 | 45 Mil EPDM | 6.5' | 15' x 50' | Roll | 930.00 |
| Part | | | | Retail | RL2050 | 45 Mil EPDM | 6.5' | 20' x 50' | Roll | 1,240.00 |
| Number | Description | Size | Туре | Price | RL2550 | 45 Mil EPDM | 6.5' | 25' x 50' | Roll | 1,550.00 |
| BOXED | | | | | RL3050 | 45 Mil EPDM | 6.5' | 30' x 50' | Roll | 1,860.00 |
| BL810 | 45 Mil EPDM | 8' x 10' | Boxed | 108.00 | RL4050 | 45 Mil EPDM | 11' | 40' x 50' | Roll | 2,480.00 |
| BL1010 | 45 Mil EPDM | 10' x 10' | Boxed | 134.00 | RL5050 | 45 Mil EPDM | 11' | 50' x 50' | Roll | 3,100.00 |
| BL1015 | 45 Mil EPDM | 10' x 15' | Boxed | 200.00 | Part | | Core | | | Retail |
| BL1515 | 45 Mil EPDM | 15' x 15' | Boxed | 300.00 | Number | Description | Length | Size | Туре | Price |
| BL1520 | 45 Mil EPDM | 15' x 20' | Boxed | 400.00 | <u>100' ROL</u> | <u>LS</u> | | | | |
| BL1525 | 45 Mil EPDM | 15' x 25' | Boxed | 500.00 | RL5100 | 45 Mil EPDM | 6.5' | 5' x 100' | Roll | 620.00 |
| BL2020 | 45 Mil EPDM | 20' x 20' | Boxed | 536.00 | RL10100 | 45 Mil EPDM | 6.5' | 10' x 100' | Roll | 1,240.00 |
| ROLL | | | | | RL15100 | 45 Mil EPDM | 6.5' | 15' x 100' | Roll | 1,860.00 |
| MR2025 | 45 Mil EPDM | 20' x 25' | Roll | 670.00 | RL20100 | 45 Mil EPDM | 6.5' | 20' x 100' | Roll | 2,480.00 |
| MR2030 | 45 Mil EPDM | 20' x 30' | Roll | 800.00 | RL25100 | 45 Mil EPDM | 11' | 25' x 100' | Roll | 3,100.00 |
| MR2525 | 45 Mil EPDM | 25' x 25' | Roll | 840.00 | RL30100 | 45 Mil EPDM | 11' | 30' x 100' | Roll | 3,720.00 |
| MR2530 | 45 Mil EPDM | 25' x 30' | Roll | 1,000.00 | RL40100 | 45 Mil EPDM | 11' | 40' x 100' | Roll | 4,960.00 |
| MR3030 | 45 Mil EPDM | 30' x 30' | Roll | 1,200.00 | RL50100 | 45 Mil EPDM | 11' | 50' x 100' | Roll | 6,200.00 |

UNDERLAYMENT

| Pr | otect Your L & Other Si | | |
|----------------|----------------------------|-----------------------|-----------------|
| Part Number | Size | Туре | Retail Price |
| 100' ROLL | <u>s • 4 oz. undi</u> | ERLAYMENT | (BLACK) |
| UL6100 | 6' x 100' | Roll | 117.98 |
| UL12100 | 12' x 100' | Roll | 229.98 |
| HEAVY DU | TY 100' ROLL | S • <u>6 OZ. (</u> BL | ACK) |
| 1342 | 6' x 100' | Roll | 175.98 |
| 1344 | 12' x 100' | Roll | 329.98 |

Weight: 16.5 oz., Contains: 22.4 oz.

| 2 della | Part Number | Size | Туре | Reta Pric |
|--|----------------|------------|---------|--------------|
| and a state of the | PRECUT | • 4 OZ. UN | DERLAY | <u>/ENT</u> |
| and the second of the second o | UL1210 | 12' x 10' | Precut | 39.9 |
| | UL1220 | 12' x 20' | Precut | 73.9 |
| Soft, polypropylene fabric lasts | 20+ vears | under vou | r liner | |

| · Soft, polypropylene fabric lasts 20+ yea | rs under your liner |
|--|---------------------|
|--|---------------------|

- · 3-dimensional underlayment that allows gas to escape
- · Protection for the liner from rocks and other sharp objects
- Non-woven, needle-punched geotextile
- Non-slippery surface
 Spreads easily







LINER ACCESSORIES



6" Joint Cover, round patch



Sn

10.98

| Part Number | Description | Case Qty | Retail Price | Boot | Quick Seam Tape Kit | | pray nesive |
|----------------|--|-------------|-----------------|---------------------|-----------------------------------|-------------|-----------------|
| RQPLQ RQPLG | Quick Prime Plus, 1 qt Quick Prime Plus, Gallon | 12 | 49.98 107.98 | Part Number | Description | Case Qty | Retail Price |
| RLS | Lap Sealant, tube | 28 | 21.98 | RQSK | Quick Seam Tape Kit | | 139.98 |
| RST325 | Splice Tape, 3" x 25' | 16 | 59.98 | RQSPK | Quick Seam Professional Tape Kit | | 205.98 |
| RST3100 | Splice Tape, 3" x 100' | 6 | 179.98 | DELREPKIT SEAM25 | Deluxe Repair Kit 25' Seam Kit | | 59.98 99.98 |
| RCT625 | Cover Tape (Batten), 6" x 25' | 8 | 159.98 | SEAM50 | 50' Seam Kit | | 159.98 |
| RCT6100 | Cover Tape (Batten), 6" x 100' | 2 | 539.98 | RSA1 | Splice Adhesive for EPDM, 1 gal | 6 | 111.98 |
| RPF | Pipe Boot 1" - 6" | - | 89.98 | RERK | EPDM Repair Kit | | 37.98 |
| 7877 | Spray Adhesive/Primer, aerosol can Net | 12 | 29.98 | | | | |

RJC

| with I | Easily Applied Brush or Roller | • For conc • Two part • Apply wit | hite Clear rete ponds/fou epoxy sealer th brush/roller | Green | • Smo • No f | -toxic both hard finish folds or wrinkles | | 3 male Ap | |
|---|--|---|--|---|--|--|-----------------------|---|---|
| Part Number | Color | • Remains Size | flexible (–78 to Coverage (Sq. Ft.) | Retail Price | • 60 S Part Number | q. ft. of coverage Color | Size | Coverage (Sq. Ft.) | Retai Price |
| 1.5 QUART | KIT | | | | 1.5 GALLO | N KIT | | | |
| PABK | Black | 1.5 qt | 60 | 109.98 | PABK1.5 | Black | 1.5 gal | 240 | 419.98 |
| PAWHT | White | 1.5 qt | 60 | 109.98 | PAWHT1.5 | White | 1.5 gal | 240 | 419.98 |
| PAGRN | Forest Green | 1.5 qt | 60 | 109.98 | PAGRN1.5 | Forest Green | 1.5 gal | 240 | 419.98 |
| PAGRY | Grey | 1.5 qt | 60 | 109.98 | PAGRY1.5 | Grey | 1.5 gal | 240 | 419.98 |
| PABLU | Competition Blue | 1.5 qt | 60 | 109.98 | PABLU1.5 | Competition Blue | 1.5 gal | 240 | 419.98 |
| PASKYB | Sky Blue | 1.5 qt | 60 | 109.98 | PASKYB1.5 | 5 Sky Blue | 1.5 gal | 240 | 419.98 |
| PATAN | Tan | 1.5 qt | 60 | 109.98 | PATAN1.5 | Tan | 1.5 gal | 240 | 419.98 |
| PACLR | Clear | 1.5 qt | 60 | 109.98 | PACLR1.5 | Clear | 1.5 gal | 240 | 419.98 |
| A HE RUE CORPC | 1 Qt | • Long • Form • One g • Create • Use to | HERCO lasting neop ulated for po jallon covers e safe enviro o restore old | D PON rene rubbe nds in hars approxim onment for concrete | sh climates ately 80-100 sc fish and plants | 'ING _{1. ft.} | DOCUTION OF THE OWNER | ALC: O HE | |
| 1 Gal | | • Long • Formu • One g • Create • Use to • Use w • Apply | HERCO lasting neop ulated for po allon covers e safe enviro o restore old vith or withou vith brush, COMMO | POPON rene rubbo nds in har approxim onment for concrete ut primer roller, or s N APPLI | ID COAT er coating sh climates ately 80-100 sc fish and plants ponds prayer ICATIONS: block & Brick V Part | TING 4. ft. 5 Walls and Much More | | iller Cl | inner/ eaner Retail |
| Part | Seal C | • Long • Formu • One g • Creatu • Use to • Use w • Apply | HERCO lasting neop ulated for po pallon covers e safe enviro o restore old vith or withou with brush, COMMO , Clay Pots, We | POPON rene rubbe nds in har approxim onment for concrete p ut primer roller, or s N APPLI cod Barrels Retail | ID COAT er coating sh climates hately 80-100 sc fish and plants ponds prayer CATIONS: , Block & Brick W Part Number | TING g. ft. 5 Walls and Much More Description | F | iller Cla Size | eaner Retail Price |
| Part Number | Description | • Long • Formu • One g • Creatu • Use to • Use w • Apply Poncrete Ponds, Size | HERCO lasting neop ulated for po jallon covers e safe enviro o restore old vith or withou with brush, COMMO , Clay Pots, Wa | rene rubbends in hars approxim nment for concrete ut primer roller, or s N APPLI cood Barrels Retail Price | ID COAT er coating sh climates lately 80-100 sc fish and plants ponds prayer CATIONS: , Block & Brick V Part Number HERQC | TING g. ft. S Valls and Much More Description Translucent Clear | F | iller Cl é Size 1 qt | eaner Retail Price 107.98 |
| Part Number HERQB | Description Black | • Long • Formu • One gg • Creatu • Use to • Use w • Apply foncrete Ponds, Size | HERCC lasting neop ulated for po pallon covers e safe enviro o restore old vith or withou r with brush, COMMO , Clay Pots, W | P PON rene rubbo nds in har approxim onment for concrete ut primer roller, or s N APPLI cood Barrels Retail Price 79.98 | ID COAT er coating sh climates lately 80-100 sc fish and plants ponds prayer ICATIONS: block & Brick V Part Number HERQC HER1C | TING f. ft. ft. Fri Valls and Much More Description Translucent Clear Translucent Clear | F | Size 1 qt 1 gal | eaner Retai Price 107.98 219.98 |
| Part Number HERQB HER1B | Description Black Black | • Long • Formu • One g • Creatu • Use to • Use w • Apply Concrete Ponds, Size 1 qt | HERCO lasting neop ulated for po pallon covers e safe enviro o restore old vith or withou with brush, COMMO , Clay Pots, Wa | o PON rene rubbo nds in har approxim onment for concrete p ut primer roller, or s N APPLI ood Barrels Retail Price 79.98 199.98 | ID COAT er coating sh climates hately 80-100 sc fish and plants ponds prayer CATIONS: , Block & Brick V Part Number HERQC HER1C HERQPR | TING a. ft. b. valls and Much More Description Translucent Clear Translucent Clear Primer | F | Size 1 qt 1 gal 1 qt | eaner Retail Price 107.98 219.98 59.98 |
| Part Number HERQB HER1B HERQG | Description Black Black Grey | • Long • Formu • One g • Creatu • Use to • Use w • Apply concrete Ponds, Size 1 qt 1 ga 1 qt | HERCO lasting neop ulated for po jallon covers e safe enviro o restore old vith or withou with brush, COMMO , Clay Pots, Wa | P PON rene rubbe nds in hars approxim nment for concrete it primer roller, or s N APPLI ood Barrels Retail Price 79.98 199.98 107.98 | ID COAT er coating sh climates lately 80-100 sc fish and plants ponds prayer ICATIONS: block & Brick V Part Number HERQC HER1C HERQPR HER1PR | ING A. ft. S Walls and Much More Description Translucent Clear Translucent Clear Primer Primer Primer | F | iller Cla Size 1 qt 1 gal 1 qt 1 gal 1 gal | eaner Retail Price 107.98 219.98 59.98 109.98 |
| Part Number HERQB HER1B HERQG HER1G | Description Black Black Grey Grey | • Long • Formu • One g • Creatu • Use to • Use w • Apply foncrete Ponds, Size 1 qt 1 ga 1 qt | HERCO lasting neop ulated for po pallon covers e safe enviro o restore old vith or without r with brush, COMMO , Clay Pots, Wo | P PON rene rubbo nds in hars approxim nment for concrete at primer roller, or s N APPLI cool Barrels Retail Price 79.98 199.98 107.98 219.98 | ID COAT er coating sh climates tately 80-100 sc fish and plants ponds eprayer ICATIONS: , Block & Brick W Part Number HERQC HER1C HERQPR HER1PR HERQTC | TING f. ft. ft. ft. Fri Valls and Much More Description Translucent Clear Translucent Clear Primer Primer Primer Primer Thinner/Cleaner | F | Size Cline 1 qt 1 1 gal 1 1 qt 1 1 qt 1 1 qt 1 | eaner Retail Price 107.98 219.98 59.98 109.98 45.98 |
| Part Number HERQB HER1B HERQG HER1G HERQW | Description Black Black Grey Grey White | • Long • Formu • One g • Creatu • Use to • Use w • Apply Poncrete Ponds, Size 1 qt 1 ga 1 qt 1 ga 1 qt | HERCO lasting neop ulated for po pallon covers e safe enviro o restore old vith or withou with brush, COMMO , <i>Clay Pots, Wa</i> | P PON rene rubbo nds in har approxim nment for concrete til primer roller, or s N APPLI ood Barrels Retail Price 79.98 199.98 107.98 219.98 107.98 | ID COAT er coating sh climates nately 80-100 sc fish and plants ponds prayer ICATIONS: , Block & Brick V Part Number HERQC HER1C HERQPR HER1PR HERQTC HER1TC | TING a. ft. b. ft. c. ft. | F | iller Classifier Size 1 1 qt 1 | eaner Retai Price 107.98 219.98 59.98 109.98 45.98 103.98 |
| Part Number HERQB HER1B HERQG HER1G | Description Black Black Grey Grey | • Long • Formu • One g • Creatu • Use to • Use w • Apply concrete Ponds, Size 1 qt 1 qt 1 qt 1 qt 1 qt 1 qt 1 qt 1 qt | HERCO lasting neop ulated for po allon covers e safe enviro o restore old vith or withou r with brush, COMMO , <i>Clay Pots, W</i> | P PON rene rubbo nds in har approxim nment for concrete it primer roller, or s N APPLI ood Barrels Retail Price 79.98 199.98 107.98 219.98 107.98 219.98 | ID COAT er coating sh climates tately 80-100 sc fish and plants ponds eprayer ICATIONS: , Block & Brick W Part Number HERQC HER1C HERQPR HER1PR HERQTC | TING f. ft. ft. Fri Valls and Much More Description Translucent Clear Translucent Clear Primer Primer Primer Primer Thinner/Cleaner Thinner/Cleaner Crack Filler, tube | F | Size Cline 1 qt 1 1 gal 1 1 qt 1 1 qt 1 1 qt 1 | eaner Retai Price 107.98 219.98 59.98 109.98 45.98 |

POND ARMOR - HECHT - HYDRAFLEX

RELIEF VALVE

HYDROSTATIC

1 1/2" Valve

Retail

Price

23.98

Part

Number

HRV112

- 20 mil 75,000 sq/ft panels - 30 mil 50,000 sq/ft panels

Maximum Size on One Spool

- 40 mil 38,000 sq/ft panels

• Fish Safe


- Panels are accordian folded for easy install
- Panels can be field seamed for large projects

and impact strength.

email: sales@waterlandscapesupply.com



FLEXIBLE PVC TUBING



KINK FREE TUBING

| Part Number | Inner Diameter | Length | Color | Fitting Required | Attachment Method | Retail Price |
|----------------|-------------------|--------|-------|---------------------|----------------------|-----------------|
| KFH12 | 1/2" | 100' | Black | Barbed | Hose Clamp | 99.98 |
| KFH34 | 3/4" | 100' | Black | Barbed | Hose Clamp | 109.98 |
| KFH100 | 1" | 100' | Black | Barbed | Hose Clamp | 129.98 |
| KFH114 | 1 1/4" | 100' | Black | Barbed | Hose Clamp | 149.98 |
| KFH112 | 1 1/2" | 100' | Black | Barbed | Hose Clamp | 199.98 |
| KFH200 | 2" | 100' | Black | Barbed | Hose Clamp | 289.98 |
| CYR112 | 40 mm | 100' | Black | Barbed | Hose Clamp | 219.98 |

BLACK VINYL TUBING

| Part Number | Inner Diameter | Length | Color | Fitting Required | Attachment Method | Retail Price |
|----------------|-------------------|--------|-------|---------------------|----------------------|-----------------|
| 10316B | 3/16" | 100' | Black | Barbed | Hose Clamp | 29.98 |
| 1014B | 1/4" | 100' | Black | Barbed | Hose Clamp | 29.98 |
| 1038B | 3/8" | 100' | Black | Barbed | Hose Clamp | 33.98 |
| 1012B | 1/2" | 100' | Black | Barbed | Hose Clamp | 53.98 |
| 1058B | 5/8" | 100' | Black | Barbed | Hose Clamp | 69.98 |
| 1034B | 3/4" | 100' | Black | Barbed | Hose Clamp | 151.98 |
| 10100B | 1" | 100' | Black | Barbed | Hose Clamp | 179.98 |
| 50114B | 1 1/4" | 50' | Black | Barbed | Hose Clamp | 125.98 |

CLEAR VINYL TUBING

- Low pressure and low flow applications
- · Best used indoors · Inexpensive

| Part Number | Inner Diameter | Length | Color | Fitting Required | Attachment Method | Retail Price |
|----------------|-------------------|--------|-------|---------------------|----------------------|-----------------|
| 10316C | 3/16" | 100' | Clear | Barbed | Hose Clamp | 27.98 |
| 1014C | 1/4" | 100' | Clear | Barbed | Hose Clamp | 29.98 |
| 1038C | 3/8" | 100' | Clear | Barbed | Hose Clamp | 33.98 |
| 1012C | 1/2" | 100' | Clear | Barbed | Hose Clamp | 53.98 |

Low pressure and low flow applications

· Black color reduces algae growth

Used indoors & outdoors



email: sales@waterlandscapesupply.com

| | | | | | ows | | NIPPLES | |
|--|---|---|--|--|--|---|---|---|
| Part Number | OSE TEES BARB | Retail Price | Bat | | | | | |
| T38 | 3/8" x 3/8" x 3/8" | 1.11 | Part Number | MPT X BARB | Retail Price | Part | | Retail |
| T3812 | 1/2" x 3/8" x 3/8" | 1.30 | EL34 | 3/4" x 3/4" | 1.98 | Number | МРТ | Price |
| T12 | 1/2" x 1/2" x 1/2" | 1.38 | EL34100 | 3/4" x 1" | 1.98 | M14 | 1/4" x 1/4" | 0.98 |
| T1238 | 3/8" x 1/2" x 1/2" | 1.38 | EL100 | 1" x 1" | 2.98 | M38 | 3/8" x 3/8" | 0.98 |
| T1234 | 3/4" x 1/2" x 1/2" | 2.98 | EL114 | 1 1/4" x 1 1/4" | 6.98 | M12 | 1/2" x 1/2" | 0.98 |
| Т58 | 5/8" x 5/8" x 5/8" | 1.68 | EL100114 | 1" x 1 1/4" | 5.98 | M1234 | 1/2" x 3/4" | 0.98 |
| Т34 | 3/4" x 3/4" x 3/4" | 1.48 | EL114112 | 1 1/4" x 1 1/2" | 1.98 | M34 | 3/4" x 3/4" | 1.58 |
| T3412 | 1/2" x 3/4" x 3/4" | 2.98 | EL112 | 1 1/2" x 1 1/2" | 5.48 | M100 | 1" x 1" | 1.98 |
| Т100 | 1" x 1" x 1" | 1.98 | EL200 | 2" x 2" | 6.98 | M10012 | 1" x 1/2" | 5.98 |
| T114 | 1 1/4" x 1 1/4" x 1 1/4" | 4.98 | | BARB | | M10034 | 1" x 3/4" | 5.98 |
| T112 | 1 1/2" x 1 1/2" x 1 1/2" | 5.98 | | BAND | | M100112 | 1" x 1 1/2" | 6.78 |
| Т200 | 2" x 2" x 2" | 15.98 | | 1 and 1 | | M114 | 1 1/4" x 1 1/4" | 2.98 |
| | GAUGE TEE | | | | | M114100 | 1 1/4" x 1" | 5.58 |
| | | | | | | M112 | 1 1/2" x 1 1/2" | 3.98 |
| 1 | | | Part Number | BARB | Retail Price | M112114 | 1 1/2" x 1 1/4" | 5.98 |
| | | | EL38HB | 3/8" x 3/8" | 0.98 | M200 | 2" x 2" | 5.98 |
| | | | EL12HB | 1/2" x 1/2" | 0.98 | M200114 | 2" x 1 1/4" | 7.98 |
| | | 100 | EL58HB | 5/8" x 5/8" | 1.48 | M200112 | 2" x 1 1/2" | 6.58 |
| | | | EL34HB | 3/4" x 3/4" | 1.68 | M300200 | 3" x 2" | 21.98 |
| | | | EL100HB | 1" x 1" | 2.18 | REDL | JCING BUSH | ING |
| Dout | | Detail | EL114HB | 1 1/4" x 1 1/4" | 4.98 | | | |
| Part Number | FPT | Retail Price | EL112HB | 1 1/2" x 1 1/2" | 4.98 | | | |
| TT14 | 1/4" | 1.98 | EL200HB | | | | and the second second | |
| TT12 | | | | 2" x 2" | 6.98 | The second second | | |
| | 1/2" | 2.98 | | 2" x 2" | 6.98 | | | |
| | 1/2" 3/4" | 2.98 2.28 | ST | REET ELBOW | | | | |
| TT34 | | | ST | | | | | |
| TT34 TT100 | | 2.28 | ST | | | | | |
| TT34 TT100 TT114 | 3/4" 1" | 2.28 6.98 | ST | | | | | |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" | 2.28 6.98 8.98 | Part | | | Part | | |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" 1 1/2" 2" | 2.28 6.98 8.98 12.98 14.98 | | | IS Retail | Number | MPT X FPT | Price |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" 1 1/2" | 2.28 6.98 8.98 12.98 14.98 | Part Number | REET ELBOW | Retail Price | Number RB1418 | 1/4" x 1/8" | Price 1.88 |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" 1 1/2" 2" | 2.28 6.98 8.98 12.98 14.98 | Part Number | REET ELBOW | Retail Price 2.98 | Number RB1418 RB3814 | 1/4" x 1/8" 3/8" x 1/4" | Price 1.88 1.68 |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" 1 1/2" 2" | 2.28 6.98 8.98 12.98 14.98 | Part Number SE14 SE12 | REET ELBOW FPT X MPT 1/4" 1/2" | Retail Price 2.98 2.98 | Number RB1418 RB3814 RB1214 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" | Price 1.88 1.68 1.68 |
| TT34 TT100 TT114 TT112 | 3/4" 1" 1 1/4" 1 1/2" 2" | 2.28 6.98 8.98 12.98 14.98 | Part Number SE14 SE12 SE34 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" | Retail Price 2.98 2.98 4.68 | Number RB1418 RB3814 RB1214 RB1238 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" | Price 1.88 1.68 1.68 1.68 |
| TT34 TT100 TT114 TT112 TT200 Part | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING | 2.28 6.98 8.98 12.98 14.98 | Part Number SE14 SE12 SE34 SE100 SE114 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" | Retail Price 2.98 2.98 4.68 3.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" | Price 1.88 1.68 1.68 1.68 1.68 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB | 2.28 6.98 8.98 12.98 14.98 55 Retail Price | Part Number SE14 SE12 SE34 SE100 | FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB3412 RB10012 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" | Price 1.88 1.68 1.68 1.68 1.98 2.28 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" | 2.28 6.98 8.98 12.98 14.98 55 75 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | Part Number SE14 SE12 SE34 SE100 SE114 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB10012 RB10034 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" | Price 1.88 1.68 1.68 1.68 1.98 2.28 1.98 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" | 2.28 6.98 8.98 12.98 14.98 S S Retail Price 3.98 3.98 | Part Number SE14 SE12 SE34 SE100 SE114 | FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB3412 RB10012 RB10034 RB11434 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" | Price 1.88 1.68 1.68 1.68 1.98 2.28 1.98 3.98 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" | 2.28 6.98 8.98 12.98 14.98 S S Retail Price 3.98 3.98 | Part Number SE14 SE12 SE34 SE100 SE114 | FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB10012 RB10034 RB11434 RB11234 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" | Price 1.88 1.68 1.68 1.98 2.28 1.98 3.98 3.98 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" | 2.28 6.98 8.98 12.98 14.98 S S Retail Price 3.98 3.98 | Part Number SE14 SE12 SE34 SE100 SE114 SE112 SE112 Part | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/2" PLUGS | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 5 8 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB3412 RB10012 RB10034 RB11434 RB11234 RB11234 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" 1 1/2" x 3/4" | Price 1.88 1.68 1.68 1.98 2.28 1.98 3.98 3.98 3.98 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" | 2.28 6.98 8.98 12.98 14.98 S S Retail Price 3.98 3.98 | Part Number SE14 SE12 SE34 SE100 SE114 SE112 Part Number | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/2" PLUGS MPT | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 11.98 S Retail Price | Number RB1418 RB3814 RB1214 RB1238 RB10012 RB10034 RB11434 RB11434 RB11234 RB11234 RB11234 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" 1 1/4" x 1" 1 1/2" x 1" | Price 1.88 1.68 1.68 1.98 2.28 1.98 3.98 3.98 3.98 3.98 4.48 |
| TT34 TT100 TT114 TT112 TT200 Part Number | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" | 2.28 6.98 8.98 12.98 14.98 S S Retail Price 3.98 3.98 | Part Number SE14 SE12 SE34 SE100 SE114 SE112 Part Number F14 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/2" PLUGS MPT 1/4" | Retail Price 2.98 4.68 3.98 10.98 11.98 11.98 5 Retail Price 0.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB10012 RB10034 RB11434 RB11234 RB11234 RB11234 RB114100 RB112100 RB112114 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1" 1 1/2" x 1 1/4" | Retail Price 1.88 1.68 1.68 1.68 1.98 2.28 1.98 3.98 3.98 3.98 4.48 4.48 |
| TT34 TT100 TT114 TT112 TT200 Part WY38 WY12 WY12 Part | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTINO BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" CROS | 2.28 6.98 12.98 14.98 5 5 5 7 8 8 3.98 3.98 5 5 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | Part Number SE14 SE12 SE34 SE100 SE114 SE112 SE112 Part Number F14 F38 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/2" PLUGS MPT 1/4" 3/8" | Retail Price 2.98 2.98 4.68 3.98 10.98 11.98 11.98 S Retail Price 0.98 0.98 | Number RB1418 RB3814 RB1214 RB1238 RB141238 RB3412 RB10012 RB10034 RB11434 RB11234 RB11234 RB11234 RB114100 RB112104 RB112114 RB1020100 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1 1/4" 2" x 1" | Price 1.88 1.68 1.68 1.68 1.98 2.28 1.98 3.98 3.98 3.98 4.48 4.48 5.98 |
| TT34 | 3/4" 1" 1 1/4" 1 1/2" 2" Y-FITTING BARB 3/8" x 3/8" x 3/8" 1/2" x 1/2" x 1/2" | 2.28 6.98 8.98 12.98 14.98 5 5 5 5 8 8 5 5 5 5 5 5 | Part Number SE14 SE12 SE34 SE100 SE114 SE112 Part Number F14 | REET ELBOW FPT X MPT 1/4" 1/2" 3/4" 1" 1 1/4" 1 1/2" PLUGS MPT 1/4" | Retail Price 2.98 4.68 3.98 10.98 11.98 11.98 5 Retail Price 0.98 | Number RB1418 RB3814 RB1214 RB1238 RB3412 RB10012 RB10034 RB11434 RB11234 RB11234 RB11234 RB114100 RB112100 RB112114 | 1/4" x 1/8" 3/8" x 1/4" 1/2" x 1/4" 1/2" x 3/8" 3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 3/4" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1" 1 1/2" x 1 1/4" | Price 1.88 1.68 1.68 1.98 2.28 1.98 3.98 3.98 3.98 3.98 4.48 |



5.98

LL100

1" x 1"

6.98

FVS200

1" x 1"

FA100

10.98

2"

REDUCING

BUSHINGS

email: sales@waterlandscapesupply.com



| Part Number | SLIP X SLIP | Retail Price |
|----------------|-----------------|-----------------|
| 437-211 | 1 1/2" x 1" | 1.68 |
| 437-212 | 1 1/2" x 1 1/4" | 1.68 |
| 437-249 | 2" x 1" | 3.24 |
| 437-250 | 2" x 1 1/4" | 3.24 |
| 437-251 | 2" x 1 1/2" | 4.36 |
| 437-337 | 3" x 1 1/2" | 6.43 |
| 437-338 | 3" x 2" | 6.43 |
| 437-422 | 4" x 3" | 12.83 |
| | | FPT |



| Part Number | MPT X SLIP | Reta Pric |
|----------------|------------|--------------|
| 410-015 | 1 1/2" | 5.9 |
| 410-020 | 2" | 13.9 |
| 410-030 | 3" | 25.9 |
| | SI IP | |





| Part Number | SLIP X FPT | Retail Price |
|----------------|-----------------|-----------------|
| 438-167 | 1 1/4" x 3/4" | 2.14 |
| 438-168 | 1 1/4" x 1" | 2.14 |
| 438-211 | 1 1/2" x 1" | 3.21 |
| 438-212 | 1 1/2" x 1 1/4" | 3.21 |
| 438-248 | 2" x 3/4" | 3.62 |
| 438-249 | 2" x 1" | 3.62 |
| 438-250 | 2" x 1 1/4" | 3.62 |
| 438-251 | 2" x 1 1/2" | 3.62 |
| 438-338 | 3" x 2" | 6.43 |

MPT X FPT



Part

| 439-211 | 1 1/2" x 1" | 4.27 |
|---------|-----------------|------|
| 439-212 | 1 1/2" x 1 1/4" | 4.27 |
| 439-249 | 2" x 1" | 4.27 |
| 439-251 | 2" x 1 1/2" | 4.27 |
| 439-250 | 2" x 1 1/4" | 4.27 |

PLUG (THREADED)





| Part Number | SLIP | Retail Price |
|----------------|--------|-----------------|
| 406-010 | 1" | 3.49 |
| 406-012 | 1 1/4" | 4.98 |
| 406-015 | 1 1/2" | 4.98 |
| 406-020 | 2" | 6.98 |
| 406-030 | 3" | 11.98 |
| 406-040 | 4" | 21.49 |
| | | |

FPT X SLIP



| Part Number | FPT X SLIP | Retail Price |
|----------------|------------|-----------------|
| 407-015 | 1 1/2" | 6.49 |
| 407-020 | 2" | 13.98 |
| 407-030 | 3" | 25.98 |
| 407-040 | 4" | 38.98 |
| | | |

90° STREET ELBOW



| Part Number | SLIP X SLIP | R |
|----------------|-------------|---|
| 409-015 | 1 1/2" | 9 |
| 409-020 | 2" | 1 |
| 409-030 | 3" | 1 |

| Part Number | SLIP | Retail Price |
|----------------|--------|-----------------|
| 401-010 | 1" | 3.49 |
| 401-012 | 1 1/4" | 5.98 |
| 401-015 | 1 1/2" | 6.98 |
| 401-020 | 2" | 8.98 |
| 401-030 | 3" | 32.98 |
| 401-040 | 4" | 34.98 |



SLIP CAPS

| Part | | Retail |
|---------|--------|--------|
| Number | SLIP | Price |
| 447-015 | 1 1/2" | 3.98 |
| 447-020 | 2" | 4.98 |
| 447-030 | 3" | 5.98 |



toll free: 877.266.8181 • fax: 515.266.8999 • website: waterlandscapesupply.com

| | | 0.0101 | | 10.200.0000 | | vaterianuseap | coupply.com | |
|---|---|---------------------------------------|-------------------|-----------------------------|-------------------------|--------------------------|------------------|-------------------------|
| | WYES | | | | ALE | | UNION | S |
| Part | | Retail | Part Number | ADAPT MPT X SLIP | Retail Price | | Z | |
| Number | SLIP | Price | 436-005 | 1/2" | 1.83 | Part Number | SLIP | Retail Price |
| WWY112 | 1 1/2" | 13.98 | 436-007 | 3/4" | 1.83 | UN100 | 1" | 6.98 |
| WWY200 | 2" | 17.98 | 436-010 | 1" | 2.34 | UN114 | 1 1/4" | 15.98 |
| G | ENTLE WYES | 2 | 436-012 | 1 1/4" | 2.66 | UN112 | 1 1/2" | 17.98 |
| GL | | | 436-169 | 1 1/4" x 1 1/2" | 4.29 | UN200 | 2" | 25.98 |
| | | | 436-015 | 1 1/2" | 3.29 | UN300 | 3" | 50.98 |
| | | | 436-251 | 2" x 1 1/2" | 5.98 | UN400 | 4" | 67.98 |
| | | | 436-020 | 2" | 4.98 | | FPT | |
| | | | 436-212 | 1 1/2" x 1 1/4" | 4.49 | | | |
| _ | | | 436-213 | 1 1/2" x 2" | 4.49 | | | |
| Part Number | SLIP | Retail Price | 436-030 | 3" | 19.98 | | | |
| 475-010 | 1" | 6.98 | 436-040 | 4" | 19.98 | | | |
| 475-012 | 1 1/4" | 8.98 | | MPT X SPIG | | Part | FPT | Retail |
| 475-015 | 1 1/2" | 10.98 | | MPT X SPIG | | Number UN12T | 1/2" | Price 5.98 |
| 475-020 | 2" | 27.98 | ~ | MAL | LE | UN34T | 3/4" | 8.98 |
| 475-030 | 3" | 47.98 | | SPIG | | UN100T | 1" | 10.98 |
| 475-040 | 4" | 92.98 | | ADAP | TER | UN114T | 1 1/4" | 15.98 |
| WV | ES MANIFOL | n | | | | UN112T | 1 1/2" | 18.98 |
| | | | Part Number | MPT X SPIG | Retail Price | UN200T | 2" | 25.98 |
| | | | 461-015 | 1 1/2" | 3.98 | | | |
| | | | 461-020 | 2" | 3.98 | | | BER Edg |
| | | | 401 020 | | | | | LNJ |
| Part Number WMY200 | FPT 2" | Retail Price 17.98 | Part | ADAPT | | | | |
| C | OUPLINGS | | Number | FPT X SLIP | Price | Part Number | SLIP | Retail Price |
| | | | 435-005 | 1/2" | 1.98 | RFC114 | 1 1/4" | 6.98 |
| | | | 435-007 | 3/4" | 2.49 | RFC112 | 1 1/2" | 7.98 |
| | | | 435-010 | 1" | 2.49 | RFC200 | 2" | 8.98 |
| | | | 435-012 | 1 1/4" | 3.49 | RFC300 | 3" | 13.98 |
| | | | 435-015 | 1 1/2" | 3.98 | RFC112200 | 1 1/2" x 2" | 4.98 |
| Part Number | SLIP | Retail Price | 435-020 | 2" | 4.26 | RFC200300 | 2" x 3" | 9.98 |
| 429-005 | 1/2" | 0.83 | 435-030 | 3" | 7.47 | RFC400 | 4" | 8.98 |
| 429-007 | 3/4" | 1.05 | 435-040 | 4" | 11.98 | - | 01 | JICK |
| 429-010 | 1" | 1.70 | | FPT X SPIG | | n com | | |
| 429-012 | 1 1/4" | 2.33 | | FEMAL | F | XL III | | |
| 429-015 | | | 1 | SPIGO | | | | |
| 423-013 | 1 1/2" | 2.67 | 1.0000000 | | | Phil par a | | |
| 429-020 | 2" | 2.67 4.27 | | ADAPT | ER | Carlos and a second | 2 | |
| | | 4.27 | | ADAPT | ER | | | _ |
| 429-020 | 2" | | | ADAPT | | Part Number | FPT | Retail Price |
| 429-020 429-212 | 2" 1 1/2" x 1 1/4" | 4.27 3.19 | Part Number | ADAPTI FPT X SPIG | Retail Price | | FPT 1" | |
| 429-020 429-212 429-251 | 2" 1 1/2" x 1 1/4" 1 1/2" x 2" | 4.27 3.19 4.98 | | | Retail | Number | | Price |
| 429-020 429-212 429-251 429-030 | 2" 1 1/2" x 1 1/4" 1 1/2" x 2" 3" | 4.27 3.19 4.98 6.98 | Number | FPT X SPIG | Retail Price | Number QC100 | 1" | Price 21.98 |
| 429-020 429-212 429-251 429-030 429-338 | 2" 1 1/2" x 1 1/4" 1 1/2" x 2" 3" 2" x 3" | 4.27 3.19 4.98 6.98 19.98 | Number 478-015 | FPT X SPIG 1 1/2" | Retail Price 2.12 | Number QC100 QC112 | 1" 1 1/2" | Price 21.98 24.98 |

FITTINGS

FITTINGS

email: sales@waterlandscapesupply.com

| ΖυΖυ | CAIAL | UG | | | email | : sales@ | waterlandsca | apesup | ply.com |
|----------------|-----------------------|-----------------|------------------|-------------------------|-----------------|--|-------------------------|-----------------------|-----------------|
| | 3 WAY VALVES | | | TRUE UNOI CHECK VALV | N VES | | | FE G <i>i</i> Alve | |
| | | | | | | | | | |
| Part | | Retail | Part Number | SLIP | Retail Price | Part Number | SLIP | | Retail Price |
| Number | SLIP | Price | TUCV112 | 1 1/2" | 35.98 | PLASTIC | | | 11100 |
| 3WV112 | 1 1/2" | 106.98 | TUCV200 | 2" | 51.98 | KGV112 | 1 1/2" | | 18.98 |
| 3WV200 | 2" | 106.98 | Т | RUE UNOIN | | KGV200 | 2" | | 28.98 |
| BA | LL VALVES | | | VALVES (CLE | EAR) | KGV300 | 3" | | 34.98 |
| | | | 01 | Pro | | STAINLE | SS STEEL PAD | DLE | |
| | | | | 12 chilling | | KGV2005 | S 2" | | 43.98 |
| | and the second second | | | 6 | | KGV3005 | S 3" | | 51.98 |
| | | | | | | KGV400S | S 4" | | 89.98 |
| Part | | Retail | Part Number | | Retail Price | P | OND RET | URN | S |
| Number | SLIP | Price | TUCV12C | 1/2" Clear | 4.98 | SLIP | | - | |
| BV12 | 1/2" | 4.98 | TUCV112C | 1 1/2" Clear | 45.98 | | | le s | |
| BV34 BV100 | 3/4" 1" | 5.98 6.98 | TUCV200C | 2" Clear | 67.98 | | | - | |
| BV100 BV114 | 1 1/4" | 9.98 | CH | | | | | | |
| BV114 BV112 | 1 1/2" | 10.98 | | | | | SLIP | - | |
| BV200 | 2" | 16.98 | | | | | X | | - |
| BV200 | 3" | 79.98 | | | | | FPT 🤍 | 1926 | - |
| BV400 | 3 4" | 179.98 | | | | Part Number | Description | | Retail Price |
| 21100 | | menee | Part | | Retail | | D CONNECTOR | S | Thee |
| | FPT | | Number | FPT | Price | FC915 | 1 1/2" SLIP x | | 29.98 |
| | | | CV12T | 1/2" | 23.98 | FC920 | 2" SLIP x SL | | 29.98 |
| | | | CV34T | 3/4" | 25.98 | _ | 1 1/2" SLIP) | | |
| | | | CV100T | 1" | 27.98 | FC915T FC920T | 2" SLIP x FP | | 29.98 29.98 |
| | | | CV114T | 1 1/4" | 10.98 | - | - | | |
| Part Number | FPT | Retail Price | CV112T CV200T | 1 1/2" 2" | 29.98 45.98 | C | LUES & | TAPE | |
| BV12T | 1/2" | 4.98 | CV2001 | | 45.50 | | | | |
| BV34T | 3/4" | 5.98 | | SLIP | | | тн | READ SEA | L TAPE |
| BV100T | 1" | 6.98 | | | | | 11 Youngal | | |
| BV114T | 1 1/4" | 9.98 | | | | Part | | | Retail |
| BV112T | 1 1/2" | 10.98 | | | | Number | Description | | Price |
| BV200T | 2" | 16.98 | | | | RI75163 | Thread Seal Tape | e | 2.98 |
| | IGLE UNION | | | | | | | | |
| | | | Part Number | SLIP | Retail Price | Christ | WS - | | |
| | | | CV12 | 1/2" | 23.98 | Red Hot Bit | e Gine Paul Hot Blan Di | | D HOT GLUE |
| 60 | 112 | | CV34 | 3/4" | 25.98 | | | | er required) |
| | | | CV100 | 1" | 27.98 | and the second s | |] | |
| - | | | CV114 | 1 1/4" | 27.98 | 0 | | | |
| Part | | Retail | CV112 | 1 1/2" | 29.98 | Part | | Case | Retail |
| | | Price | CV200 | 2" | 45.98 | Number | Description | Qty | Price |
| Number | SLIP | Frice | | | | | | | |
| | SLIP 1 1/2" | 48.98 | CV300 | 3" | 79.98 | RHBG4 | 4 oz. | 24 | 10.98 |





AVON ADVANTAGE Polished triple pipe with angled tops.



HUMBER Brushed stainless steel. (Not recommended for bowls.)



THAMES TRIPLE DISH CASCADE Suitable for pool or pond.



RYTON This midway cascade is very popular in all locations.



Brushed steel, ideal for any large pond or patio.



MERSEY Feature suitable for 35" bowl. Makes soothing deck feature.



FORTH Brushed finish, six bowls. Suitable for 36" reservoirs.



Small elegant triple dish cascade in brushed finish.

| Part Number | Description | HxW | Pump Included | Retail Price | Part Number | Description | HxW | Pump Included | Retail Price |
|----------------|--------------------|-----------|------------------|-----------------|----------------|-------------|-----------|------------------|-----------------|
| SEG0421 | Avon Advantage (A) | 35" x 4" | 800 GPH | 399.98 | SEG0341 | Ryton (E) | 27" x 14" | 400 GPH | 259.98 |
| SEG0041 | Humber (B) | 28" x 20" | 800 GPH | 299.98 | SEG0331 | Derwent (F) | 49" x 20" | 375 GPH | 475.98 |
| SEG0011 | Thames (C) | 37" x 21" | 800 GPH | 369.98 | SEG0051 | Mersey (G) | 25" x 12" | 250 GPH | 199.98 |
| SEG0061 | Forth (D) | 36" x 14" | 250 GPH | 249.98 | SEG0351 | Tay (H) | 24" x 10" | 200 GPH | 179.98 |

| | | CIIIC | m . 50105 | Wateria | anuscapesi | ippiy.com |
|---|-----------------------------------|---------------------|------------------|-----------------|---|-----------------|
| | HEER FALLS | 5 | | | | |
| | | water sou | nd and inc | reased aei | e is desired - l ration - Can u y different loc | ise in or |
| | | | 2 | | | |
| | | | | | | - |
| | | 304 Stain | less Steel | | | |
| | Part Number | Actu Widt | | Flow PH) Inl | Inlet lets Size | Retail Price |
| A | | BOTTO | INLETS | | | |
| | ights SEG2015 | D 11.8 ⁻ | 1" 400 | -800 | 1 1" FPT | 169.98 |
| | SEG2025 | D 23.6 | 2" 1000 | -1600 | 1 1" FPT | 259.98 |
| | SEG2035 | D 35.4 | 3" 1200 | -2200 | 1 1" FPT | 359.98 |
| | REAR IN | NLETS O | NLY | | | |
| | SEG2045 | 47.2 | 4" 2000 | -3000 | 3 1" FPT | 439.98 |
| | SEG2055 | 59.0 | 6" 3000 | -5000 | 3 1" FPT | 499.98 |
| | Part Number | Compati Sheer Fa | | tail ice | | |
| | TOP PLA | TES | | | | |
| | H 1.97" → TCP11 | SEG201 | 5D 33. | 98 | | |
| | TCP23 | SEG202 | | | TCP23 | |
| ar & Bottom Inlets 1" FPT bol SEG2015D | TCP35 | SEG203 | | | and with highly of | loringted wate |
| | HEER FLOW | 1 | 31 | | sed with highly ch | ionnated wate |
| Easily | These Curved W Unique Effect w | | | | | |
| Add LED Lights | Part Number | Actual Width | | Rec. Flow | Inlets Size | Retail Price |
| March 1 | SEG62211 | 11.81" | 13" | 1000 | 1 1" FPT | 269.98 |
| | SEG62212 | 23.62" | 13" | 1500 | 1 1" FPT | 359.98 |
| | SEG62213 | 35.43" | 13" | 2200 | 2 1" FPT | 479.98 |
| | SEG62214 | 47.24" | 13" | 3000 | 3 1" FPT | 599.98 |
| 204 Stainlass Staal | SEG62215 | 59.06" | 13" | 3750 | 3 1" FPT | 739.98 |

304 Stainless Steel

Should not be used with highly chlorinated water

SHEER CASCADE

Extended Weir for Increased Visibility, Maintains Unique Effect and Quieter Water Entry. Easily Add LED Light Strips.

| Part Number | Actual Width | Weir Depth | Rec. Flow (GPH) | Inlets | Inlet Size | Retail Price |
|----------------|-----------------|---------------|--------------------|--------|---------------|-----------------|
| SEG62671 | 11.81" | 18" | 1000 | 1 | 1" FPT | 279.98 |
| SEG62672 | 23.62" | 18" | 1500 | 66.30 | 1" FPT | 379.98 |
| SEG62673 | 35.43" | 18" | 2200 | 2 | 1" FPT | 499.98 |
| SEG62674 | 47.24" | 18" | 3000 | 3 | 1" FPT | 599.98 |
| SEG62675 | 59.06" | 18" | 3750 | 138.80 | 1" FPT | 739.98 |

Should not be used with highly chlorinated water





| Part Number | Actual Width | Rec. Flow (GPH) | Ports | Inlet Size | Retail Price | | | | |
|---------------------------|-----------------|--------------------|-------|---------------|-----------------|--|--|--|--|
| WITH BLUE LED LIGHT STRIP | | | | | | | | | |
| SEG5010LB | 11.81" | 1000 | 1 | 1 1/2" FPT | 199.98 | | | | |
| SEG5020LB | 23.62" | 1500 | 1 | 1 1/2" FPT | 249.98 | | | | |
| SEG5030LB | 35.43" | 2200 | 1 | 1 1/2" FPT | 339.98 | | | | |
| SEG5040LB | 47.24" | 3000 | 2 | 1 1/2" FPT | 399.98 | | | | |
| SEG5050LB | 59.06" | 3750 | 2 | 1 1/2" FPT | 459.98 | | | | |
| WITH WHITE | <u>LED LIG</u> | <u>HT STRIP</u> | | | | | | | |
| SEG5010LW | 11.81" | 1000 | 1 | 1 1/2" FPT | 199.98 | | | | |
| SEG5020LW | 23.62" | 1500 | 1 | 1 1/2" FPT | 249.98 | | | | |
| SEG5030LW | 35.43" | 2200 | 1 | 1 1/2" FPT | 339.98 | | | | |
| SEG5040LW | 47.24" | 3000 | 2 | 1 1/2" FPT | 399.98 | | | | |
| SEG5050LW | 59.06" | 3750 | 2 | 1 1/2" FPT | 459.98 | | | | |

MAY BE USED IN CHLORINATED WATER, such as swimming pools & spas • Blue, White or No LED Lights

Separate Tube Installed Behind Water Flow

Light Strip in

| Part Number | Actual Width | Rec. Flow (GPH) | Inlets | Inlet Size | Retail Price |
|----------------|-----------------|--------------------|--------|---------------|-----------------|
| <u>WITHOUT</u> | <u>LIGHTS</u> | | | | |
| SEG5010 | 11.81" | 1000 | 1 | 1 1/2" FPT | 119.98 |
| SEG5020 | 23.62" | 1500 | 1 | 1 1/2" FPT | 169.98 |
| SEG5030 | 35.43" | 2200 | 1 | 1 1/2" FPT | 229.98 |
| SEG5040 | 47.24" | 3000 | 2 | 1 1/2" FPT | 299.98 |
| SEG5050 | 59.06" | 3750 | 2 | 1 1/2" FPT | 359.98 |

Retail

Price

139.98

189.98

S Atlantic

WATERWALL SPILLWAYS

Unique Spillways create Water Walls and Weeping Walls



SPLASH RINGS



Description

8 oz.

64 oz.

Number

WFT8

WFT64

CFSR36

3YEAR



| Splash Rings eliminate splash and reduce evaporation | n, prolonging time between fill ups |
|--|-------------------------------------|
|--|-------------------------------------|

- Surround Splash Rings with decorative gravel for a finished look
- · Formal Spillways are typically installed in small recirculating systems where controlling water loss is crucial

| Part Number | Description | For Use With | Dimensions (W x D x H) | Warranty | Retail Price |
|----------------|---|--------------|---------------------------|----------|-----------------|
| CFSR12 | Stainless Steel Splash Ring for 12" Spillways | CFBASIN12 | 16" x 8" x 1.5" | 3 Years | 208.98 |
| CFSR24 | Stainless Steel Splash Ring for 24" Spillways | CFBASIN24 | 28" x 8" x 1.5" | 3 Years | 300.98 |
| CFSR36 | Stainless Steel Splash Ring for 36" Spillways | CFBASIN36 | 40" x 8.5" x 1.5" | 3 Years | 382.98 |



Price

14.98

61.98

Qty

20

8

(Gallons)

2400

20000

| Part Number | Description | Treats (Gallons) | Case Qty | Retail Price |
|----------------|-------------|---------------------|-------------|-----------------|
| WPT8 | 8 oz. | 200 | 20 | 12.98 |
| WPT64 | 64 oz. | 1600 | 8 | 53.98 |

Part

126



GPH

120

180

240

300

360

39.98

1 1/2" MIP

Nozzle Adjustment Base 1 1/2" MIPT

4"Wx3"H

120.98

1 1/2" MIPT

UNDERWATER LIGHTS

White & Blue Light Bars

Use with Sheer Falls, Sheer Flow & Sheer Cascade

Claster Store Land

- 33' Cord
- For in or out of water use
- Transformer included

| Part Number | Color | Light Width | Compatible Weirs | Retail Price | Part Number | Color | Light Width | Compatible Weirs | Retail Price |
|----------------|-------|-------------|---------------------|-----------------|----------------|-------|-------------|---------------------|-----------------|
| SEG2019L | White | 11.56" | 11" & 12" | 59.98 | SEG2019LB | Blue | 11.56" | 11" & 12" | 59.98 |
| SEG2029L | White | 23.38" | 23" & 24" | 69.98 | SEG2029LB | Blue | 23.38" | 23" & 24" | 69.98 |
| SEG2039L | White | 35.25" | 35" & 36" | 89.98 | SEG2039LB | Blue | 35.25" | 35" & 36" | 89.98 |
| SEG2049L | White | 47.13" | 46" & 48" | 129.98 | SEG2049LB | Blue | 47.13" | 46" & 48" | 129.98 |
| SEG2059L | White | 58.75" | 58" & 60" | 139.98 | SEG2059LB | Blue | 58.75" | 58" & 60" | 139.98 |

COLOR CHANGING LIGHT BARS



- Speed Settings
 - For in or out of water
 - Transformer included



Part Retail Number Price GB-K506 24.98

| | | | 1000 | | | |
|---|----------------|-------|----------------|-------|---------------------|-----------------|
| REMOTE CONTROLS: • Color Settings | Part Number | Color | Light Width | Watts | Compatible Weirs | Retail Price |
| - (8) Solid colors: | CCLS12 | Multi | 11.4" | 2.1 | 11" & 12" | 119.98 |
| Red, Green, Blue, White, Orange, | CCLS24 | Multi | 23.3" | 3.4 | 23" & 24" | 139.98 |
| Yellow, Cyan, & Purple | CCLS36 | Multi | 35.25" | 4.6 | 35" & 36" | 149.98 |
| - Flashing | CCLS48 | Multi | 47.13" | 5.3 | 47" & 48" | 179.98 |
| - Blended | CCLS60 | Multi | 58.75" | 7.8 | 59" & 60" | 199.98 |



APOLLO CASCADE



Part Number

SPL5000

- Floating pond fountain
- Aerates pond
- Very effective at night
- Designed for use in garden ponds
- Color changing LED lights


| | Sprays: 40" High 30" Wide | • P • L | UDES: Pump .ight iloat |
|-------|--|----------------|---------------------------------|
| Color | Diameter | Cord Length | Retail Price |
| R/G/B | 12" | 30' | 199.98 |





FOGGERS & ACCESSORIES

| 6 | | 8. A | | *E |
|---|----|------|----|----|
| | | T | B. | |
| 1 | 6 | - | | |
| 0 | 10 | | 3 | |





| Part Number | Discs | LED Diodes | LED Color | Watts | Control | Retail Price |
|----------------|-----------|---------------|--------------|-------|---------|-----------------|
| FOGGERS | | | | | | |
| FG101L | (1) 16 mm | 12 | Multi | 8 | Y | 55.98 |
| SMG0109 | (1) 20 mm | 1 | Red | 5 | Ν | 33.98 |
| SMG0199 | (1) 16 mm | 15 | R/Y/B | 8 | Ν | 39.98 |
| MEMBRAN | ES | | | | | |
| SMA0039 | (3) 20 mm | | | | | 9.98 |

All Foggers Include a Transformer!

. Ш

BUBBLER LIGHTS - FOGGERS



| | | | | _ | · | |
|----------------|-------------------|--------|-------|----------------|-----------------|---|
| Part Number | Bulb | Trans. | Watts | Cord Length | Retail Price | F |
| BRASS LIGH | <u>TS W/STAND</u> | | | | | E |
| PFHALB | MR16 Halogen | No | 20 | 15' | 90.98 | F |
| PFHALB-50 | MR16 Halogen | No | 50 | 15' | 99.98 | F |
| PFLEDB | White LED | No | 1.8 | 15' | 99.98 | F |

| Part Number | Bulb | Trans. | Watts | Cord Length | Retail Price | | | | | |
|---------------------------|--------------|--------|-------|----------------|-----------------|--|--|--|--|--|
| FIBERGLASS LIGHTS W/STAKE | | | | | | | | | | |
| PFHALF | MR16 Halogen | No | 20 | 15' | 50.98 | | | | | |
| PFHALF-50 | MR16 Halogen | No | 50 | 15' | 59.98 | | | | | |
| PFLEDF | White LED | No | 1.8 | 15' | 59.98 | | | | | |
| | | | | | | | | | | |

S Atlantic

WARM WHITE LED LIGHTING

- Atlantic's Warm White LED Pond Lights are economical and easy to install
- Durable plastic housing resists impact and temperature extremes
- · Can be used with all other Atlantic Warm White Lighting



| Part | | | | | Out of | Photo | Cord | Case | Retail |
|-----------|------------------------------|------------|--------|-------|--------|--------|--------|------|----------------|
| Number | Description | Color | Trans. | Watts | Water | Sensor | Length | Qty | Price |
| WARM WHIT | <u>re led lights</u> | | | | | | | | |
| SOLWPL1 | Compact Spotlight | warm white | Yes | 1 | Yes | Yes | 20' | 12 | 55.98 |
| SOLWPL3 | Compact Spotlight - Set of 3 | warm white | Yes | 3 | Yes | Yes | 20' | 6 | 116.9 8 |

ALPINE LIGHTS



| ALPINE LEC | D LIGHTS | |
|----------------|--------------------------|----------|
| Lasts 10 times | longer than conventional | lighting |

- Super bright LEDs
- Use in or out of water
- Very energy efficient





LED 3 LIGHT KITS 23' cord and 5'

between each light (Daisy-chained)

| Part Number | Description | Color | LED Diodes | Trans. | Watts | Out of Water | Photo Sensor | Cord Length | Case Qty | Retail Price |
|----------------|--------------|-------|---------------|--------|-------|-----------------|-----------------|----------------|-------------|-----------------|
| LED112T | Single Light | White | 12 | Yes | 3.2 | Yes | Yes | 23' | 6 | 49.98 |
| LED312T | 3 Light Kit | White | 12 | Yes | 9.6 | Yes | Yes | 23' | 6 | 89.98 |



105.98Multiple Light Kits are in Daisy Chain Configuration27.98Kits using Splitters can be Requested

Splitter

Traditional Example

Transformer




Single Light (Less Transformer)

Replacement Lamp

GB-G12DRF

GB-G02DSW-5.6

email: sales@waterlandscapesupply.com



FOAM JET & LED LIGHT RINGS



- Stainless steel nozzle
- · With or without light ring
- Light ring features 48 LED diodes
- · White or color changing light rings available

| • 1" MPT | | | Part | | | LED | | | Cord | Retail |
|------------|------------------------|--------|-----------------|-------------|----------|--------|--------|-------|--------|--------|
| Part | | Retail | Number | Description | Color | Diodes | Trans. | Watts | Length | Price |
| Number | Description | Price | <u>4" LED L</u> | IGHT RING | S for FO | AM JE | NOZZ | LE | | |
| FOAM JET N | IOZZLE | | LR48C | For SES0333 | R/W/B | 48 | Yes | 5 | 33' | 59.98 |
| SES0333 | Foam Jet Nozzle (only) | 79.98 | LR48W | For SES0333 | White | 48 | Yes | 5 | 33' | 69.98 |

LED LIGHT RINGS










Light Ring is Designed to Sit Directly on Top of Foam Jet Nozzle

> Nozzle & Light Ring Sold Separately



| Part Number | Description | Color | Outer Diameter | Inner Diameter | Trans. | Watts | Out of Water | Photo Sensor | Cord Length | Retail Price | |
|---------------------------|----------------------|-------|-------------------|-------------------|--------|-------|-----------------|-----------------|----------------|-----------------|--|
| <u>1 1/4" LIGHT RINGS</u> | | | | | | | | | | | |
| LRA12B | Light Ring, 12 LEDs | Blue | 1 1/4" | 5/8" | Yes | 1.5 | Yes | No | 33' | 39.98 | |
| LRA12W | Light Ring, 12 LEDs | White | 1 1/4" | 5/8" | Yes | 1.5 | Yes | No | 33' | 45.98 | |
| 2 1/4" LIGHT RINGS | | | | | | | | | | | |
| LRA24W | Light Ring, 24 LEDs | White | 2 1/4" | 1 5/8" | Yes | 5 | Yes | No | 33' | 59.98 | |
| LRA24B | Light Ring, 24 LEDs | Blue | 2 1/4" | 1 5/8" | Yes | 5 | Yes | No | 33' | 49.98 | |
| 8 1/2" LIGHT | 8 1/2" LIGHT RINGS | | | | | | | | | | |
| LRA120C | Light Ring, 120 LEDs | R/W/B | 8 1/2" | 7" | Yes | 14 | Yes | No | 33' | 159.98 | |
| LRA120W | Light Ring, 120 LEDs | White | 8 1/2" | 7" | Yes | 14 | Yes | No | 33' | 199.98 | |

LED POND LIGHTING

LED POND LIGHTING





email: sales@waterlandscapesupply.com

Dunchla Quick Common



LED GARDEN & POND LIGHTING

Contractor Pack

Designed for quicker and easier installation of Aquascape[®] lighting components, Aquascape[®] Lighting Contractor Packs take up less space, reduce the amount of packaging, and are ideal for installations requiring multiple lights.

| Part Number | Description | Retail Price | Part Number | Description | Retail Price |
|----------------|----------------------------|-----------------|----------------|----------------------------|-----------------|
| CONTRA | CTOR PACK LIGHTING | | CONTRA | CTOR PACK LIGHTING | |
| 84045 | 1 Watt Six Pack of (84031) | 339.98 | 84048 | 6 Watt Six Pack of (84034) | 949.98 |
| 84047 | 3 Watt Six Pack of (84033) | 724.98 | 84046 | 1 Watt Six Pack (84032) | 339.98 |

LIGHTING & TRANSFORMERS

| | | | | 1 | - Carro | | able Quick-C | |
|----------------|-----------------------------------|-----------------|---------|--------|---------|-------|--------------|--------|
| Part Number | Description | Retail Price | Part | Max. | Digital | | Photo | Retail |
| 98452 | 1W LED Bulb, White | 10.98 | Number | Watts | Display | Timer | Sensor | Price |
| 98998 | 25' Ext. Cable | 21.98 | TRANSFO | ORMERS | | | | |
| 98489 | 3-Way Splitter | 13.98 | 98375 | 6W | No | No | No | 31.98 |
| 84022 | 6-Way Splitter | 22.98 | 98485 | 20W | No | No | No | 51.98 |
| 84039 | Photo Cell with Timer | 33.98 | 98486 | 60W | No | No | No | 67.98 |
| 84023 | 25' Cable with 5 Quick Connectors | 31.98 | 99070 | 60W | No | No | Yes | 94.98 |



Requires Smart Control Hub for color-changing lights and standard 12-volt transformer. LED Color-Changing But72

| Part Number | Description | Bulb Life | Cord Length | Dimensions | Retail Price |
|----------------|------------------------------------|-----------|----------------|--------------------|-----------------|
| 84059 | Color-Changing Spotlight 4.5 Watts | 40,000 | 15' | 2" Dia. x 1.5" H | 214.98 |
| 84060 | Color-Changing Spotlight 8 Watts | 40,000 | 15' | 3" Dia. x 3" H | 264.98 |
| 84057 | Color-Changing Up Light 2 Watts | 40,000 | 15' | 3" Dia. x 3" H | 121.98 |
| 84072 | Color-Changing Fountain Light | 40,000 | 15' | 1.5" Dia. x 2.5" H | 71.98 |
| 84074 | Smart Control Hub | - | - | - | 121.98 |

Accessories for LED Color-Changing Lights



25' 5-Outlet Color-Changing Extension Cable

84070

61.98

IGHTING

email: sales@waterlandscapesupply.com

| | | | | UNAQU | | LASSI | C LED |) | | | Oase: |
|---|---|---|--|--|---|---|--|--|--|---|--|
| 0 | | NEW! | | warm wh | ite light | accents | or pleasant of the water | | | | |
| Y | | BP | | consum | otion (mu | ulti LED) po | watt power er fixture alignment | 2ye | AR | | |
| Part | 50 | | 200 | • | | | nd 3-way sp | litter | | | Retail |
| Number | Description | | Туре | Wat | ts | Cable | | Diodes | Transfo | rmer Warranty | Price |
| 56453 | 3 Light Kit | | LED | 3 | | (3) 7' | 18 e | each | Yes | s 2 year | 134.98 |
| | in | | | LUNA | QUA | \ 10 | 1 | 0 | | | \sim |
| | | • Energy saving • Easy installati | - | | - | | ; | | | NEWI | 2year warranty |
| 50366 | ř | Integrated mo Thermal prote automatically | ction function | | tensity is i | reduced | 55889 | | | Powerful halogen spo for illuminating remot | |
| Part Number | Description | Туре | Voltage | Watts | Cable | | ormer | | ensions W x H) | Warranty | Retail Price |
| 50366 | LunAqua 10 | | 12V AC | 10 | Sold | | | • | 6.3" x 7.2" | 2 year | 259.98 |
| 55889 | LunAqua 10 | Halogen | 12V AC | 50-75 | 16' | N | D | 5.7" x 6 | 6.3" x 7.2" | 2 year | 134.98 |
| NEW! | •0 | lalogen underwater an be connected in ncludes 20 watt hale | serial or par | allel design | n light acc | cents | • - | ligh energ | gy efficiency | anks to a powerful 110 y at power consumptio broad illumination of p | n of 3 W |
| | | vith adjusting unit a | | | 2 YEA | AR ATY | | other high | lights | | |
| Part 🦳 | | | | | | | - | | nensions | | Retail Price |
| Number | Description | Туре | Voltag | e Watts | s C | Cable | Transforme | r (| (H x D) | Warranty | |
| | LunAqua 3 | Type Halogen | Voltag 12V A | | | 25' | No | | (H x D) " x 5.5" | 2 year | |
| 57010 | • | | | C 20 | | | | 3 | . , | | 74.98 |
| 57010 | LunAqua 3 LunAqua 3 2 _{YE} | Halogen LED | 12V A0 12V A0 | C 20 C 3 | | 25' | No No | 3' | " x 5.5" " x 5.5" | 2 year | 74.98 85.98 |
| Number 57010 56463 | LunAqua 3 LunAqua 3 | Halogen LED LUNA • Powerful halo • Includes high | 12V A 12V A QUA 5 ogen spotligh n output 80 W | C 20 C 3 .1 Int for pleasant V bulb | | 25' 25' | No No TRA | 3' | " x 5.5" " x 5.5" ORME Part Number | 2 year 2 year R / CONNEC Description | 74.98 85.98 TION Retail Price |
| 57010 56463 | LunAqua 3 LunAqua 3 | Halogen LED LUNA • Powerful hal • Includes high • Does not req | 12V A 12V A 22V A QUA 5 ogen spotligh n output 80 W uire a transfo | C 20 C 3 .1 / bulb prmer Dime | warm ligh ensions | 25' 25' at accents Retail | No No TRA | 3 3 NSF | " x 5.5" " x 5.5" DRME Part Number 50517 | 2 year 2 year R / CONNEC Description Transformer Underwate | 74.98 85.98 TION Retail Price r 268.98 |
| 57010 56463 Part Number | LunAqua 3 LunAqua 3 Vere WarRa Description | Halogen LED • Powerful halo • Includes high • Does not req Type Volts | 12V A 12V A 2V A QUA 5 ogen spotligh n output 80 W uire a transfo s Watts | C 20 C 3 .1 / bulb prmer Dime Cable (H | warm ligh ensions I x D) | 25' 25' It accents Retail Price | No No TRA | 3 NSF(0517 11740 | " x 5.5" " x 5.5" DRME Part Number 50517 11740 | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable | 74.98 85.98 TION Retail Price 97 268.98 173.98 |
| 57010 56463 Part Number 57104 | LunAqua 3 LunAqua 3 Vere Vere Vere Description Pond Light | Halogen LED • Powerful halo • Includes high • Does not req Type Volte Halogen 120 | 12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfo s Watts 80 | C 20 C 3 .1 .1 bulb ormer Dime Cable (H 15' 5.5" | warm ligh ensions x D) ' x 8.5" | 25' 25' at accents Retail | No No TRA | 3 3 NSF 0517 11740 0492 | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box | 74.98 85.98 TION Retail Price 97 268.98 173.98 |
| 57010 56463 Part Number 57104 | LunAqua 3 LunAqua 3 LunAqua 3 Certification Description Pond Light DERWAT Makes Storage | Halogen LED • Powerful hale • Does not req Type Volts Halogen 120 ER QUICI and Hookup of | 12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfo s Watts 80 | C 20 C 3 .1 .1 bulb ormer Dime Cable (H 15' 5.5" | warm ligh ensions x D) ' x 8.5" | 25' 25' It accents Retail Price | No No TRA | 3 3 NSF 0517 11740 0492 | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable | 74.98 85.98 TION Retail Price 97 268.98 173.98 |
| 57010 56463 Part Number 57104 | LunAqua 3 LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage Duntains / Light | Halogen LED • Powerful halo • Includes high • Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier | 12V A 12V A 12V A QUA 5 ogen spotligh n output 80 W uire a transfo s Watts 80 K DISC | C 20 C 3 .1 .1 bulb ormer Dime Cable (H 15' 5.5" | warm ligh ensions x D) ' x 8.5" | 25' 25' It accents Retail Price | No No TRA | 3 33 0517 11740 1492 D GR | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 IP CO Designed | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box | 74.98 85.98 TION Retail Price 7 268.98 173.98 53.98 |
| 56463 Part Number 57104 | LunAqua 3 LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage Duntains / Light | Halogen LED • Powerful hale • Does not req Type Volts Halogen 120 ER QUICI and Hookup of | 12V A 12V A 12V A QUA 5 ogen spotligh noutput 80 W uire a transfo s Watts 80 C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions x D) ' x 8.5" | 25' 25' It accents Retail Price | No No TRA | 3 33 0517 11740 1492 D GR | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 IP CO Designed | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box NNECTOR | 74.98 85.98 TION Retail Price 268.98 173.98 53.98 |
| 57010 56463 Part Number 57104 UND C Fo Part Number | LunAqua 3 LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage bountains / Light | Halogen LED Powerful halo Includes high Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions (x D) (x 8.5" CT | 25' 25' It accents Retail Price 214.98 | No No TRA | 3 3 3 0517 11740 1492 D GR t t | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 IP CO Designed o electric | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box NNECTOR | 74.98 85.98 TION Retail Price 268.98 173.98 53.98 Vercord Retail Price |
| 57010 56463 Part Number 57104 UND | LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage buntains / Light | Halogen LED • Powerful hald • Includes higi • Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L 2.3" x 17 | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC C DISC C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions I x D) ' x 8.5" CT Retail | 25' 25' It accents Retail Price 214.98 | No No TRA So So CORI CORI Description | 3 3 1 0517 11740 0492 0 GR • [t t n | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 IP CO Designed o electric | 2 year 2 year R / CONNEC Description Transformer Underwat 50' Cable Power Box NNECTOR | 74.98 85.98 TION Retail Price 268.98 173.98 53.98 Vercord Retail Price |
| 57010 56463 Part Number 57104 UND Fo Fo Part Number | LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage buntains / Light | Halogen LED Powerful halo Includes high Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC C DISC C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions (x D) (x 8.5" CT | 25' 25' It accents Retail Price 214.98 | No No TRA So So CORI CORI Description | 3 3 1 0517 11740 0492 0 GR • [t t n | " x 5.5" " x 5.5" DRME Part Number 50517 11740 50492 IP CO Designed o electric | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box NNECTOR | 74.98 85.98 TION Retail Price 268.98 173.98 53.98 Vercord Retail Price |
| 57010 56463 Part Number 57104 UND Fo Fo Part Number | LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage buntains / Light | Halogen LED • Powerful hald • Includes higi • Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L 2.3" x 17 | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC C DISC C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions (x D) (x 8.5" CT | 25' 25' It accents Retail Price 214.98 | No No TRA So So CORI CORI Description | 3 3 1 0517 11740 0492 0 GR • [t t n | * x 5.5" * x 5.5" DRME Part Number 50517 11740 50492 IP CO Designector o electric Designector EAL | 2 year 2 year R / CONNEC Description Transformer Underwat 50' Cable Power Box NNECTOR | 74.98 85.98 TION Retail Price 268.98 173.98 53.98 Vercord Retail Price 7.98 |
| 57010 56463 Part Number 57104 UND C G G G G G G G G G G G G G G G G G G | LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage buntains / Light | Halogen LED • Powerful hald • Includes higi • Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L 2.3" x 17 | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC C DISC C DISC | C 20 C 3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | warm ligh ensions (x D) (x 8.5" CT | 25' 25' It accents Retail Price 214.98 | No No TRA So So CORI CORI Description | 3 3 1 0517 11740 0492 0 GR • [t t n | * x 5.5" * x 5.5" DRME Part Number 50517 11740 50492 IP CO Designector Connector EAL • Creation • Creatio | 2 year 2 year R / CONNEC Description Transformer Underwate 50' Cable Power Box NNECTOR I to secure a power cal equipment FITTING Pate a leak - proof se | 74.98 85.98 TION Retail Price 97 268.98 173.98 53.98 Vercord Retail Price 7.98 al around ords |
| 57010 56463 Part Number 57104 UND C For Part Number | LunAqua 3 LunAqua 3 Description Pond Light Description Pond Light Makes Storage buntains / Light | Halogen LED • Powerful hald • Includes higi • Does not req Type Volts Halogen 120 ER QUICI and Hookup of ing Much Easier 2 to 0.53 OD Wire Dimensia (D x L 2.3" x 17 | 12V A(12V A(12V A(QUA 5 ogen spotligh n output 80 W uire a transfor s Watts 80 C DISC C DISC DISC C DISC C DISC DISC C DISC DISC C DISC DIS | C 20 C 3 .1 ht for pleasant 1 / bulb prmer Dime Cable (H 15' 5.5" CONNE Cable 7 | warm ligh ensions (x D) (x 8.5" CT | 25' 25' It accents Retail Price 214.98 | No No TRA So So CORI CORI Description | 3 3 3 1NSF(0517 11740 0492 D GR • [t t t Grip Co RD S | * x 5.5" * x 5.5" DRME Part Number 50517 11740 50492 IP CO Designector Connector EAL • Creation • Creatio | 2 year 2 year R / CONNEC Description Transformer Underwat 50' Cable Power Box NNECTOR I to secure a pov cal equipment FITTING eate a leak - proof se "-3/8" cords ss pump & lighting c | 74.98 85.98 TION Retail Price 97 268.98 173.98 53.98 Vercord Retail Price 7.98 al around ords |

| toll free: 87 | 7.266.8181 | • fax: 5 | 515.266.899 | 99 • website: wa | aterlandscapesu | ipply.com | |
|---|-------------------|---------------------|-----------------|------------------|--------------------|-----------------|-----------------|
| | | | UVC L | AMPS | | | |
| 171 | 5 Wa | att | | | 36 W | att | |
| E la a | CONNEC | TION TYPE: | G23 | 12 22 | CONNE | ECTION TYPE | : 2G11 |
| | Part Number | Length | Retail Price | 1987 a. | Part Number | Length | Retail Price |
| | C100 | 4" | 22.98 | | C106 | 16.5" | 69.98 |
| | 19526 • | 4" | 29.98 | | 19529 • | 15.25" | 61.98 |
| | • Fits Tetra U | vc | | | • Fits Tetra | a UVC & Press | ure Filter |
| and for | 9 Wa | att | | 11/11 | 55 W | att | |
| V III | CONNE | ECTION TYPE | : G23 | 1312 | CONNE | CTION TYPE | . 2611 |
| | Part Number | Length | Retail Price | and a second | | | . 2011 |
| | C101 | 6.5" | 25.98 | | Part Number | Length | Retail Price |
| | 19527 • | 6.5" | 32.98 | | C108 | 21.25" | 73.98 |
| | • Fits Tetra | UVC | | | 0100 | 21.20 | 10.00 |
| a fat | 9 Wa | att | | | 8 Wa | att | |
| (a) is | CONNE | | :: 2G7 | it have the | | nection (on b | |
| and the second | Part | 1 | Retail | at the state | Part | | Retail |
| C. Starter | Number 16787 • | Length 5.75" | Price 65.98 | | Number | Length | Price |
| | | 5.75 PUV-1500 NC | | | FM329 (Fishmate | 12" | 29.98 |
| | 11 W | | | | 16 W | | |
| | | all | | | 10 10 | all | |
| | CONNE | ECTION TYPE | ∷ G 23 | i D | | nection (on b | |
| | Part | | Retail | | Part | | Retail |
| | Number | Length | Price | | Number | Length | Price |
| | C102 | 9.25" | 29.98 | | FM330 (Fishmate | 12") | 33.98 |
| E Pro- | 13 W | att | | | 10 W | att | |
| No. | CONNE | CTION TYPE: | : GX23 | | CONN | ECTION TYPE | :: T5F |
| | Part | | Retail | | Part Number | Length | Retail Price |
| | Number C103 | Length 7.25" | Price 36.98 | 8 | 12971 (Dappor) | 8.75" | 78.98 |
| | 13 W | | | | (Danner) | att | |
| | | | | | 20 11 | 411 | |
| | | ECTION TYPE | | | CONN | ECTION TYPE | 1: T5F |
| 12 | Part Number | Length | Retail Price | | Part | l on oth | Retail |
| | C103M • | 7.5" | 36.98 | 6 | Number 12972 | Length 14.5" | Price 91.98 |
| - | • Fits Mata | la 13W UVC | | - | (Danner) | 14.0 | 31.30 |
| | 18 W | att | | | 40 W | att | |
| Kr. | CONNE | | :: 2G11 | - | | | |
| Vit la | Part Number | Length | Retail Price | | CONN | ECTION TYPE | E: T5F |
| A | C104 | 8.75" | 59.98 | 6 | Part | 1 | Retail |
| | 19528 • | 8.5" | 46.98 | | Number | Length | Price |

19528 •

8.5"

• Fits Tetra UVC & Pressure Filter

46.98

127.98

12974 (Danner)

20"

email: sales@waterlandscapesupply.com

| HOZELOCK | PARTS FOR | R BIOFOR | CE <u>500 /</u> | 100 <u>0 / 20</u> | 00 | |
|------------------------------|------------------|--------------------|---------------------|------------------------------|----------------|------------------|
| | BIOFORCE PI | RESSURE | FILTERS | • POST-2 | 2002 | |
| | | RCE 500 -2002 | | CE 1000 -2002 | | CE 2000 -2002 |
| Description | Part# | Retail Price | Part# | Retail Price | Part# | Retail Price |
| _id Clips/Clamps | Z12155 | 15.98 | Z12155 | 15.98 | Z12365 | 69.98 |
| lose Tails | Z12225 | 19.98 | Z12225 | 19.98 | Z12325 | 23.98 |
| Replacement Foam - TRADITION | AL 1305 | 29.98 | 1306 | 37.98 | 1323 | 82.98 |
| Replacement Foam - MATALA | M1305 | 14.98 | M1306 | 19.98 | M1323 | 39.98 |
| .id | Z12136 | 18.98 | Z12136 | 18.98 | NOT AV | AILABLE |
| Cleaning Indicator | Z12216 | 13.98 | Z12216 | 13.98 | Z12217 | 12.98 |
| id O-ring | Z12076 | 16.98 | Z12076 | 16.98 | Z12305 | 29.98 |
| Dutlet Head (UV) | Z12146 | 18.98 | Z12146 | 18.98 | 84230 | 24.98 |
| JV Bulb | C100 (5W) | 22.98 | C101 (9W) | 25.98 | C103 (13W) | 36.98 |
| Quartz Tube | 1523 | 53.98 | 1523 | 53.98 | 1524 | 79.98 |
| BI | OFORCE PRE | SSURE F | ILTERS • | PRE-200 | 2 | |
| | BIOFOI | RCE 500 2002 | BIOFOR | CE 1000 -2002 | BIOFOR | CE 2000 -2002 |
| Description | Part# | Retail Price | Part# | Retail Price | Part# | Retail Pric |
| Lid Clips/Clamps | Z12155 | 15.98 | Z12155 | 15.98 | Z12365 | 69.98 |
| lose Tails | Z12225 | 19.98 | Z12225 | 19.98 | Z12325 | 23.98 |
| Replacement Foam - TRADITION | | 23.98 | | AILABLE) | 1323 | 82.98 |
| id | Z12135 | 14.98 | Z12135 | 14.98 | | AILABLE |
| | Z12135 Z12216 | 13.98 | Z12135 Z12216 | 13.98 | Z12217 | 13.98 |
| Cleaning Indicator | | | - | | | |
| Lid O-ring | Z12076 | 16.98 | Z12076 | 16.98 | Z12305 | 29.98 |
| Outlet Head (UV) | Z12145 | 15.98 | Z12145 | 15.98 | | AILABLE |
| UV Bulb | C101 (9W) | 25.98 | C101 (9W) | 25.98 | C101 (9W) | 25.98 |
| | GR | EEN MAC | HINE FO | AM | | |
| | Part Number | Description | Dimensi (L x W > | | | Reta Prio |
| | FOC400 | Single Foam | for GM1500 | 4" x 4" x 8' | | 19.98/EAC |
| | FOC555 | Single Foam | for GM2500 | r GM2500 4" x 4" x 10 | | 29.98/EAC |
| | FOC600 | Single Foam | for GM4000 | 4.5" x 4.5" x 1 | 12" 28 | 31.98/EAC |
| | FOC650 | Single Foam | for GM6000 | 4.5" x 4.5" x 1 | 2.5" 32 | 33.98/EAC |
| | WHIL | E SUPPLI | ES LAST | I. | | |
| DUE | TO VERY LOW | | ON THESE | | rs | |
| | WE CANNOT | OFFER A | NY WARRA | ANTIES | | |
| 6 WATT TF | ANSFORMER | | | 27" | WAT | ERFALL STON |
| | Part# GB-T500 | .98 EACH LY! | | 25" | | s 1798 ONLY! |
| | READY ROOT | | | 17.5" | DE | BRIS NET |



| Number | Description | Price | Part | | Cord | Max. |
|--------|-------------------|-------|---------|------------------|--------|------|
| 44387 | 5-Pole Box | 84.98 | Number | Description | Length | Amps |
| 44388 | Sealant for 44385 | 54.98 | PC50-50 | Line/Low Voltage | 50' | 10 |

POWER BEAM

ALPINE LIGHTS

Additional 20' cord extension included



• 5 pole junction box


Part

| | | | | | | • | | |
|----------------|--------------|----------|-------|-------|-----------------|-----------------|----------------|------------------|
| Part Number | Description | Bulb | Trans | Watts | Out of Water | Photo Sensor | Cord Length | Special Price |
| PLM110 | Single Light | Hal-MR11 | No | 10 | Yes | No | 23' | 19.98 |
| PLM110T | Single Light | Hal-MR11 | Yes | 10 | Yes | No | 23' | 34.98 |
| PLM120 | Single Light | Hal-MR11 | No | 20 | Yes | No | 23' | 28.98 |
| PLM120T | Single Light | Hal-MR11 | Yes | 20 | Yes | No | 23' | 39.98 |

LUNALED POND & LANDSCAPE LIGHTS



- · Circuit suitable for use in and out of the water
- · Easy to integrate in garden and pond
- Neutral white light includes 12V transformer and automatic dusk-to-dawn sensor
- Adjustable head for flexible alignment
- · Weighted bases for easy installation



Rotates to 5 positions

Yes

299.98

Jas

| Part Number | Description | Туре | Watts | Cable | Between Lights | Transformer | Special Price |
|----------------|----------------------|------|-------|-------|----------------|-------------|------------------|
| 45412 | Set of 6 Mini Lights | LED | 3 | 12' | 4' | Yes | 84.98 |

LUNALED MINI POND LIGHTS

| 454 Part | | • Neutr color • Adjus | Circuit suitable for use in and out of the water Neutral white light with 4 interchangeable color lenses per light Adjustable head for flexible alignment Weighted bases for easy installation | | | | 45411 | 0 | Special |
|-------------|--------------|-----------------------------|---|-------|----------------|------------|-------------|----------|---------|
| Number | Description | Туре | Watts | Cable | Between Lights | Color Lens | Transformer | Warranty | Price |
| 45410 | Single Light | LED | 0.5 | 4' | - | Yes | Yes | 1 year | 44.98 |
| 45411 | 3 Light Kit | LED | 1.5 | 10' | 4' | Yes | Yes | 1 year | 94.98 |



Price

12.98

530100

Twilight Blue, 1 quart

22.98

Number

MBAS-14


Weight

4.4 lbs. / 2kg

(W x H)

1.37" x 18'

MISCELLANEOUS





Each filter includes 2 levels of mechanical media filtration and 1 level of bio-media filtration, encased in a poly net media bag for your cleaning convenience.

The Pure Pond 1000 will filter ponds up to 1000 gallons. • 3/4" Barbed Connector The Pure Pond 2000 will filter ponds up to 2000 gallons. • 1" Barbed Connector

| Part Number | Model | Max Pond Volume | Max Pump | Dimensions (D x H) | Special Price | |
|----------------|----------------|--------------------|----------|-----------------------|------------------|---|
| PP1000 | Pure Pond 1000 | 1000 Gal. | 700 | 9" x 8.5" | 19.98 | |
| PP2000 | Pure Pond 2000 | 2000 Gal. | 950 | 13" x 9" | 26.98 | 1 |

email: sales@waterlandscapesupply.com

2"

14.98



LL100

1" x 1"

6.98

EL200HB

2" x 2"

6.98

TT200

MISCELLANEOUS

WATER GARDEN TIPS

CALCULATING LINER SIZE

When choosing liner size for a pond opening, two dimensions are needed:

- 1. Length of Liner: Max length of opening + 2x Depth + 3'
- 2. Width of Liner: Max width of opening + 2x Depth + 3'


Example: Pond Opening is 10' long, 8' wide and 2' deep

Length of liner: 10' + 4' (2' x 2') + 3' = 17'

Width of liner: 8' + 4' (2' x 2') + 3' = 15'

Liner should be a minimum of 15' x 17'

ESTIMATING ENERGY CONSUMPTION



PUMP FACTS

Horse Power: 1 HP = 746 Watts

<u>Watts</u> = Volts x Amps

Amps = Watts / Volts

P.S.I. = Max Head of Pump / 2.31

Max Head: Maximum height (in feet) that a pump can push water through the correct size of tubing.

WATER GARDEN TIPS (CONTINUED)

POND VOLUME

Being able to calculate the volume of water in a pond is significant.

- 1. Best Method: When filling the pond for the first time use a water meter
- 2. Method 2: Calculate the length of time needed to fill a 5 gallon container and calculat how long it takes to fill the pond then compile results.
- 3. Method 3 (most common method): Use the following formula to figure out how many cubic feet are in the pond's opening:

Average Length x Average Width x Average Depth x 7.48 = Gallons in Pond

(One cubic foot of water = 7.48 gallons)

VOLUME FOR CIRCULAR POND

Radius x Radius x 3.14 x Depth = **Cubic Feet** Cubic Feet x 7.48 = **Gallons in Circular Pond**


VOLUME FOR CIRCULAR POND

When approximate pond volume is known, selecting a pump becomes easier. It is best to try to turn pond water over once every hour.

Example: 2500 gallon pond - The pump chosen should perform close to 2500 GPH after considering pumping height and tubing length (Total Dynamic Head - TDH).

PUMP PERFORMANCE CHARTS

Most pump manufacturers provide performance charts to show customers pump results at different pumping heights. See chart below.



Example: Desired flow for project is approximately 2800 GPH at 30' of TDH.

Pump A produces: 0 GPH at 30' of head
Pump B produces: 1600 GPH at 30' of head
Pump C produces: 2800+ GPH at 30' of head - Best choice for the project!

WATER GARDEN TIPS (CONTINUED)

| TUB | ING FLOW | RATES |
|---------------------|--------------------|--|
| | mended Diameter | |
| Tubing Size (ID) | Max Flow (GPH) | This chart shows maximum flow rates for common sized tubing. |
| 1/2" | 300 | |
| 3/4" | 720 | The chart is your helpful when extention the courset tubics size for |
| 1" | 1200 | The chart is very helpful when selecting the correct tubing size for a project. If the tubing size chosen is too small, the flow of water |
| 1 1/4" | 2000 | from the pump will be restricted. |
| 1 1/2" | 3000 | |
| 2" | 4800 | Note: Tubing size is an inside diameter measurement. |
| 2 1/2" | 6000 | Note. Tubing size is an inside diameter measurement. |
| 3" | 9000 | |
| 4" | 12000 | |
| | (Flow Rate | es will vary between different charts - use as a reference) |

WEIR FLOW RATES

Most streams and waterfalls start when water flows over a waterfall <u>weir</u>. To help calculate the desired flow of water over the weir, the following information is a useful guide for approximate flow rates.

| Minimum Flow | 100 GPH per inch of weir width |
|--------------|--------------------------------|
| Average Flow | 150 GPH per inch of weir width |
| High Flow | 200 GPH per inch of weir width |

Example: 36" Wide Waterfall Weir

| Minimum Flow | 100 GPH x 36" = 3600 GPH |
|--------------|--------------------------|
| Average Flow | 150 GPH x 36" = 5400 GPH |
| High Flow | 200 GPH x 36" = 7200 GPH |

This information is invaluable when deciding what pump to use for a pond project.

WATER GARDEN TIPS (CONTINUED)


PUMPS

Choosing the correct pump size for a water garden project is extremely important. Following is an important factor to consider when reviewing pump choices.

A FACTOR THAT AFFECTS A PUMP'S PERFORMANCE

1. Head Height: The elevation that the water is being pumped to, determines the flow rate of the pump. The higher the elevation, the larger the reduction in the flow rate. All pumps have a maximum pumping height. The point at which a pump can no longer move water upward is called the <u>max head</u>.

The example below represents this trait for all water pumps.



There is a point at which gravity will not allow water to be pumped any higher.

Water is Heavy - a Gallon of Water Weighs Over 8 lbs.

TUBING

ANOTHER IMPORTANT FACTOR THAT AFFECTS A PUMP'S PERFORMANCE

2. Size of Tubing: The flow of water through tubing is always affected by friction. The smaller the inner diameter tubing, the more friction loss. In the experiment below, the same 700 GPH pump was run for 10 second intervals; the only difference was the size of the tubing. It became very obvious that choosing the wrong size tubing could very much affect pump performance. This effect on performance is true for any size or type of water pump.



WATER GARDEN TIPS (CONTINUED)

ALGAE IN PONDS

In the most general terms, pond algae can be divided into two types:

SINGLE CELL & STRING ALGAE.

SINGLE CELL ALGAE

Microscopic single cell algae causes pond water to turn a pea soup, green color. They will appear when nutrients, sunlight, and water are present. They are so small that it is not possible to simply "filter" them out of pond water.

METHODS OF REMOVAL

- Flocculants
- UV Clarifiers Reduce food source • Algaecide
- Ben. bacteria & plants help by reducing nutrients needed for algae to survive

STRING / FILAMENTOUS ALGAE


String algae often appears in clear pond water. It attaches itself to rock in streambeds and waterfalls. Also to sides of rocks inside pond. Blanketweed is another form of string algae. It rises to the surface of pond during heat of the day and sinks when water cools.

METHODS OF REMOVAL

- Products that break down organic debris
- Algaecide
- Pond Vacuum
- Brush/Twister

NITROGEN CYCLE IN GARDEN PONDS

Fish can take care of themselves, if pond-keepers take care of water!





email: sales@waterlandscapesupply.com



Generally found in shallower water, the stem and root system may start at the pond's bottom although not always. Foliage will be seen floating on the water's surface.













Water Shield

NOTE:

Aquatic weed solutions guide only lists the best methods to control aquatic weeds. Other weed species may be affected by solutions other than the icons on the weeds above.



Water Hyacinth

CROSS COMPATIBILITY OF OUR UV BULBS

| Base | Part # | Watt | Length | OEM Part Number | Compatible Product | Base | Part # | Watt | Length | OEM Part Number | Compatible Product |
|-------------|--------|------|--------|-------------------|--|------|--------|------|--------|--------------------------|---|
| G23 | C100 | 5 | 4" | | | 2G7 | 16787 | 9 | 5.75" | | |
| | | | | Tetra - 19526 | GreenFree™ UVC-9 Pond Clarifier - 19523 | | | | | Tetra - 16787 | ClearChoice Pressure Filter PUV 1500 - 2656 |
| | | | | Fish Mate - FM274 | 500 PUV Pressurized Pond Filter - FM264 | 2G11 | C104 | 18 | 8.75" | | |
| | | | | Pennington | Inpond 5 in 1 300 | | | | | Matala | 18 Watt UV Clarifier - MUV18 |
| 323 | PLFU7 | 7 | 5.5" | | | | | | | Oase - 40965 | FiltoClear 3000 18W UV - 40346 |
| | 12101 | • | 0.0 | Alpine - PLFU7 | Bio-Pure Pressure Filter 1000 - PLF1000U | | | | | 0000 40000 | Vitronic 18 - 56455 |
| | | | | Oase - 40963 | Filtral 700 7W UV - 40349 | | | | | Tetra - 19528 - PL-L18W | ClearChoice Pressure Filter PUV 2500 - 265 |
| G23 | C101 | 9 | 6.5" | 0436 - 40303 | | | | | | 16114 - 13320 - 1 E-E10W | ClearChoice Pressure Filter PUV 3500 - 265 |
| 323 | 0101 | 9 | 0.0 | Alpine - PLFU9 | Bio-Pure Pressure Filter 2000 - PLF2000U | | | | | | GreenFree™ UVC-18 Pond Clarifier - 19521 |
| | | | | Beckett - 7120510 | | 2G11 | PLFU24 | 24 | 12.8" | | Green ree 040-10 Fond Clariner - 15521 |
| | | | | Beckett - 7120510 | Medium Biological Pond Filter - PB750 | 2011 | FLFU24 | 24 | 12.0 | | |
| | | | | | 9 Watt UV Filter - 7207910 | | | | | Alpine - PLFU24 | Bio-Pure Pressure Filter 3500 - PLF3500U |
| | | | | | PBF3000-PRESSURE FILTER/UV | | | | | Laguna - PT1603 | Pressure-Flo 3000 - PT1727 |
| | | | | Danner - 15615 | ClearGuard Filter 2700 W/UV - 05615 | | | | | Oase - 41011 | FiltoClear 4000 24W UV - 56425 |
| | | | | Fish Mate - FM275 | 1000 PUV Pressurized Pond Filter - FM265 | 2G11 | C106 | 36 | 16.5" | | |
| | | | | | 2000 PUV Pressurized Pond Filter - FM266 | | | | | Matala | 36 Watt UV Clarifier - MUV36 |
| | | | | Hozelock Cyprio | Vorton 4000 | | | | | Oase - 40966 | Vitronic 36 - 40350 |
| | | | | | Vorton 2000 | | | | 15.25" | Tetra - 19529 | GreenFree™ UVC-36 Pond Clarifier - 19522 |
| | | | | | Vorton 1000 | 2G11 | C108 | 55 | 21.25" | | |
| | | | | | EasyClear™ 1000 UVC 1328 | | | | 24.8" | Oase - 40967 | FiltoClear 8000 - 56435 |
| | | | | | Ecoclear™ UVC 1327 | | | | | | Bitron C 55 - 57101 |
| | | | | Oase - 40964 | BioPress 1600 - 40348 | | | | | | Bitron C 110 - 56936 |
| | | | | | BioSmart 1600 - 40353 | T5F | 12972 | 20 | 14.5" | | |
| | | | | | Filtral 1200 Filter - 46973 | | | | | Danner - 12972 | Pondmaster Pressurized Filter - PUV-2000 |
| | | | | | Vitronic 9 UVC - 45427 | | | | | | Pondmaster Submersible UV - 02920 |
| | | | | Tetra - 19527 | GreenFree™ UVC-9 Pond Clarifier - 19520 | | | | | | Supreme - 12972 |
| | | | | Pennington | Pennington Aquagarden All in One 600 | | | | | Laguna - PT-1504 | Pressure-Flo 2100 UVC Filter - PT-1504 |
| | | | | Little Giant | UVC9 UV Clarifier - 517424 | T5F | A20025 | 25 | 17.5" | | |
| | | | | Total Pond | 9 Watt UV Pond Clarifier - UVC9 | | | | | Aqua UV - A20025 | Classic 25 Watt |
| 623 | C102 | 11 | 9.25" | | | | | | | | Aqua Frog & Statuary Spitter 25-Watt UV |
| | | | | Alpine - PLFU11 | Bio-Pure Pressure Filter 3000 - PLF3000U | | | | | | Aqua Fish & Statuary Spitter 25-Watt UV |
| 3 23 | C103M | 13 | 7.5" | | | | | | | Laguna - PT1522 | Pressure-Flo 3200 UVC Filter - PT-1506 |
| | | | | Laguna - PT1701 | PowerClear Multi 1000 - PT1817 | T5F | A20040 | 40 | 33.5" | | |
| | | | | | PowerClear Multi 2000 - PT1818 | | | | | Aqua UV - A20040 | Classic 40 Watt |
| | | | | | Pressure-Flo 1000 - PT1725 | | | | | | Classic 80 Watt (Requires 2 of these bulbs) |
| | | | | | Pressure-Flo 2000 - PT1726 | | | | | | Classic 120 Watt (Requires 3 of these bulbs |
| | | | | Matala | 13 Watt UV Clarifier - MUV13 | | | | | Alpine - PLFU40 | 40 Watt Stainless UV PLUV10800 |
| SX23 | C103 | 13 | 7.25" | | | | | | | Matala - M40L | 40 Watt UV Clarifier - MIUV40 |
| | | | | Fish Mate - FM276 | 3000 PUV Pressurized Pond Filter - FM267 | | | | | | 40 Watt Spectrum Stainless UV - SS40UV |
| | | | | | | | gree | | 51 | | |
| | | | | Hozelock Cyprio | Bioforce™ 2000 UVC - 1314 | ET | 3 | | er B | | the Take |
| | | | | | Bioforce™ 4000 UVC - 1335 | Y | 1.1 | | V/ | 181 | the May |
| | | | | | Ecoclear™ 2000 UVC - 1328 | | | | | | |
| | | | | | Ecoclear™ 4000 UVC - 1329 | | 1 | 1 | | | |
| | | | | | Vorton 6000 | | | al 1 | / | | 2G11 2G7 |



email: sales@waterlandscapesupply.com



CREDIT APPLICATION

2507 East 21st Street Des Moines, IA 50317 Toll Free: 877-266-8181 Fax: 515-266-8999



For the purposes of establishing credit and agreement as to terms of future purchases, the undersigned represents:

APPLICANT, GENERAL INFORMATION

| Billing Address | | | City | State | e | _ Zip | |
|---|-------------|-------------|--|-----------------------|-------------------------|--------|-----|
| Shipping Address | | | City | State | e | _ Zip | |
| Contact | | Phone | Fax_ | | | _ | |
| Organization (check one) | Partnership | Proprietors | hip Corporation 🗖 LLC | | | | |
| escription of Business | | | Present Owner | rship Since | | | |
| Resale License# | Federal Ta | xpayer ID# | Have you at this, o | r any business declar | red bankru | iptcy? | Y [|
| | | | | | | | |
| OWNER, PARTNERS, | | | | | 00" | | |
| lame | | _SS# | Name | | SS# | | |
| City | Stat | te Zip | City | S | State | Zip | |
| CREDIT & TRADE R Firm Name | • | Please Prov | vide Minimum of 3 Refere | | | | |
| Firm Name Address City | State | Please Prov | vide Minimum of 3 Refere Firm Name Address City | nces) | ZIP | | |
| Firm Name Address City Phone | State Fa | Please Prov | vide Minimum of 3 Refere Firm Name Address City Phone | nces) | ZIP Fax | | |
| Firm Name Address City Phone Firm Name | State Fa | Please Prov | vide Minimum of 3 Refere Firm Name Address City Phone Firm Name | nces) | ZIP Fax | | |
| Firm Name Address City Phone | State Fa | Please Prov | vide Minimum of 3 Refere Firm Name Address City Phone Firm Name Address | nces) | ZIP Fax | | |
| Firm Name Address City Phone Firm Name Address | StateFa | Please Prov | vide Minimum of 3 Refere Firm Name Address City Phone Firm Name Address City City Phone City City City | nces) State | FaxZIP | | |
| Firm Name Address City Phone Firm Name Address City Phone Phone | StateFa | Please Prov | vide Minimum of 3 Refere Firm Name Address City Phone Firm Name Address City City Phone City City City | nces) State | FaxZIP | | |
| Firm Name Address City Phone Firm Name Address City Phone BANK INFORMATION | StateFa | Please Prov | vide Minimum of 3 Refere | nces) | FaxZIP FaxZIP Fax | | |
| Firm Name Address City Phone Firm Name Address City | StateFa | Please Prov | vide Minimum of 3 Refere | nces) State | FaxZIP FaxZIP Fax | | |

PRINT NAME

DATE

Applicant applies for credit and agrees that future purchases shall be pursuant to the terms hereof, the sale documents and the policies of the seller. In the event that it becomes necessary for Water Landscape Supply to file suit to enforce payment, applicant agrees that such suit may be brought in Polk County and seller shall be entitled to court cost and attorney's fees. This contract and all subsequent purchases are deemed made and payable at seller's principal place of business shown above. This credit application begins the process of establishing a credit account with Water Landscape Supply until a credit line has been established. All orders may require payment in advance of shipment or to be delivered on a COD basis. We accept company, cashier's check, or credit card for payment. When applicant ("customer") listed above has a credit line established, payments for shipments as invoiced are due based NET 30 days. Overdue accounts are subject to a late charge at the rate of 1.5% per month or such maximum lesser rate as permitted by law on the overdue balances. Invoices are considered overdue past 30 days. The acceptance on any individual order and terms of payment on all sales and orders are subject to an approval of the Credit Department of Water Landscape Supply.

Before signing, please complete the entire form. The signatures signify agreement with the terms and conditions given by Water Landscape Supply.

WE HEREBY CERTIFY THE FOREGOING TO BE TRUE AND AGREE TO THE STATED TERMS



SHIPPING & ORDER INFORMATION • TERMS AND CONDITIONS

PRICING

All prices shown are suggested only. Consult your sales rep for specific terms and conditions of sale.

PAYMENT

All orders must be paid at time of shipment unless a Net 30 Days Credit Account has been approved by Water Landscape Supply. Forms of payment accepted by Water Landscape Supply are: cash, certified check, C.O.D. and credit card. Customers who qualify for Net 30 Days Credit Accounts must maintain current payment status or all discounts will be nullified and future shipments will be shipped C.O.D. only. C.O.D. orders include a \$10. Water Landscape Supply fee in addition to the C.O.D. fee charged by the freight firm. Payment of C.O.D. orders must be made by certified check or cashier check.

WHILE SUPPLIES LAST - PRICES SHOWN IN RED Select items have been designated "While Supplies Last!". No other

Select items have been designated "*While Supplies Last!*". No other discounts apply. Once inventory is depleted, we will no longer be able to honor the published 2020 prices.

FREIGHT

Free freight for qualifying orders is available for our customers. Please call Water Landscape Supply for further details. Special order and drop ship items do not qualify for freight prepaid programs. Additional fees apply to truck freight deliveries to residential addresses, lift gate service, and courtesy phone call service.

SHORT SHIPMENT

The customer must provide Water Landscape Supply the receipt from the carrier, along with customer's count of product within 72 hours of receipt of merchandise.

DAMAGE IN TRANSIT

Upon receipt of goods, the customer must inspect for damage and add the phrase "not for hidden damages" when signing the receipt for goods. If damage is discovered, the customer must initiate a claim with the shipper.

RESTOCKING FEE

A 15% restocking fee will be charged for all salable returned items.

RETURN POLICY

Returns will only be accepted if identified with a legitimate Return Authorization (RA) number prior to returning product. To receive an RA number, customers must call a Water Landscape Supply representative to explain the nature of the return. The RA number should appear clearly on the outside of each package returned. Credit will be issued once the merchandise is received, inspected and authorized. The customer is responsible for freight costs incurred for the return to Water Landscape Supply.

WARRANTED MERCHANDISE

Defective items may be returned to Water Landscape Supply without a restocking fee during the warranty period of the merchandise. The customer is responsible for returning the items to Water Landscape Supply and for freight costs. Each item must be accompanied by a copy of original retail receipt from the dealer showing the date of purchase. Items will be replaced or repaired at the discretion of Water Landscape Supply.

PRICES SUPERSEDE ALL PREVIOUSLY PUBLISHED PRICES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

2020 WLS POND PRODUCTS CATALOG IS NOT FOR ONLINE USE OR PRINTING W/O PERMISSION FROM WLS, INC.

